

LATITUDE 38°10'

83°35'

LONGITUDE

15'
349S
4.18W



7'5 OGIS topo location

7.5' loc _____ 15' loc 349S
_____ (calc.) 4.18W

52 on Map II 1915 County Report

Company Crude Oil Co

Farm Peytona Coal Land Co. 3

Quad Peytona (15')

County Roane

District Sherman

WELL LOCATION MAP

File No. 005-70005 Byfarm

PEYTONA COAL LAND CO. NO. 3 WELL.

No. 3 O.F.
No. 52 Boone CO. Rpt.
p. 543.

Sherman.....District, Boone County, W. Va.
Record - Fred S. Rich No. 3. *El. 775' B -*
Finished July 17, 1909. *Crude oil G -*

Racine

Peytona, two miles from mouth of Indian Creek.
F.G. Leidecker, St. Albans, Wade Kirtly, Hurricane, W. Va., and
Bert. Sunderman, St. Marys, W. Va. (Drillers?)

Approved, by C. S. Leidecker, field man.
Dry in all formations.

Record from F. G. Leidecker, St. Albans, W. Va., Aug. 31, 1909.

	Top.	Bottom.
Wooden conductor	0	14
Slate (fresh water at 20' and 80') (cased with $8\frac{1}{4}$ " on top of sand)	14	95
Sand (fresh water at 200')	95	400
Slate	400	480
Sand	480	540
Slate	540	580
Salt Sand (cased with 6-5/8" at 1180')	580	1275
Black lime	1275	1325
White lime	1325	1370
Break of slate (small shows of gas in	1370	1395
White lime (Big Lime from 115' to	1395	1535
Big Injun Sand (145' from top)	1535	1591
Berea Grit Sand	2008	2020
Total depth		2029

no. 15 is Boone 422D

.....District, Boone County, W. Va.
 Record of Fred S. Rich Well No. 3, drilled 2 miles from
 mouth of Indian Creek, near Peytona, Boone County, W. Va.
 Drilling completed, July 17, 1909.
 Record of well by F. G. Leidecker, St. Albans, W. Va.
 Wooden conductor, 14"; 8 1/2", to 95'; 6-5/8", 1180'.
 Dry in all formations.

	Top.	Bottom.	Thickness.
Wooden conductor	0	- 14	14
Slate (fresh water at 20' and 80')	14	- 95	81
Sand (cased with 8 1/2" on top of sand)	95	- 400	305
Slate (fresh water at 200')	400	- 480	80
Sand	480	- 540	60
Slate	540	- 580	40
Salt Sand (cased with 6-5/8" at 1180')	580	- 1275	695
Black lime	1275	- 1325	50
White lime	1325	- 1370	45
Break of slate	1370	- 1395	25
White lime	1395	- 1535	140
Big Injun Sand	1535	- 1591	56
Unrecorded	1591	- 2008	412
Berea Grit Sand	2008	- 2020	12
Total depth		2029	

(Small shows of gas in Big Lime
 from 1157 to 1445 ft. from top)

Dry in all formations.

Peytona Land Co. No. 3 Well Record (52). 005-70005

Sherman District, 0.5 mile southwest from Sterling P. O., on Indian Creek; authority, Crude Oil Co.; completed, July 17, 1909; elevation, 795' B.

	Thickness Total	
	Feet.	Feet.
Conductor	14	14
Slate	81	95
Sand	305	400
Slate	80	480
Sand	60	540
Slate	40	580
Sand, Salt.....	695	1275
Black lime.....	50	1325
White lime..... 45' } Break of slate..... 25 } White lime..... 140 }	210	1535
Sand, Big Injun.....	56	1591
Unrecorded	417	2008
Sand, Berea.....	12	2020
Unrecorded to bottom.....	9	2029

Water at 20', 80' and 200'; casing, 8 $\frac{1}{4}$ ", 480'; 6 $\frac{3}{8}$ ", 1180'; a small show of gas in Big Lime from 1415-1445'; dry hole; well abandoned.