


M



- New Location
- Drill Deeper
- Redrill
- Abandonment

Company J.C. BAKER & SON INC.
 Address GASSAWAY, W.VA.
 Farm J.C. BAKER
 Tract Acres 170.5 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 842.00
 Quadrangle BURNSVILLE SE
 County BRAXTON District SALT LICK
 Engineer G. F. Dye
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 2-22-62 Scale 1" = 50 FEET

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. BRAX-510

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 3

Quadrangle Burnsville

Permit No. Brax. 510

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company <u>J. C. Baker & Son, Inc.</u>	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address <u>Gassaway, West Virginia</u>	Size			
Farm <u>J. C. Baker & Son, Inc. Acres 170.5</u>	16			Kind of Packer
Location (waters) <u>Little Kanawha River</u>	13	16'	16'	
Well No. <u>2</u> Elev. <u>842.00'</u>	10	379'	379'	Size of
District <u>Salt Lick</u> County <u>Braxton</u>	8 1/4	1435'	1435'	Depth set
The surface of tract is owned in fee by <u>J. C. Baker & Son, Inc.</u>	6 5/8			Perf. top
Address <u>Gassaway, W. Va.</u>	5 3/16	4099'	4099'	Perf. bottom
Mineral rights are owned by <u>J. C. Baker & Son, Inc.</u>	3			Perf. top
Address <u>Gassaway, W. Va.</u>	2			Perf. bottom
Drilling commenced <u>April 6, 1962</u>	Liners Used			
Drilling completed <u>May 26, 1962</u>				
Date Shot _____ From _____ To _____				
With _____				
Open Flow _____ /10ths Water in _____ Inch				
_____ /10ths Merc. in _____ Inch				
Volume _____ Cu. Ft.				
Rock Pressure _____ lbs. _____ hrs.				
Oil _____ bbls., 1st 24 hrs.				
WELL ACIDIZED _____				

CASING CEMENTED 5 1/2 SIZE No. Ft. 5/30/62 Date
 100 Sks Cement - 15 Sks Aquagel - by Garaton Service
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

WELL FRACTURED June 6, 1962

RESULT AFTER TREATMENT 1,000,000
 ROCK PRESSURE AFTER TREATMENT 1225#
 Fresh Water _____ Feet Salt Water _____ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Red Rock			00	6	Water	18	
Blue Sand			6	96			
Blue Slate			96	107			
Grey Lime			107	126			
Slate			126	145			
Sand			145	160			
Slate			160	175			
Blue Lime			175	200			
Sand			200	225			
Slate			225	260			
Lime			260	266			
Sand			266	376			
Slate			376	382			
Slate, Lime, shells			382	410			
Lime			410	440			
Sand			440	530			
Slate & Shells			530	740			
Sand			740	760			
Lime & Slate			760	820			
Sand			820	845			
Slate & shells			845	865			
Sand			865	925			
B. Slate			925	930			
Sand			930	1020			
Black Slate			1020	1046			
Slate & L. Shells			1046	1065			
Sand			1065	1080			
Slate & Shells			1080	1090			
Sand			1090	1120			
					Oil-water	963	



Formation	Color	Hard or Soft	Top ³	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime			1120	1130			
Sand			1130	1222			
Lime			1222	1255			
Red Lime			1255	1278			
Gritty Lime			1278	1315			
Red Lime			1315	1320			
Slate			1320	1320 $\frac{1}{2}$			
Red Lime			1320 $\frac{1}{2}$	1340			
Lime			1340	1345			
Sand			1345	1352			
Slate			1352	1360			
Black Lime			1360	1380			
Slate & Shells			1380	1400			
Sand			1400	1431			
Big Lime			1431	1553			
Keener Sand			1553	1579			
Lime			1579	1640	Gas Oil	From 1610 to 1620	Smell Show
Slate & Shells			1640	1942			
Sand			1942	2015			
Slate			2015	2090			
Pink Rock			2090	2110			
Slate & Shells			2110	2265	Gas	2188 to 2200	Show
Lime			2265	2300			
Slate & Shells			2300	2330			
Blue Lime			2330	2390			
Slate & Shells			2390	2455			
Gritty Lime			2455	2965	Gas	2834 to 2840	Show
Slate & Shells			2965	2977			
Gritty Lime			2977	3365			
Slate & Shells			3365	3440			
Gritty Lime			3440	3880			
Slate & Shells			3880	4048			
Benson Sand			4048	4075	Gas	4051 to 4060	Pay
Slate			4075	4080			
Gritty Lime			4080				

Date June 12, 1936

APPROVED J. C. Laker & Son, Inc. Owner

By J. C. Laker
(Title)