


Latitude 38° 50'

Longitude 80° 40'



New Location

Drill Deeper

Abandonment

COAL NOT OPERATED.

Company HOWARD GAS CO

Address CHARLESTON, W.VA.

Farm WM. FISHER

Tract \_\_\_\_\_ Acres 175 Lease No. \_\_\_\_\_

Well (Farm) No. 1 Serial No. \_\_\_\_\_

Elevation (Spirit Level) 1210 (BAR)

Quadrangle BURNSVILLE *Sheet NW*

County BRAXTON District OTTER

Engineer G.E. Krebe

Engineer's Registration No. 9

File No. 11729 Drawing No. \_\_\_\_\_

Date 7-3-41 Scale 1" = 2000 FT

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. BRAX-41A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Otter District, Braxton County, W. Va.

C. E. Goettman and Braxton County Petroleum Company.

Drilling commenced Nov. 12, 1921; completed, Jan. 3, 1922.

On a branch of Cedar Creek, 0.9 mi. N. W. of Berry Siding.

(Fisher farm bounded by F. H. Fisher, F/ W. Engle, John Stout,  
T. C. Gillespie, D. H. Gibson, Clint Eubanks, and G. W. Marple  
farms, according to sketch map showing locations of Nos. 1  
and 2 Wm. Fisher wells). (1.3 mi.  $\pm$  S.E. of Bonnie).

1920' of 6-5/8" casing in hole.

Original daily open flow, 531,000 cu. ft.

Original rock pressure, 1018 lbs.

|                                 | Top.               | Bottom.              |
|---------------------------------|--------------------|----------------------|
| First Salt Sand                 | 1110               | - 1140               |
| Second Salt Sand                | 1140               | - 1350               |
| Slate and shell                 | 1350               | - 1535               |
| Maxton Sand                     | 1535               | - 1650               |
| Blue Monday Sand                | 1650               | - 1750               |
| Lime shells                     | 1750               | - 1867               |
| Little Lime                     | 1867               | - 1889               |
| Big Lime                        | 1899               | - 1955               |
| Big Injun Sand                  | 1955               | - 2105               |
| Squaw Sand                      | 2105               | - 2130               |
| Gordon Stray Sand (all gas pay) | 2148               | - 2454 $\frac{1}{2}$ |
| Limestone shells                | 2454 $\frac{1}{2}$ | - 2470               |
| Sand, Gordon (more gas)         | 2470               | - 2478               |
| Total depth                     |                    | 2665                 |
| Hole filled up to               |                    | 2500                 |

0  
Otter District, Braxton County, W. Va.  
Howard L. Williams Corp. (Howard Bister, Secy.), Charleston, W. Va.  
On 127 acres, surface and mineral rights owned by Wm. Fisher,  
Sutton, W. Va.

Elevation, 1145'.

10" casing, 117'; 8" casing, 816'; 6-5/8", 1920'.

Coal was encountered at 448-452 and 605-608'.

No liners used.

Abandonment reported to Dept. of Mines Oct. 23, 1934.

Well was shot at 2450-2454'.

Records do not show water.

|  | Top.               | Bottom.            |
|--|--------------------|--------------------|
| Red rock   | 0                  | 75                 |
| Shale, red rock, and sand                          | 75                 | 445                |
| Slate  | 445                | 448                |
| Coal   | 448                | 452                |
| Slate and sand                                     | 452                | 605                |
| Coal   | 605                | 608                |
| Slate shells                                       | 608                | 740                |
| Big Dunkard Sand                                   | 740                | 855                |
| Slate and sand                                     | 855                | 1110               |
| 1st Salt Sand                                      | 1110               | 1115               |
| Slate and shells                                   | 1115               | 1140               |
| 2nd Salt Sand                                      | 1140               | 1350               |
| Slate and shells                                   | 1350               | 1535               |
| Maxton Sand  | 1535               | 1605               |
| Shells   | 1605               | 1650               |
| Blue Monday Sand                                   | 1650               | 1750               |
| Shells   | 1750               | 1867               |
| Little Lime  | 1867               | 1889               |
| Pencil Cave  | 1889               | 1899               |
| Big Lime   | 1900               | 1955               |
| Big Injun Sand                                     | 1955               | 2105               |
| Squaw Sand   | 2105               | 2130               |
| Slate and shells                                   | 2130               | 2448               |
| Gordon Stray Sand (pay, 2450 $\frac{1}{2}$ -2454') | 2448               | 2454 $\frac{1}{2}$ |
| Shells   | 2454 $\frac{1}{2}$ | 2470               |
| Gordon Sand  | 2470               | 2478               |
| Total depth  |                    | 2665               |