

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, April 26, 2019 WELL WORK PERMIT Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC POST OFFICE BOX 12359

SPRING, TX 773914954

Re: Permit approval for BRIAN TESLOVICH BRK 1H 47-009-00276-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin Chief

Operator's Well Number: BRIAN TESLOVICH BRK 1H

Farm Name: BRIAN L. TESLOVICH

U.S. WELL NUMBER: 47-009-00276-00-00

Horizontal 6A New Drill Date Issued: 4/26/2019

			_		_	
)4	n	~	n	\sim	1 C
	14	'	n	_		ıч
•	J-T/	_	v	_	v	

API Numb	er.
----------	-----

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

0.4	10	0	10	^	1	\mathbf{a}
04	ΙZ	ס	12	U	ш	Э

API Number:	

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15) API NO. 47-009 04/26/2019

OPERATOR WELL NO. Brian Teslovich BRK 1H
Well Pad Name: Brian Teslovich PAD

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator:	SWN Produ	ction Co., L	LC	494512924	009- Brooke	3-Buffalo	641-Ti	Itonsville
de a cray de cray				Operator ID	County	District	Quadra	ngle
2) Operator's We	Il Number: Bria	an Teslovicl	h BR	RK 1H Well Pad	Name: Brian	Teslovich	PAD	
3) Farm Name/Su	ırface Owner:	Brian Teslo	vich	Public Road	d Access: McC	ord Hill Ro	oad	
4) Elevation, curr	ent ground:	1149'	El	evation, proposed j	oost-construction	on: 1157'		
5) Well Type (a	a) Gas x	Oi	1	Unde	rground Storag	е		
O	ther							
(t	o)If Gas Shal	llow x		Deep			1	
0.0.1.1.6.1.1		izontal x				100		
6) Existing Pad: Y		D 400		t dent to			0.3.10	¥
				ipated Thickness at VD- 5729', Target Base TVI		, ,	ssociated I	Pressure- 3760
8) Proposed Total	Vertical Depth	1: 5784'						
9) Formation at T	file and the second	A TAKES	ellus					
10) Proposed Tota	al Measured De	epth: 5784	•					
11) Proposed Hor	izontal Leg Lei	ngth:						
12) Approximate	Fresh Water St	rata Depths:		326'				
13) Method to De	termine Fresh	Water Depth	s: 1	Nearby water well				
14) Approximate	Saltwater Dept	hs: 405'- S	alinit	y Profile				
15) Approximate	Coal Seam Dep	oths: 266'						
16) Approximate	Depth to Possi	ble Void (co	al mi	ine, karst, other): _F	Possible void 2	266'		
17) Does Propose directly overlying				ms Yes	No	x		
(a) If Yes, provi	de Mine Info:	Name:						
		Depth:					RECE	EIVED Oil and Gas
		Seam:				C	Office of C	
		Owner: _					JAN	4 2019
						E	WV Der	partment of ntal Protection

WW-6B (04/15) API NO. 47-009

OPERATOR WELL NO. Brian Teslovich BRK 1H
Well Pad Name: Brian Teslovich PAD

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	100'	100'	CTS
Fresh Water	13 3/8"	New	H-40	48#	380'	380'	375 sx/CTS
Coal	See	Interm	Casing				
Intermediate	9 5/8"	New	J-55	36#	1602'	1602'	619 sx/CTS
Production	5 1/2"	New	HCP-110	20#	5784'	5784'	lead 594sx/Tall 371sx/ 100' Inside Interne
Tubing							
Liners							

(-Bl 10.318

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	633	Class A	1.19/50% Excess
Coal	See	Interm	Casing				
Intermediate	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/50% Excess
Production	5 1/2"	8 3/4"	0.361	12360	9500	Class A	1.20/50% Excess
Tubing							
Liners						1	

PACKERS

Kind:	
Sizes:	
Depths Set:	
	RECEIVED Office of Oil and G

JAN 4 2019

WV Department of Environmental Protection

API NO. 47-009

OPERATOR WELL NO. Brian Teslovich BRK 1H

Well Pad Name: Brian Teslovich PAD

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface or run external casing packer/cementing stage tool above void interval and perform 2 stage cementing operation dependent upon depth of void. Run casing not less than 20' below void nor more than 75' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, horizontal separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 100 barrels a minute.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 11.42
- 22) Area to be disturbed for well pad only, less access road (acres): 6.17
- 23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

RECEIVED
Office of Oil and Gas

4 2019

WV Department of Environmental Protection

*Note: Attach additional sheets as needed.

Calalanahanan	C	A 1 1
Schlumberger	cement	Additives

	Product Name	Product Use	Chemical Name	CAS Number
Surface	S001	accelerator	calcium chloride up to 3%	10043-52-4
Intermediate Surface	S001	accelerator	calcium chloride	10043-52-4
+	D080	dispersant	sodium polynaphthalene sulfonate	9008-63-3
300	D801	retarder	aromatic polymer derivative	propriatary
Kick Off Plug	D047	antifoam	polypropylene glycol	25322-69-4
	D167	fluid loss	aliphatic amide polymer	propriatary
	D154	extender	non-crystalline silica	7631-86-9
	D400	gas migration	boric acid	10043-35-3
			polypropylene glycol	25322-69-4
pe	D046	antifoam	fullers earth (attapulgite)	8031-18-3
Production-Lead			chrystalline silica	14808-60-7
45	D201	retarder	metal oxide	propriatary
ğ			sulphonated synthetic polymer	propriatary
Pro	D202	dispersant	formaldehyde (impurity)	propriatary
			polypropylene glycol	25322-69-4
	D046	antifoam	fullers earth (attapulgite)	8031-18-3
	D167	fluid loss	aliphatic amide polymer	propriatary
all all			sodium polynaphthalene sulfonate	9008-63-3
1-	D065	dispersant	sodium sulfate	7757-82-6
Production-Tall	(A)		chrystalline silica	14808-60-7
npo	D201	retarder	metal oxide	propriatary
Pre	D153	anti-settling	chrystalline silica	14808-60-7

Rev. 5/18/2018

RECEIVED Office of Oil and Gas

JAN 4 2019

WV Department of Environmental Protection



4700 000276

179 Innovation Drive Jane Lew, WV 26378 Tel: 304 884 1610 Fax: 304 471 2497 www.swn.com

August 24, 2018

Ms. Laura Adkins Office of Oil & Gas 601 57th Street Charleston, WV 25304

RE: Proposed New Well: Brian Teslovich BRK 1H

Dear Ms. Adkins

SWN has reviewed the area of the above mentioned well and discovered no shallow wells within 500' of the lateral. This well is situated on the Teslovich's property, in Buffalo District, Brooke County, West Virginia.

If you have any questions or desire additional information, please me at 304-884-1613

ø

Thank you.

Sincerely,


Brittany Woody

Regulatory Analyst

Southwestern Energy Production Company, LLC

R2 NV+°

04/26/2019



WW-9 (2/15)

API Number 47 - 009

Operator's Well No. Brian Teslovich BRK 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Operator Name SWN Production Co., LLC	OR G 1 404E42024		
	OP Code 494512924		-
Watershed (HUC 10) Grog Run	Quadrangle Tiltonsville		
Do you anticipate using more than 5,000 bbls of water to complete to Will a pit be used? Yes No V	he proposed well work? Yes 🔽	No L	
If so, please describe anticipated pit waste:			
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?		
Proposed Disposal Method For Treated Pit Wastes:			
Land Application			
Underground Injection (UIC Permit Nur			93_)
Reuse (at API Number at next anticipated wel		r permit addendum.	
Off Site Disposal (Supply form WW-9 for Other (Explain flow back fluids will be put in		mitted disposal facil	ity
			1
Will closed loop system be used? If so, describe: Yes			
Orilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc^Air drill to	KOP, fluid drill with SOBM from KO	P to TD
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	c Oil Base	Off RECEI	VEN
Additives to be used in drilling medium? Attachment 3A		Office of Oil	and Gas
Orill cuttings disposal method? Leave in pit, landfill, removed offsi	te, etc. andfill	JAN 4	2019
-If left in pit and plan to solidify what medium will be used	? (cement, lime, sawdust)	Environmental P	iënt at
-Landfill or offsite name/permit number? Meadowfill SWF- 1032 Arden Landfill 10072, Apex Sanitary Landfill 06-08	Short Creek SWF-1034,Carbon Limestone MSWI	L018781, Wetzel County	1021 1021
Permittee shall provide written notice to the Office of Oil and Gas of Vest Virginia solid waste facility. The notice shall be provided with where it was properly disposed.	fany load of drill cuttings or associate	ed waste rejected	at any
I certify that I understand and agree to the terms and condition August 1, 2005, by the Office of Oil and Gas of the West Virgini provisions of the permit are enforceable by law. Violations of any aw or regulation can lead to enforcement action. I certify under penalty of law that I have personally example application form and all attachments thereto and that, based on obtaining the information, I believe that the information is true, penalties for submitting false information, including the possibility of the conditions.	a Department of Environmental Prote term or condition of the general per mined and am familiar with the info my inquiry of those individuals in accurate, and complete. I am awar	ection. I understar mit and/or other a formation submitte nmediately respo	nd that the applicable ed on this ansible for
Company Official Signature OttoMuy Woody			
Company Official (Typed Name) Brittany Woody			UBLIC OFFICIAL
Company Official Title Regulatory Analyst		State My Comm	of West Virginia Expires Jul 20
		SWIN PIOU	uction Company
Subscribed and sworn before me this 2 nd day of 00	tober 2018	179 Innovatio	uction Company, n Dr. Jane Lew, W
and o	tober, 20_18 Notary Public	179 Innovatio	uction Company n Dr. Jane Lew, W

Operator's Well No. Brian Teslovich BRK 1H

Proposed Revegetation Treatment: Acres Disturbed 1	11.42	Prevegetation pF	·
Lime _as determined by pH test min. 2 Tons/acre or to corre	ect to pH 6.17		
Fertilizer type 10-20-20			
Fertilizer amount 600	lbs/acre		
Mulch Hay/Straw 2.5	Tons/acre		
	Seed Mixtures		
Temporary		Perma	nent
Seed Type Ibs/acre Attachment 3B		Seed Type	lbs/acre
Drawing(s) of road, location, pit and proposed area for	· land application (un	less engineered plans inc	cluding this info have been
Orawing(s) of road, location, pit and proposed area for rovided)		less engineered plans in	
Orawing(s) of road, location, pit and proposed area for rovided)		less engineered plans inc	
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet	t.	less engineered plans ind	Office of Oil a
Orawing(s) of road, location, pit and proposed area for rovided) Photocopied section of involved 7.5' topographic sheet		less engineered plans ind	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans ind	Office of Oil a
Prawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans ind	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans ind	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans inc	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans inc	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans inc	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans inc	Office of Oil a
Orawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by:	t.	less engineered plans inc	Office of Oil a
Attach: Drawing(s) of road, location, pit and proposed area for provided) Photocopied section of involved 7.5' topographic sheet Plan Approved by: Comments: Title: Oil and Gas Inspector	t.	less engineered plans ind	Office of Oil a

Attachment 3A

Drilling Mediums

<u>Surface/Coal(if present)/Freshwater Intervals:</u>

Intermediate/Coal (if present):

Air

Brine (In Gas Storage areas)

Organophilic Bentonite

Production Hole:

Air

Synthetic Oil (Base Fluid for mud system)

Barite

Calcium Chloride

Lime

Organophilic Bentonite

Primary and Secondary Emulsifiers

Gilsonite

Calcium Carbonate

Friction Reducers

RECEIVED
Office of Oil and Gas

JAN 4 2019

WV Department of Environmental Protection



WVD Seeding Specification



To Order Seed contact Lyndsi Eddy Flippo office 570-996-4271 cell 501-269-5451 lyndsi_eddy@swn.com

50lbs per acre of Winter Wheat

(please allow 7 to 10 days for delivery)

NON-ORGANIC PROPERTIES				
Seed Mixture: ROW Mix	SWI	N Supplied		
Orchardgrass	40%			
Timothy	15%			
Annual Ryegrass	15%			
Brown Top Millet	5%			
Red Top	5%			
Medium Red Clover	5%	All legumes are		
White Clover	5%	innoculated at 5x normal		
Birdsfoot Trefoil	5%	rate		
Rough Bluegrass	5%			
Apply @ 100lbs per acre April 16th- Oct. 14th		Apply @ 200lbs per acre Oct. 15th- April 15th PLUS		

SOIL AMENDMENTS	
10-20-20 Fertilizer	*Apply @ 500lbs per Acre
Pelletized Lime	Apply @ 2 Tons per Acre
	*unless otherwise dictated by soil test results

Seeding Calculation Information:

1452' of 30' ROW/LOD is One Acre 871' of 50' ROW/LOD is One Acre 622' of 70' ROW/LOD is One Acre

Synopsis:

Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter Wheat/ac).

Special Considerations:

Landowner Special Considerations including CREP program participants require addition guidance that is not given here. Discuss these requirements with SWN supervision at the beginning of the project to allow time for special seed delivery.

Seed Mixture: SWN Production Organic	n NAiv	CIMINI Cumplied
seed windlife. Swin Floudction Organic	LIVIIX	SWN Supplied
Organic Timothy	50%	
Organic Red or White Clover	50%	
OR		
Organic Perennial Ryegrass	50%	
Organic Red or White Clover	50%	
Apply @ 100lbs per acre		Apply @ 200lbs per acre
April 16th- Oct. 14th		Oct. 15th-April 15th
Organic Fertilizer @ 200lbs per Acre		Pelletized Lime @ 2 Tons per Acre

Seed Mixture: Wetland Mix	SWN Supplied
VA Wild Ryegrass	20%
Annual Ryegrass	20%
Fowl Bluegrass	20%
Cosmos 'Sensation'	10%
Redtop	5%
Golden Tickseed	5%
Maryland Senna	5%
Showy Tickseed	5%
Fox Sedge	2.5%
Soft Rush	2.5%
Woolgrass	2.5%
Swamp Verbena	2.5%
Apply @ 25lbs per acre	Apply @ 50lbs per acre
April 16th- Oct. 14th	Oct. 15th- April 15th
April 16th- Oct. 14th NO FERTILIZER	OR LIME INSIDE WETLAND LIMITS

Attachment 3C

CLOSED LOOP SYSTEM

The closed loop system is designed to eliminate the use of reserve pits by providing a higher level of solids control processing and using steel pits for capture of drill cuttings. The cuttings are then processed to achieve landfill requirements before hauling to approved landfills. The liquids are processed to recycle into the active mud system or to transfer to onsite temporary storage as needed.

The closed loop system consists of several sets of a shale gas separator (often called a 'methana'), several banks of solids shakers, high speed centrifuges (1 or 2) used to process the fluid portion of the mud system to remove low gravity solids, low speed centrifuge used for barite recovery in high weight liquid drilling systems, a dewatering system (for air intervals and if freshwater mud systems are in use) used to further clean liquids by flocculation and additional mechanical separation, associated open top tanks for processing liquids and capturing solids for disposal, and transfer pumps to move fluids through the processes. There is an area adjacent to the cuttings tanks (Red Zone) where a track hole is utilized to recover the processed cuttings for loading into containers for hauloff. (See attached schematic of a generic closed loop system layout)

Below are discussions of the processes used when drilling the air interval or liquids interval.

AIR DRILLING INTERVALS

During air drilling operations, flow from the rig will pass down the flowline to the Shale Gas Separater (sometimes called a methane) where gas and liquids/solids are separated. Gas is sent to the flare scrubber tank and is flared at the flare stack. Solids and fluids pass across a shaker system to separate solids from liquids. Solids pass into the cuttings tanks where they are captured for drying and hauloff to an approved landfill site. Liquids fall into a shaker tank and are collected by a centrifugal pump to be processed by the high speed centrifuge to further separate liquids and solids. Solids are then dumped into the cuttings tank for drying and hauloff. Liquids are further processed to remove additional low gravity solids before being reused or transferred to onsite storage.

LIQUIDS DRILLING (FRESHWATER, BRINE, SOBM)

When drilling is converted to liquids drilling, the shale gas separator and associated shaker tank are bypassed, and the liquids system is processed over the primary and drying shaker systems. Cuttings drop into the cuttings tank for additional processing. Any recoverable associated liquids attached to the cutting are recovered out the tank and processed through the low gravity (high speed) and barite recovery centrifuges (low speed) to further remove low gravity solids and to recover barite for reuse in the mud systems.


RECEIVED
Office of Oil and Gas

JAN 04 2019

WV Department of Environmental Protection

Solids Control Layout





Office of Oil and Gas

MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN



SWN Production Company, LLC 179 Innovation Drive Jane Lew, West Virginia 26378

API NO. 47-XXX-XXXXX
WELL NAME: Brian Teslovich BRK 1H
Buffalo DISTRICT
Tiltonsville QUAD
WEST VIRGINIA

Submitted by: Brittany Woody Title: Regulatory Analyst	8/23/2018 Date: SWN Production Co., LLC	Office of Oil and Gas JAN 4 2019
Approved by: Title: Oil and Go Ingert	Date:	WV Department of Environmental Protection
Approved by: Title:	Date:	

SWN PRODUCTION COMPANY, LLC - CONFIDENTIAL

Attachment IV (g) Reused Frac Water Potential SWNPC Well Pads

Area	Pad Name
NORTH VICTORY AREA	CHARLES YOHO-MSH-PAD1
NORTH VICTORY AREA	CRAIG STROPE-MSH-PAD1
NORTH VICTORY AREA	FORK RIDGE-MSH-PAD1
NORTH VICTORY AREA	MARK EDISON-MSH-PAD1
NORTH VICTORY AREA	MICHAEL DUNN-MSH-PAD1
NORTH VICTORY AREA	ROBERT YOUNG-MSH-PAD1
NORTH VICTORY AREA	VAN ASTON-MSH-PAD1
OSAGE AREA	BRYAN NEEL-MRN-PAD1
OSAGE AREA	DANIEL MORRIS-MRN-PAD1
OSAGE AREA	EDWIN BUNNER-MRN-PAD1
OSAGE AREA	QUALITY RECLAMATION-MRN-PAD1
OSAGE AREA	RELIANCE MINERALS-MON-PAD1
OSAGE AREA	WESBANCO BANK-MRN-PAD1
PANHANDLE AREA	ALAN H DEGARMO-BRK-PAD1
PANHANDLE AREA	ALICE EDGE-OHI-PAD1
PANHANDLE AREA	BARRY GREATHOUSE A-BRK-PAD1
PANHANDLE AREA	BARRY GREATHOUSE B-BRK-PAD1
PANHANDLE AREA	BENJAMIN HONECKER-OHI-PAD1
PANHANDLE AREA	BERNARD MCCULLEY-WAS-PAD1
PANHANDLE AREA	BETTY SCHAFER-MSH-PAD1
PANHANDLE AREA	BRIAN DYTKO-OHI-PAD1
PANHANDLE AREA	BROOKE COUNTY PARKS-BRK-PAD1
PANHANDLE AREA	CARL ROTTER-OHI-PAD1
PANHANDLE AREA	CHAD GLAUSER-OHI-PAD1
PANHANDLE AREA	CHARLES FRYE-OHI-PAD1
PANHANDLE AREA	CLARENCE FARMER-OHI-PAD1
PANHANDLE AREA	DALLAS HALL-OHI-PAD1
PANHANDLE AREA	DEBORAH CRAIG-OHI-PAD1
PANHANDLE AREA	EDWARD DREMAK-OHI-PAD1
PANHANDLE AREA	EDWARD NICHOLS-OHI-PAD1
PANHANDLE AREA	EDWARD ZATTA-BRK-PAD1
PANHANDLE AREA	ESTHER WEEKS-OHI-PAD1
PANHANDLE AREA	FRED JONES-WAS-PAD1
PANHANDLE AREA	G W RENTALS LLC-OHI-PAD1
PANHANDLE AREA	GARY KESTNER-OHI-PAD1
PANHANDLE AREA	GEORGE GANTZER-OHI-PAD1
PANHANDLE AREA	GERALD GOURLEY-BRK-PAD1
PANHANDLE AREA	GLENN DIDRIKSEN-OHI-PAD1
PANHANDLE AREA	GUY AVOLIO-WAS-PAD1
PANHANDLE AREA	HOWARD SHACKELFORD-OHI-PAD1
PANHANDLE AREA	JAMES BIRD-WAS-PAD1
PANHANDLE AREA	JAMES SEABRIGHT-BRK-PAD1
PANHANDLE AREA	JOHN GOOD JR-BRK-PAD1
PANHANDLE AREA	JOHN HARWATT-BRK-PAD1
PANHANDLE AREA	JOHN HUPP-BRK-PAD1
PANHANDLE AREA	JOHN MCMURRAY-WAS-PAD1

Office of Oil and Gas

JAN 4 2019

WW Department of Environmental Protection

Attachment IV (g) Reused Frac Water

Area	Pad Name
PANHANDLE AREA	JOSEPH POWERS-WAS-PAD1
PANHANDLE AREA	KATHY MAYHEW-BRK-PAD1
PANHANDLE AREA	LARRY BALL-OHI-PAD1
PANHANDLE AREA	LINDA GREATHOUSE-BRK-PAD1
PANHANDLE AREA	MARGARET CORBIN-BRK-PAD1
PANHANDLE AREA	MARK HICKMAN-OHI-PAD1
PANHANDLE AREA	MARK OWEN-BRK-PAD1
PANHANDLE AREA	MARLIN FUNKA-WAS-PAD1
PANHANDLE AREA	MASON COTTRELL-OHI-PAD1
PANHANDLE AREA	MELVIN KAHLE-OHI-PAD1
PANHANDLE AREA	MICHAEL RATCLIFFE-OHI-PAD1
PANHANDLE AREA	MICHAEL SOUTHWORTH-MSH-PAD1
PANHANDLE AREA	MIKE RYNIAWEC-BRK-PAD1
PANHANDLE AREA	MILDRED MANI-BRK-PAD1
PANHANDLE AREA	NICK BALLATO-BRK-PAD1
PANHANDLE AREA	OCC A-OHI-PAD1
PANHANDLE AREA	OV ROYALTY TRUST LLC-BRK-PAD1
PANHANDLE AREA	PAUL SCHILINSKI-WAS-PAD1
PANHANDLE AREA	RAYLE COAL-OHI-PAD1
PANHANDLE AREA	ROBERT BONE-BRK-PAD1
PANHANDLE AREA	ROBERT SHORTS-WAS-PAD1
PANHANDLE AREA	ROY FERRELL-OHI-PAD1
PANHANDLE AREA	ROY RIGGLE-OHI-PAD1
	RUSSELL HERVEY-BRK-PAD1
PANHANDLE AREA	SAMUEL HUBBARD-BRK-PAD1
PANHANDLE AREA	
PANHANDLE AREA	SANDRA PARR-BRK-PAD1
PANHANDLE AREA	SHAWN COUCH-OHI-PAD1
PANHANDLE AREA	STATE OF WV DNR A-BRK-PAD1
PANHANDLE AREA	STATE OF WV DNR B-BRK-PAD1
PANHANDLE AREA	SUSAN SCOFIELD-WAS-PAD1
PANHANDLE AREA	THELMA HAYS-OHI-PAD1
PANHANDLE AREA	THOMAS PARKINSON-BRK-PAD1
PANHANDLE AREA	THURMAN SPEECE-BRK-PAD1
PANHANDLE AREA	TIMMY MINCH-OHI-PAD1
PANHANDLE AREA	VIOLET COSS-BRK 8-PAD1
PANHANDLE AREA	WILLIAM RODGERS-OHI-PAD1
PANHANDLE AREA	WORTHLEY-BRK-PAD1
VICTORY AREA	ALBERT-MARY HOHMAN-WTZ 1-PAD1
VICTORY AREA	ALTMAN 1 ST 1-MSH-PAD1
VICTORY AREA	ALTON STERN ETUX-MSH-PAD1
VICTORY AREA	ARTHUR WARYCK-MSH-PAD1
VICTORY AREA	BLATT-WTZ-PAD1
VICTORY AREA	BONNETTE-MSH-PAD1
VICTORY AREA	BRETT BERISFORD-WTZ-PAD1
VICTORY AREA	CHK APP A-WTZ-PAD1
VICTORY AREA	TCO-MSH-PAD1



Attachment IV (g) Reused Frac Water

Area	Pad Name
VICTORY AREA	CONSTANCE TAYLOR-WTZ-PAD1
VICTORY AREA	DANIEL DURIG A-WTZ-PAD1
VICTORY AREA	DAVID DURIG ETUX-LUCKY D-WTZ-PAD1
VICTORY AREA	ELLSWORTH DAVIS ESTATE-WTZ-PAD1
VICTORY AREA	FLOYD JOHNSON-WTZ-PAD1
VICTORY AREA	GLADYS BRIGGS-MSH-PAD1
VICTORY AREA	GORDON STANSBERRY-WTZ-PAD1
VICTORY AREA	HAMMERS-MSH-PAD1
VICTORY AREA	HOHMAN HBP S-WTZ-PAD1
VICTORY AREA	JAMES MESSENGER ETUX-WTZ-PAD1
VICTORY AREA	MARGARET SUE KELLEY-WTZ-PAD1
VICTORY AREA	MARTIN R WHITEMAN-WTZ-PAD1
VICTORY AREA	MASON DIXON FARMS LLC-MSH-PAD1
VICTORY AREA	O E BURGE-MSH-PAD1
VICTORY AREA	RANDY MCDOWELL A-MSH-PAD1
VICTORY AREA	RANDY MCDOWELL B-MSH-PAD1
VICTORY AREA	RAY BAKER-MSH-PAD1
VICTORY AREA	RIDGETOP LAND VENTURES-WTZ-PAD1
VICTORY AREA	RINE-WTZ-PAD1
VICTORY AREA	ROBERT BAXTER-WTZ-PAD1
VICTORY AREA	SABER-WTZ-PAD1
VICTORY AREA	SCHOSTAG-MSH-PAD1
VICTORY AREA	SHAWN HARLAN-MSH-PAD1
VICTORY AREA	VERNON JOHNSON-WTZ-PAD1
VICTORY AREA	WILLIAM RITCHEA-WTZ-PAD1



Attachment V Disposal Wells

API#	COMPANY	WELLNAME	COUNTY	TOWNSHIP	LAT83	LONG83
34031271770000	BUCKEYE BRINE LLC	ADAMS (SWIW #10)	COSHOCTON	KEENE	40,3009009	-81.8480344
	BUCKEYE BRINE LLC	ADAMS (SWIW #11)	COSHOCTON	KEENE	40.3025373	-81.84619
34059240670000	DAVID R HILL INC	DEVCO UNIT(SWIW #11)	GUERNSEY	WESTLAND	39.9413568	-81.6736408
34167295770000	FQ ENERGY SERVICES LLC	HALL HELEN F	WASHINGTON	LAWRENCE	39,4349005	-81.312012
34121239950000	FQ ENERGY SERVICES LLC	WARREN DRILLING CO (SWIW #6)	NOBLE	JACKSON	39.6538815	-81.4751572
34151234200000	HECKMAN WATER RES(CVR)INC. O&G	BELDEN & BLAKE CORP	STARK	MARLBORO	40.9503096	-81.2486807
	HECKMAN WATER RES(CVR)INC. O&G	BLAZEK JOHN & DELORES	PORTAGE	HIRAM	41.3312592	-81.184054
34155224030000	HECKMAN WATER RES(CVR)INC. O&G	EASTERN PETROLEUM SERVICES INC	TRUMBULL	FOWLER	41.3156164	-80.6181863
34119287760000	HECKMAN WATER RES(CVR)INC. O&G	GOFF SWD (SWIW #27)	MUSKINGUM	UNION	39.9774398	-81.8067532
34151211980000	HECKMAN WATER RES(CVR)INC. O&G	LYONS ED	STARK	OSNABURG	40.7773477	-81.2622223
34167238620000	HECKMAN WATER RES(CVR)INC. O&G	NICHOLS (SWIW #13)	WASHINGTON	DUNHAM	39.347944	-81.5905304
34155237950000	HECKMAN WATER RES(CVR)INC. O&G	PANDER R & P (SWIW #15)	TRUMBULL	NEWTON	41.2004418	-80.9916023
34155237940000	HECKMAN WATER RES(CVR)INC. O&G	PANDER R & P (SWIW #16)	TRUMBULL	NEWTON	41.1988246	-80.9938928
34133236140000	HECKMAN WATER RES(CVR)INC. O&G	PLUM CREEK	PORTAGE	BRIMFIELD	41.1051428	-81,358228
34155218940000	HECKMAN WATER RES(CVR)INC. O&G	WOLF	TRUMBULL	NEWTON	41.1983311	-81.0002644
34155232030000	HECKMAN WATER RES(CVR)INC. O&G	WOLF EVA JEAN ROOT	TRUMBULL	NEWTON	41.2022951	-81.0021733
34155218930000	HECKMAN WATER RES(CVR)INC. O&G	WOLF EVA JEAN ROOT	TRUMBULL	NEWTON	41.2012178	-80.9984904
34075245270000	OOGC DISPOSAL COMPANY 1 LLC	KILLBUCK TEST WELL	HOLMES	KILLBUCK	40.4846165	-81.9937139
34167296580000	OOGC DISPOSAL COMPANY 1 LLC	LONG RUN DISPOSAL WELL(SWIW #8)	WASHINGTON	NEWPORT	39.3918899	-81.3171291
34089247920000	OOGC DISPOSAL COMPANY 1 LLC	MORAN RONALD F	LICKING	PERRY	40.1393401	-82.2142874
34167296850000	OOGC DISPOSAL COMPANY 1 LLC	NEWELL RUN DISPOSAL WELL(SWIW #10)	WASHINGTON	NEWPORT	39.4000217	-81.2729613
34167293950000	OOGC DISPOSAL COMPANY 1 LLC	OHIO OIL GATHERING CORP II (SWIW #6)	WASHINGTON	NEWPORT	39.3789386	-81.2894287
34133240960000	STALLION SWD LP	GROSELLE # 2	PORTAGE	NELSON	41.3459305	-81.0896011
34133210760000	STALLION SWD LP	MYERS	PORTAGE	EDINBURG	41.076275	-81,1390767
34133241890000	STALLION SWD LP	MYERS (SWIW #33)	PORTAGE	EDINBURG	41.0755781	-81.1428275
34133201140000	STALLION SWD LP	WILCOX	PORTAGE	ROOTSTOWN	41.0960848	-81.1993586
34115218960000	STONEBRIDGE OPERATING CO	KORTING WILLIAM F	MORGAN	WINDSOR	39.5427902	-81.8059998
34031272410000	BUCKEYE BRINE LLC	ADAMS (SWIW #12)	COSHOCTON	KEENE	40.3021498	-81.8509048
34059241880000	DAVID R HILL INC	MITCHELL (SWIW #13)	GUERNSEY	WESTLAND	39.9460182	-81.6650964
34083241370000	ELKHEAD GAS & OIL CO	CHAPIN D M(SWIW #8)	KNOX	BUTLER	40.3578691	-82.244625
34157255110000	ELKHEAD GAS & OIL CO	MOZENA (SWIW #13)	TUSCARAWAS	OXFORD	40.283363	-81.5779098
34167296180000	FQ ENERGY SERVICES LLC	GREENWOOD UNIT (SWIW #15)	WASHINGTON	NEWPORT	39.3921854	-81.2357682
34121240860000	FQ ENERGY SERVICES LLC	TRAVIS UNIT(SWIW #7)	NOBLE	JACKSON	39.6568592	-81.4806548
34167294450000	HEINRICH ENT INC/WASHINGTON OP	HEINRICH UNIT	WASHINGTON	WARREN	39.4299412	-81,5108658
34167294640000	HEINRICH ENT INC/WASHINGTON OP	HEINRICH UNIT	WASHINGTON	WARREN	39.4252469	-81,5077458
34167295430000	HEINRICH ENT INC/WASHINGTON OP	VOCATIONAL SCHOOL UNIT	WASHINGTON	WARREN	39.4263529	-81,5022248
34167297190000	OOGC DISPOSAL COMPANY 1 LLC	SAWMILL RUN DISPOSAL WELL (SWIW #16)	WASHINGTON	NEWPORT	39.4072859	-81,2230261
	K & H PARTNERS LLC	K & H PARTNERS LLC (SWIW #10)	ATHENS	TROY	39.2348911	-81.757021
34009238210000	K & H PARTNERS LLC	K& H PARTNERS LLC (SWIW #8)	ATHENS	TROY	39.226151	-81.7612578
34105236190000	ROSCOE MILLS JR TRUST	ROSCOE MILLS (SWIW #19)	MEIGS	LEBANON	38.9406031	-81.7875615
34059242020000	SILCOR OILFIELD SERVICES INC	SOS-D (SWIW #12)	GUERNSEY	CAMBRIDGE	39.9936869	-81,5728185
34009218990000	STONEBRIDGE OPERATING CO	HAHN PAUL	ATHENS	ROME	39.2970778	-81.8962423


The wells listed in Section V is just one possibility where flowack/produced water could be reused. The disposal wells listed in Attachment V are all possibilities where flowback/produced water could be disposed. It is possible water could be disposed at an approved facility not included on the list.

As of 07/16/18




Attachment VI Frac Additives

Product Name	Product Use	Chemical Name	CAS Number
EC6734A (Champion Technologies)	Biocide	Hydrogen Peroxide	7722-84-1
		Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
GYPTRON T-390 (Champion Technologies)	Scale Inhibitor	Methanol	67-56-1
	nature.	Nonylphenol Ethoxylate	Proprietary
Bactron K-139 (Champion Technologies)	Biocide	Glutaraldehyde	111-30-8
		Quaternary Ammonium Compounds,	curios outen a
		Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
		Ethanol	64-17-5
Bactron K-219 (Champion Technologies)	Biocide	Methanol	67-56-1
		Quaternary Ammonium Compounds,	
		Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
C6486A (Nalco Champion)	Scale Inhibitor	Amine Triphosphate	Proprietary
		Ethylene Glycol	107-21-1
WFRA-2000 (U.S. Well Services)	Anionic Friction Reducer		64742-47-8
		Propenoic acid, polymer with	
		propenamide	9003-06 9
Al-303 (U.S. Well Services)	Mixture	Ethylene glycol	107-21 1
		Cinnamaldehyde	104-55 2
		Butyl cellosolve	111-76 2
		Formic acid	64-18 6
		Polyether	Proprietary
		Acetophenone, thiourea, formaldehyde	W-000-100-0
		polymer	68527-49 1
P ONE (U.S. Well Services)	Breaker	Ammonium persulfate	7727-54-0
PTI-FLEX (U.S. Well Services)	Viscosifying Agent	Distillates, petroleum, hydrotreated light	64742-47-8
cono-CI200 (SWN Well Services)	Corrosion Inhibitor	Methanol	67-56-1
		Oxyalkylated fatty acid	68951-67-7
		Fatty acids	61790-12-3
		Modified thiourea polymer	68527-49-1
		Water	7732-18-5
		Hydrochloric acid	7647-01-0
		Potassium acetate	127-08-2
		Formaldehyde	50-00-0
copol-FEAC (SWN Well Services)	Iron Control	Acetic Acid	64-19-7
		Citric Acid	77-92-9
		Water	7732-18-5
ICL (SWN Well Services)	Hydrocholic Acid	Hydrochloric Acid	7647-01-0
	and the second s	Water	7732-18-5
LOJET DRP 1130X (SWN Well Services)	Friction Reducer	Proprietary	Proprietary
LOJET DR900 LPP (SWN Well Services)	Friction Reducer	Distillates (petroleum) hydrotreated light	64674-47-8
		Ethylene Glycol	107-21-1
		Anna a la companya ana ana a	CARLOS AND
		Alcohols, C12-16, Exoxylated propoxylated	
		Fatty Alcohols ethoxylated	Proprietary
		Water	7732-18-5
R-76 (Halliburton)	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8
		Inorganic Salt	Proprietary
AI-150E (Halliburton)	Corrosion Inhibitor	No hazardous substance	N/A
DP-S1176-15 (Halliburton)	Friction Reducer	Polyacylate	Proprietary
		Hydrotreated light petroleum distillate	64742-47-8
P-65 MC (Halliburton)	Scale Inhibitor	Organic phosphonate	64742-47-8 Proprietary 12125-02-9
		Ammonium Chloride	12125-02 7 9
		Ceramic Proppant	66402-68-4



RECEIVED Office of Oil and Gas

JAN 4 2019





CIVIL & ENVIRONMENTAL CONSULTANTS, II 600 MARKETPLACE AVENUE, SUITE 200 BRIDGEPORT, WV 26330 304-933-3119

LINE	BEARING	DISTANCE	DESCRIPTION	MONUMENT
L1	N 71'49'22" W	989.48	SHL TO LANDMARK	1" IRON PIPE FOUND
L2	S 09'09'37" W	898.70	SHL TO LANDMARK	J" IRON PIPE FOUND
L3	N 77*39'25" W	804.61	SHL TO LANDMARK	1" IRON PIPE FOUND

RACT	SURFACE OWNER	TAX PARCEL	
П	BRIAN L. TESLOVICH		
1	JANET LOUISE AGNEW DEBAR, JEAN E, LEAVITT, MARK A. LEAVITT, MARTHA WAKEFIELD, SALLY WESTELIN, THOMAS LEAVITT	B36-145	
	ADJOINING OWNERS TABLE		
TRACT	SURFACE OWNER	, TAX PARCEL	
Α	COLUMBIA GAS COMPANY	B36-144	
В	WINDSOR POWER HOUSE COAL COMPANY	B36-104	
C	TAMMY S. MASSEY	B36L-39	
D	FLOYD R. AND DORIS M. LOUGHRIE	B36L-38	
E	KEITH HAMILTON	B36L-37	
F	DANNY L. AND THERESA E. STILLION	B36L-40	
G	CHARLES A. AND LINDA CONLEY JANET LOUISE AGNEW DEBAR, JEAN E. LEAVITT, MARK A. LEAVITT, MARTHA WAKEFIELD, SALLY WESTELIN, THOMAS LEAVITT	B36L-69	
Н	CHARLES AND LINDA LOU CONLEY	B36L-56	
1	ROBERT L. AND LINDA SUE THOMAS	B36L-57	
J	THE BEECH CREST IMPROVEMENT ASSOCIATION	B36L-58	
K	LARRY W. AND LINDA J. LEMASTERS	B36L-59	
L	HARLEY J. AND REBECCA K. LEMASTERS	B36-158	
М	JOHN A. CATULLO	B36-157	
N.	LOUIS MILLER	B36-125	
0	LORIE T. AND HOIT MICHAEL A. DONNELLY	B36-130	
Р	RICKEY E. FIBER	B36-132	
Q	MARK A. AND MELODY J. ADAMS	B36-142	
R	HARLEY J. LEMASTERS	B36-143	
S	BEECH BOTTOM VOLUNTEER FIRE	B36-105	



1" I. PIPE N 71'49'22" W 959'48' SID NORTH S 09'09'37" 898.70 6 1/2" L PIPE NTS 12136 HOLE SURFACE

SURFACE HOLE LOCATION (SHL

GEOGRAPHIC (NAD83): LATITUDE: 40.216688' LONGITUDE: -80.6334 LATHODE: 4.2/16688 LONGITUDE: -80.633416* UTM (NADB3, ZONE 17, FEET): NORTHING: 14,605,851,343 EASTING: 1,742,753.699 UTM (NADB3, ZONE 17, METERS): NORTHING: 4,451,872,393 EASTING: 531,192.390

2000 0 2000 GRAPHIC SCALE IN FEET

WELL RESTRICTIONS

- 1. NO OCCUPIED DWELLINGS > 2500 SQ FT, WITHIN 825 FEET OF CENTER OF PAD.
- CENTER OF PAD.

 NO AGRICULTURE BUILDINGS > 2500 SQ FT. WITHIN 625 FEET OF CENTER OF PAD.

 WATER WELLS OR DEVELOPED SPRINGS ARE WITHIN 1053 FEET OF
- PROPOSED WELL.


 4. PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 1884
 FEET OF THE LIMITS OF DISTURBANCE.

 5. NO NATURALLY PRODUCING TROUT STREAM WITHIN 300 FEET OF
- No GROUND INTAKE OR PUBLIC WATER SUPPLY WITHIN 1000 FEET OF WELL PAD, LIMITS OF DISTURBANCE, E & S CONTROLS OR PUBLIC WATER SUPPLY.


- NOTES ON SURVEY

 1. SURFACE AND ROYALTY OWNER INFORMATION AND THEIR
 BOUNDARIES SHOWN HEREON WERE PLOTTED FROM DEEDS AND/OR
 TAX PARCEL MAPS PROVIDED BY CLIENT AND/OR FIELD LOCATIONS,
 2. THIS PLAT DOES NOT REPRESENT A BOUNDARY SURVEY OF THE
 PARCELS SHOWN HEREON.
 4. ALL INSETS ARE ORIO NORTH UNLESS OTHERWISE DEPICTED.

I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.







COMPANY: SWN

30"

80.37

_ongitude:

Production Company, LLC Production Company™

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS

OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25034 MINIMUM DEGREE OF ACCURACY:

OF ELEVATION:

1/200

(NAVD 88, US FT)

PROVEN SOURCE GRADE GPS

BRIAN TESLOVICH BRK OPERATOR'S WELL #:

47 009 00276 API WELL #: STATE COUNTY PERMIT

WELL TYPE: OIL WASTE DISPOSAL	PRODUCTION DEEP	GAS 🔀	LIQUID INJECTION	STORAGE	SHALLOW X
WATERSHED: GROG RUN			ELEVATION:	1,149'	
DISTRICT: BUFFALO DISTRICT	COUNTY: BROOKE		QUADRANG	LE: TILTONSVILLE	
SURFACE OWNER: BRIAN L. TESLOVICH			ACREAGE;	50.911±	
OIL & GAS ROYALTY OWNER: BRIAN L TESLOVICH			ACREAGE:	50.911±	
DRILL DRILL DEEPER REDRILL	FRACTURE OR STIMULATE		FF OLD FORMATION	PERFORATE NEW	FORMATION
COLUMN TO THE PARTY OF THE PART	methal material in manager than	active times and the land	Control of the Contro		

CONVERT PLUG & ABANDON CLEAN OUT & REPLUG OTHER CHANGE (SPECIFY) TMD

TARGET FORMATION: MARCELLUS ESTIMATED DEPTH: 5,784 TVD 5,784 WELL OPERATOR: SWN PRODUCTION COMPANY, LLC DESIGNATED AGENT: BRITTANY WOODY

ADDRESS: P.O. BOX 1300 ADDRESS: P.O. BOX 1300 ZIP CODE: 26378 CITY: JANE LEW STATE: ZIP CODE: 26378 CITY: JANE LEW STATE: WV LEGEND: SURVEYED BOUNDARY **REVISIONS:** DATE: 09-28-2018 - DRILLING UNIT

PROPOSED SURFACE HOLE / BOTTOM HOLE EXISTING / PRODUCING WELLHEAD ====== LEASE BOUNDARY - PROPOSED PATH EXISTING WATER WELL

SCALE: 1" = 2000 DRAWING NO: 175-WELL LOCATION PLAT

P\\2017\175-057\-SURVEY\DWG\WELIPLAT\BRIAN TESLOVICH BRK 1 D8-16-2018,DWG FRIDAY SEPTEMBER 26 2018 07:30AM

EXISTING SPRING

PROPERTY NUMBER 2501170313 PAD ID 3001170218 WW-6A1 (5/13) Operator's Well No. Brian Teslovich BRK 1

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page I of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Exhibit A

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- · WV Division of Natural Resources WV Division of Highways
- . U.S. Army Corps of Engineers
- · U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: SWN Production Co., LLC

Ву:

Its:

State Walnus

Page 1 of ____

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC., Operator Brian Teslovich BRK 1

Brooke County, West Virginia

#	TMP	SURFACE OWNER	LESSOR	LESSEE	ROYALTY	BK/PG
1)	03-0B36-0145-0000-0000	Brian L. Teslovich	Mountaineer Natural Gas Company (Brian L. Teslovich)	Chesapeake Appalachia, L.L.C.	17.00%	24/216
				SWN Production Company, LLC		30/480



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

	ce Certification:	API No. 4	7- 009 -
		Operator'	s Well No. Brian Teslovich BRK 1H
		Well Pad	Name: Brian Teslovich PAD
lotice has	been given:		
		22-6A, the Operator has provided the re	quired parties with the Notice Forms list
	tract of land as follows:		
tate:	West Virginia	UTM NAD 83 Easting:	531192,390
county:	009- Brooke	Northing:	4451872.393
istrict:	Buffalo	Public Road Access:	McCord Hill Road
uadrangle:	Tiltonsville	Generally used farm name:	Brian Teslovich
atershed:	Grog Run		
giving the quirements irginia Cod	surface owner notice of entry to su of subsection (b), section sixteen o	ction sixteen of this article; (ii) that the re rvey pursuant to subsection (a), section f this article were waived in writing by ender proof of and certify to the secretary t.	ten of this article six-a; or (iii) the not the surface owner; and Pursuant to W
		erator has attached proof to this Notice O	Seruncanon
	ECK ALL THAT APPLY	d parties with the following:	OOG OFFICE USE ONLY
*PLEASE CHI	ECK ALL THAT APPLY	d parties with the following: NOTICE NOT REQUIRED BECA SEISMIC ACTIVITY WAS CONDUC	OOG OFFICE USE ONLY USE NO RECEIVED/
*PLEASE CHI	ECK ALL THAT APPLY FICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BECA	USE NO RECEIVED/ NOT REQUIRED
*PLEASE CHI	ECK ALL THAT APPLY FICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BECA SEISMIC ACTIVITY WAS CONDUC	OOG OFFICE USE ONLY USE NO CTED RECEIVED/ NOT REQUIRED CONDUCTED RECEIVED USE RECEIVED/
*PLEASE CHI	ECK ALL THAT APPLY TICE OF SEISMIC ACTIVITY OF TICE OF ENTRY FOR PLAT SURV	■ NOTICE NOT REQUIRED BECA SEISMIC ACTIVITY WAS CONDUCTED OF □ NO PLAT SURVEY WAS C□ NOTICE NOT REQUIRED BECANOTICE OF ENTRY FOR PLAT SUR	OOG OFFICE USE ONLY USE NO CTED CONDUCTED RECEIVED RECEIVED USE VEY RECEIVED/ NOT REQUIRED
*PLEASE CHI	ECK ALL THAT APPLY TICE OF SEISMIC ACTIVITY OF TICE OF ENTRY FOR PLAT SURV	■ NOTICE NOT REQUIRED BECA SEISMIC ACTIVITY WAS CONDUCTEY OF □ NO PLAT SURVEY WAS CONDUCTED NOTICE NOTICE OF ENTRY FOR PLAT SUR WAS CONDUCTED OF □ WRITTEN WAIVER BY SURFA	OOG OFFICE USE ONLY USE NO CTED CONDUCTED RECEIVED RECEIVED USE VEY RECEIVED/ NOT REQUIRED
*PLEASE CHI 1. NO' 2. NO' 3. NO' 4. NO'	ECK ALL THAT APPLY FICE OF SEISMIC ACTIVITY OF FICE OF ENTRY FOR PLAT SURV	■ NOTICE NOT REQUIRED BECA SEISMIC ACTIVITY WAS CONDUCTEY OF □ NO PLAT SURVEY WAS CONDUCTED NOTICE NOTICE OF ENTRY FOR PLAT SUR WAS CONDUCTED OF □ WRITTEN WAIVER BY SURFA	OOG OFFICE USE ONLY USE NO CTED RECEIVED/ NOT REQUIRED USE VEY RECEIVED/ NOT REQUIRED ACE OWNER

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Classiff Degal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Brittany Woody , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: SWN Production Co., LLC

By: Brittany Woody

Its: Regulatory Analyst

Telephone: 304-884-1610

Address: P.O. Box 1300

Jane Lew, WV 26378

Facsimile: 304-884-1690

Email: Brittany_Woody@swn.com

NOTARY PURIC OFFICIAL SEAL
JESSICA L. VANGILDER
State of West Virginia
My Comm. Expires Jul 20, 2020
SWN Production Company, LLC
179 Innovation Dr. Jane Lew, WV 26378

Subscribed and sworn before me this

COLUMN (

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Office of Oil and Gas

JAN 4 2019

WV Department of Environmental Protection

API NO. 47-009 OPERATOR WELL NO. Brand School 19
Well Pad Name: Brian Teslovich PAD 6/2019

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Not	ice Time Requiren	nent: notice shall be prov	ided no later tha	n the filing date of permit application.	
	11210	Date Permit Applica		Na	
	e of Notice:	_ Date Permit Applica	ation Filed:	H-1	
Not	ice of:			,	
V	PERMIT FOR AN	Y D CERTIF	ICATE OF APP	ROVAL FOR THE	
	WELL WORK			AN IMPOUNDMENT OR PIT	
	WEEE WORK	CONST	ROCTION OF F	IV IVII OONDIIIIVI ORTIT	
Deli	ivery method purs	uant to West Virginia C	ode § 22-6A-10	(b)	
	PERSONAL	☑ REGISTERED	☐ METH	OD OF DELIVERY THAT REQUIRES A	
	SERVICE	MAIL	RECEI	PT OR SIGNATURE CONFIRMATION	
sedin the solid adescooper more well important provides the solid and the solid adescooper well important provides a substitution of the solid adescooper well important provides a substitution of the solid adescooper well as the solid adescooper we	ment control plan reconfice of the tract of aurface of the tract of and gas leasehold being ribed in the erosion areator or lessee, in the erosal seams; (4) The work, if the surface oundment or pit as do a water well, spring ride water for consumposed well work active ection (b) of this secrets of the sheriff requision of this article to E. § 35-8-5.7.a reconfice.	quired by section seven of a which the well is or is prong developed by the proposand sediment control plans event the tract of land on the owners of record of the stract is to be used for the pescribed in section nine of the or water supply source loon in the period of the period of the pescribed in section nine of the pescribed in section nine of the tract is to be used for the pescribed in section nine of the contract of the period of the period of the period of the contract, notice to a liquires, in part, that the open	this article, and the oposed to be locally sed well work, if submitted pursual which the well prurface tract or traplacement, constrainthis article; (5) A cated within one estic animals; and If more than three ands, the applicant suant to section elien holder is not rator shall also proposed within also proposed to the cated within three ands.	or signature confirmation, copies of the application, the newell plat to each of the following persons: (1) The otted; (2) The owners of record of the surface tract or tractice; (2) The owners of record of the surface tract or tractice; (3) Toposed to be drilled is located [sic] is known to be uncertainty to be understood to be drilled is located [sic] is known to be uncertainty to be understood to be drilled is located [sic] is known to be understood to be drilled is located [sic] is known to be uncertainty to be understood to be drilled in and gas leasehold being developed uction, enlargement, alteration, repair, removal or abating surface owner or water purveyor who is known to be thousand five hundred feet of the center of the well part (6) The operator of any natural gas storage field withing tenants in common or other co-owners of interests defining the server the documents required upon the person desight, article one, chapter eleven-a of this code. (2) No notice to a landowner, unless the lien holder is the land to be understood to be understood to the surface of the surface of the section 15 of this rule.	owners of record of racts overlying the disturbance as The coal owner, derlain by one or ed by the proposed indonment of any the applicant to id which is used to in which the escribed in described in the twithstanding any adowner, W. Va.
☑ A	application Notice	☑ WSSP Notice ☑ E&	&S Plan Notice	☑ Well Plat Notice is hereby provided to:	
☑ St	JRFACE OWNER((s)		☑ COAL OWNER OR LESSEE	
	ne: Brian L. Teslovich	1	_	Name: C/O Leatherwood, Inc. Attn: Casey Saunders	
	ress: 411 Sunset Drive			Address: 1000 Consol Energy Drive	
_	Vernon, PA 15012			Canonsburg, PA 15317	
Nan			-	☐ COAL OPERATOR Name:	
ridu	1033.			Address:	
ПSI	JRFACE OWNER(s) (Road and/or Other Di	sturbance)		
Nan			Comment of State of S	SURFACE OWNER OF WATER WELL	A N
Add	ress:			AND/OR WATER PURVEYOR(s)	Office of SIVED
				Name: See Attachment 13A	IAL and Gas
Nan				Address:	4 204
Add	ress:		-	CODED ATOD OF ANY NATIONAL CAS STOP	Office of Oil and Gas JAN 4 2019
ואם	IREACE OWNED	(s) (Impoundments or Pits	5)	Name:	A Countrient of
Nan				Address: OPERATOR OF ANY NATURAL GAS STOR Name: Address:	rotection
				*Please attach additional forms if necessary	

Attachment 13

04/26/2019

PARID	NAME_ALL	OWNER_ADDR	CITY	STATE	ZIP	Watersources
03 B36014500000000	TESLOVICH BRIAN L	211 SUNSET DR	BELLE VERNON	PA	15012	1
03 B36014200000000	ADAMS MARK A & MELODY J	4762 APPLEPIE RIDGE RD	WELLSBURG	WV	26070	3
03B36L004200000000	COULTER STANLEY E & JOYCE	5108 APPLE PIE RIDGE RD	WELLSBURG	WV	26070	1

Office of Oil and Gas

JAN 4 2019

Environmental Protection

04/26/2019

OPERATOR WELL NO. Brian Teslovich BRK 1H
Well Pad Name: Brian Teslovich PAD

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they related Gas well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the item 19

OPERATOR WELL NO. Brian Teslovich BRK 1H

Well Pad Name: Brian Teslovich PAD

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water NOTE, VOLLARE NOTE, VOLL test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

RECEIVED

04/26/2019

OPERATOR WELL NO. Brian Teslovich BRK-1H
Well Pad Name: Brian Teslovich PAD

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY** (30) **DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons:
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED

Office of Oil and Gas

JAN 4 2019

OPERATOR WELL NO, Brian Teslovich BRK 1H

. . . .

Well Pad Name: Brian Teslovich PAD

Notice is hereby given by:

Well Operator: SWN Production Co., LLC

Telephone: 304-884-1610 Email: Brittany_Woody@swn.com Address: P.O. Box 1300 Jane Lew, WV 26378

Facsimile: 304-884-1690

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.



Subscribed and sworn before me this 2 day of OCHOBER.

Subscribed and sworn before me this 2 day of OCHOBER.

Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas

JAN 4 2019

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Dequirement: Notice shall be provided at least SEVEN (7) days but no more than EODTV DIVE (45) days minute

	ce: 8/8/2018			ntry: 8/15/2018		
elivery me	thod pursuant	to West Virginia C	ode § 2	2-6A-10a		
PERSO	NAL 🗉	REGISTERED		METHOD OF DEL	IVERY THAT RE	EOUIRES A
SERVIO		MAIL		RECEIPT OR SIGN		
n to the surfact no more to the more than the such where of mired Sedimen ecretary, when the surface the surface that the surface the surface that the surface that the surface the surface the surface that the surface the surface that the surfac	face tract to conthan forty-five of tract that has finerals underlying the Control Manualich statement is reace owner to control to	duct any plat surveys lays prior to such ent led a declaration pur g such tract in the co al and the statutes an hall include contact obtain copies from the	s requir try to: (suant to unty ta: d rules informa	ed pursuant to this ar 1) The surface owner o section thirty-six, and x records. The notice related to oil and gas attion, including the ac-	ticle. Such notice s of such tract; (2) rticle six, chapter t e shall include a sta s exploration and p	shall provide notice of planned entry shall be provided at least seven days to any owner or lessee of coal seams wenty-two of this code; and (3) any atement that copies of the state Erosic roduction may be obtained from the age on the Secretary's web site, to
otice is her	eby provided t	0:				
SURFA	CE OWNER(s)			☐ COAL	L OWNER OR LE	SSEE
ame: Brian L	Teslovich			Name:		
ddress: 411				Address:		
lle Vernon, PA	15012					
ame:			-			
ddress:			-		ERAL OWNER(s)	
			-		n L. Teslovich	
ddraee:			_		411 Sunset Drive	
duress.			÷	Belle Vernon, I	PA 15012 h additional forms if ne	
ursuant to V plat survey ate:	ereby given: Vest Virginia Co on the tract of I West Virginia	ode § 22-6A-10(a), n and as follows:	otice is	Approx. Latit	ude & Longitude:	l operator is planning entry to conduc
ounty:	Brooke			Public Road A	Access:	Apple Pie Ridge
istrict:	Buffalo			Watershed:		Lower Buffalo Creek
uadrangle:	Tiltonsville			Generally use	d farm name:	Brian Teslovich
		cretary, at the WV I	Departm of such	ent of Environmenta	l Protection headquot ional information r	il and gas exploration and production uarters, located at 601 57 th Street, SE, related to horizontal drilling may be
ay be obtain tharleston, Votained from otice is he well Operate.	WV 25304 (304 in the Secretary breaks ereby given by			Address:	PO BOX 1300	
ay be obtain that leston, Votained from otice is he	WV 25304 (304 in the Secretary breaks ereby given by	r;		Address:	PO BOX 1300 JANE LEW, WV 26378	

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. On appropriately secure your personal information. If you have any questions about our use or your personal information, please complete College of Oil and Gas

Environmental Profession

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Notice	Requirement: Notice shall be provided a ce: 08/27/2018 Date Pe	at least TEN (10) days prior to filing a rmit Application Filed:	permit application.
Delivery me	thod pursuant to West Virginia Code §	22-6A-16(b)	
☐ HAND	■ CERTIFIED MAIL		
DELIVE		OUESTED	
receipt reque drilling a hor of this subsec subsection m	sted or hand delivery, give the surface own izontal well: <i>Provided</i> , That notice given tion as of the date the notice was provide	oner notice of its intent to enter upon the pursuant to subsection (a), section tend to the surface owner: <i>Provided, how oner</i> . The notice, if required, shall include	an operator shall, by certified mail return the surface owner's land for the purpose of an of this article satisfies the requirements bever, That the notice requirements of this address, telephone number, r's authorized representative.
Notice is he	reby provided to the SURFACE OV	WNER(s):	
Name: Brian L.		Name:	
Address: 411		Address:	
Belle Vernon, PA	15012	1	
State: County:	wner's land for the purpose of drilling a h West Virginia Brooke	UTM NAD 83 Easting: Northing:	531,192.390 4,451,872.393
District:	Buffalo	Public Road Access:	McCord Hill Road
Quadrangle:	Tiltonsville	Generally used farm name:	Brian Teslovich BRK
Watershed:	Grog Run		
Pursuant to 'facsimile nur related to hor	nber and electronic mail address of the rizontal drilling may be obtained from th	operator and the operator's authorize e Secretary, at the WV Department of	ess, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.
Notice is he	reby given by:		
Well Operato	r: SWN Production Company, LLC	Authorized Representative:	Mike Yates
Address:	PO Box 1300, 179 Innovation Drive	Address:	PO Box 1300, 179 Innovation Drive
	Jane Lew, WV 26378		Jane Lew, WV 26378 Office of Oil and Gas
Telephone:	304-517-6603	Telephone:	304-517-6603
Email:	Michael_Yates@swn.com	Email:	Michael_Yates@swn.com JAN 4 2019
Facsimile:	304-471-2497	Facsimile:	304-471-2497
Oil and Ga	s Privacy Notice:		WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Noti	Requirement: Notice shall be provided at Ce: 08/27/2018 Date Peru	least TEN (10) days prior to filing in Application Filed:	permit application.	
Delivery me	thod pursuant to West Virginia Code § 22	2-6A-16(b)		
☐ HAND	■ CERTIFIED MAIL			
DELIVI		LIESTED		
receipt reque drilling a hor of this subsec- subsection m	V. Va. Code § 22-6A-16(b), at least ten day sted or hand delivery, give the surface own izontal well: <i>Provided</i> , That notice given petion as of the date the notice was provided ay be waived in writing by the surface owned, facsimile number and electronic mail ad	er notice of its intent to enter upon to pursuant to subsection (a), section to to the surface owner: <i>Provided, ho</i> er. The notice, if required, shall inc	the surface owner's land fe en of this article satisfies wever, That the notice req lude the name, address, te	or the purpose of the requirements uirements of this dephone number,
	reby provided to the SURFACE OW	NER(s):		
Name: Windson		Name:		-
the state of the s	Consol Energy Drive	Address:		0
Canonsburg, PA	15317	l		
the surface of State: County:	Vest Virginia Code § 22-6A-16(b), notice is wner's land for the purpose of drilling a hor West Virginia Brooke	izontal well on the tract of land as f UTM NAD 83 Easting: Northing:	ollows: 531,192.390 4,451,872,393	
District:	Buffalo	Public Road Access:	McCord Hill Road	
Quadrangle:	Tiltonsville	Generally used farm name:	Brian Teslovich BRK	
Watershed:	Grog Run	_		
Pursuant to facsimile nur related to ho	Shall Include: West Virginia Code § 22-6A-16(b), this in other and electronic mail address of the orizontal drilling may be obtained from the 1 57th Street, SE, Charleston, WV 25304 (3	perator and the operator's authorize Secretary, at the WV Department	ed representative. Additi of Environmental Protecti	onal information ion headquarters,
Notice is he	reby given by:			
Well Operato		Authorized Representative	: Mike Yates	
Address:	PO Box 1300, 179 Innovation Drive	Address:	PO Box 1300, 179 Innovatio	n Drive RECEIVED
. ** 70 3 5 7 7 7	Jane Lew, WV 26378		Jane Lew, WV 26378	Office of Oil and C
Telephone:	304-517-6603	Telephone:	304-517-6603	1031 4 204
Email:	Michael_Yates@swn.com	Email:	Michael_Yates@swn.com	JAN 4 201
Facsimile:	304-471-2497	Facsimile:	304-471-2497	WV Department
				Environmental Prote

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Noti	Requirement: notice shall be provided no lat ce: 08/27/2018 Date Permit Appli	er than the filing cation Filed:	date of permit	application.		
Delivery me	thod pursuant to West Virginia Code § 22-6	A-16(c)	. 1			
■ CERT	FIED MAIL HA	AND				
		ELIVERY				
return receip the planned required to b drilling of a damages to the (d) The notice of notice. Notice is her (at the address Name: Brian L.		owner whose land ction shall includes article to a surface use and compense the extent the date e surface owner a	I will be used for de: (1) A copy ace owner whose ation agreement at agreement armages are com	or the drilling of a hori of this code section; se land will be used in at containing an offer pensable under article	zontal well no (2) The informal conjunction we of compensations of this characteristics of this characteristics of the characteristics of	tice of nation ith the on for nation
Address: 411	Sunset Dr.	Address	i:			
Belle Vemon, PA	.15012	1.				
	reby given: Vest Virginia Code § 22-6A-16(c), notice is he the surface owner's land for the purpose of dr West Virginia Brooke Buffalo Tiltonsville Grog Run	illing a horizonta UTM NAD 8 Public Road	I well on the tra Easting: Northing:		loped a planne	d
Pursuant to V to be provid horizontal we surface affect information the headquarters gas/pages/de Well Operato	fault.aspx. DIT: SWN Production Company, LLC	nce owner whose ensation agreement e damages are con l from the Secret	e land will be int containing arompensable uncarry, at the WV (304-926-0450)	used in conjunction was offer of compensation of the article six-b of this Department of Environment or by visiting www.	vith the drilling in for damages is chapter. Add commental Protodep.wv.gov/oi	g of a to the itional section il-and- GEIVED f Oil and Gas
Telephone:	304-517-6603	Faccimile	Jane Lew, WV 2637	78	JAN-	4 2019
Email:	Michael_Yates@swn.com	Facsimile:	304-471-2497		(10)	
Oil and Cas	Privacy Natice:					pariment of Intal Protection

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notic	Requirement: notice shall be provided to the: 08/27/2018 Date Permit A	no later than the filing, Application Filed:	date of permit	application.		
Delivery met	hod pursuant to West Virginia Code §	22-6A-16(c)	1.1			
CERTII	FIED MAIL	HAND				
	RN RECEIPT REQUESTED	DELIVERY				
return receipt the planned of required to be drilling of a l damages to th (d) The notice of notice. Notice is here (at the address: Name: Windsor Address: 1000 Canonsburg, PA	Consol Energy Drive	face owner whose land subsection shall include of this article to a surfarface use and compens ons to the extent the date to the surface owner at ER(s) Etime of notice): Name: Address is hereby given that the	will be used for the compact owner whose action agreement mages are computed the address list.	r the drilling of a of this code sect e land will be used to containing an opensable under atted in the records well operator has ct of land as follows.	thorizontal witton; (2) The ed in conjunct offer of competicle six-b of the sherif	ell notice of information ion with the ensation for this chapter. If at the time
State: County:	West Virginia Brooke	UTM NAD 8	3 Easting: Northing:	531,192.390 4,451,872.393		
District:	Buffalo	Public Road		McCord Hill Road		
Quadrangle:	Tiltonsville		d farm name:	Brian Teslovich BRK	7	
Watershed:	Grog Run	_				
Pursuant to W to be provide horizontal we surface affect information r	Shall Include: //est Virginia Code § 22-6A-16(c), this noted by W. Va. Code § 22-6A-10(b) to a ll; and (3) A proposed surface use and code by oil and gas operations to the extension of the compart of t	surface owner whose compensation agreement ent the damages are contained from the Secret	land will be unt containing an ompensable und ary, at the WV	sed in conjunction offer of compenser article six-b of Department of	on with the one of this chapter this chapter Environmenta	drilling of a mages to the Additional Protection
Well Operato	SWN Production Company, LLC	Address:	PO Box 1300, 179 li	novation Drive	REC	CEIVED
Telephone:	304-517-6603		Jane Lew, WV 2637		Unice of	Oil and Gas
Email:	Michael_Yates@swn.com	Facsimile:	ALL AND DESCRIPTION OF THE PARTY OF THE PART		JAN	4 2019
Oil and Cas	Privacy Notice				_ WV Der	partment of

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East · Building Five · Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

November 29, 2018

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Brian Teslovich Pad, Brooke County

Brian Teslovich BRK 1H Well Site

Dear Mr. Martin,

The West Virginia Division of Highways issued Permit #06-2018-0873 for the subject site to Southwestern Energy for access to the State Road for the well site located off of Brooke County Route 28 SLS.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018.

Very Truly Yours,

Gary K. Clayton

Regional Maintenance Engineer

Central Office Oil &Gas Coordinator

Brittany Woody Cc:

Southwestern Energy

CH, OM, D-6

File

Office of Oil and Gas

Environmental Protection

Product Name	Product Use	Chemical Name	CAS Number
Product Name	Floudet Ose		7722-84-1
!	<u> </u>	Hydrogen Peroxide	
EC6734A (Champion Technologies)	Biocide	Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
GYPTRON T-390 (Champion Technologies)	Scale Inhibitor	Methanol	04/26/2019
CTT TROTT 1 330 (champion recallologics)	Joure IIIIII	Nonylphenol Ethoxylate	Proprietary
		Glutaraldehyde	111-30-8
Bactron K-139 (Champion Technologies)	Biocide	Quaternary Ammonium Compounds, Benzyl-C12-	68424-85-1
Baction K-139 (Champion Technologies)	Diociac	16-Alkyldimethyl, Chlorides	00424 03 1
		Ethanol	64-17-5
Bactron K-219 (Champion Technologies)	Biocide	Methanol	67-56-1
Duction (C 213 (Champon recimologics)	Biodiae	Quaternary Ammonium Compounds, Benzyl-C12- 16-Alkyldimethyl, Chlorides	68424-85-1
		Amine Triphosphate	Proprietary
EC6486A (Nalco Champion)	Scale Inhibitor	Ethylene Glycol	107-21-1
WEDA 2000	Autout Fotot Poli	Hydrotreated light distillate (petroleum)	64742-47-8
WFRA-2000 (U.S. Well Services)	Anionic Friction Reducer	Propenoic acid, polymer with propenamide	9003-06 9
		Ethylene glycol	107-21 1
		Cinnamaldehyde	104-55 2
		Butyl cellosolve	111-76 2
AI-303 (U.S. Well Services)	Mixture	Formic acid	64-18 6
		Polyether	Proprietary
		Acetophenone, thiourea, formaldehyde polymer	· · ·
AP ONE (U.S. Well Services)	Breaker	Ammonium persulfate	7727-54-0
OPTI-FLEX (U.S. Well Services)	Viscosifying Agent	Distillates, petroleum, hydrotreated light	64742-47-8
	700	Methanol	67-56-1
		Oxyalkylated fatty acid	68951-67-7
		Fatty acids	61790-12-3
		Modified thiourea polymer	68527-49-1
Econo-Cl200 (SWN Well Services)	Corrosion Inhibitor	Water	7732-18-5
		Hydrochloric acid	7647-01-0
		Potassium acetate	127-08-2
		Formaldehyde	50-00-0
		Acetic Acid	64-19-7
Ecopol-FEAC (SWN Well Services)	Iron Control	Citric Acid	77-92-9
		Water	7732-18-5
		Hydrochloric Acid	7647-01-0
HCL (SWN Well Services)	Hydrocholic Acid	Water	7732-18-5
FLOJET DRP 1130X (SWN Well Services)	Friction Reducer	Proprietary	Proprietary
		Distillates (petroleum) hydrotreated light	64674-47-8
		Ethylene Glycol	107-21-1
FLOJET DR900 LPP (SWN Well Services)	Friction Reducer	Alcohols, C12-16, Exoxylated propoxylated	68213-24-1
(2.1.1.2.2.2.1.1.1.1.1.1.1.1.1.1.1.1.1.1		Fatty Alcohols ethoxylated	Proprietary
		Water	7732-18-5
		Hydrotreated light petroleum distillate	64742-47-8
FR-76 (Halliburton)	Friction Reducer	Inorganic Salt	Proprietary
HAI-150E (Halliburton)	Corrosion Inhibitor	No hazardous substance	N/A
		Polyacylate	Proprietary
FDP-S1176-15 (Halliburton)	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8
		Organic phosphonate	Proprietary
LP-65 MC (Halliburton)	Scale Inhibitor	Ammonium Chloride	12125-02-9
CarboNRT	Tracer	Ceramic Proppant	66402-68-4



JAN 4 2019

WV Department of Environmental Protection

LAT./LONG: N 40,216735° W -80.634171° (APPROXIMATE CENTER OF PROJECT)

LOCAL	EMERGENCY SERVICES	
	NAME	TELEPHONE NO.
AMBULANCE		911
HOSPITAL EMERGENCY ROOM	OHIO VALLEY MEDICAL CENTER	(304) 254-0123
FIRE DEPARTMENT		911
POLICE DEPARTMENT		911
POISON CONTROL CENTER	WEST VIRGINIA POISON CENTER	(800) 222-1222

FLOOD F	LAIN CONDITIONS	
DG SITE CONSTRUCTION ACTIVITY	ES TAKE PLACE IN FLOODPLAIN:	NO
PERMIT NEEDED FROM COUNTY FLOODPLAIN COORDINATOR:		
HEC-RAS STUDY COMPLETED:		NA
LOODPLAIN SHOWN ON DRAWINGS:		N/A
FIRM MAP NUMBER IS FOR SITE	54009G0109D	
ACREAGE OF CONSTRUCTION IN	FLOODPLAIN: 0.00 AC	

PROJECT OWNER/APPLICANT

SOUTHWESTERN PRODUCTION COMPANY, LLC 179 INNOVATION DRIVE JANE LEW, WY 26378 PH: (281) 618-2723 CONTACT: STEVE VAN HOOK

PROJECT

AREA

Capitol

CIVIL ENGINEER

YOU DIG!

CIVIL & ENVIRONMENTAL CONSULTANTS, INC. 600 MARKETPLACE AVENUE SUITE ZOD BRIDGEPORT, WV 26330 PH: (304) 933-3119 CONTACT: JOSEPH D. ROBINSON, P.E.

WVDQH

DISTRICT SIX
PH: (304) 843-4000
CONTACT: DISTRICT ENGINEER
GUS SUWAID

SPILL HOTLINE

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WYDEF) PH: (800) 642-3074

PENNSYLVANIA

Eastern Panhandle


PLAN REPRODUCTION WARNING THE PLANS HAVE BEEN CREATED ON AAST D (22" X 34") SHEETS, FOR REDUCTIONS, REFER TO GRAPHIC SCALE. THE PLANS HAVE BEEN CREATED FOR FULL COLOR PLOTTING. ANY SET OF THE PLANS THAT IS NOT PLOTTED IN FULL COLOR SHALL NOT BE CONSIDERED ADEQUATE FOR CONSTRUCTION PUPPOSES.

WARNING INFORMATION MAY BE LOST IN COPYING AND CRIGRAY SCALE PLOTTING.

NATIONAL RESPONSE CENTER PH: (800) 424-8802







1 INCH = 1 MILE



VICINITY MAP BROOKE COUNTY ROAD MAP SCALE IN FEET 1. MILES

WELL RESTRICTIONS CHECKLIST (HORIZONTAL 6A WELL)	
AT LEAST 100 FEET FROM PAO AND LOD INCLUCING ANY EAS CONTROL FEATURE) TO ANY PERENNIAL STREAM, LAKE, POND, RESERVOIR OR WETLAND:	YES
AT LEAST 300 FEET FROM PAD AND LOD (INCLIDING ANY EAS CONTROL FEATLAR), TO ANY NATURALLY PRODUCING TROUT STREAM:	YES
AT LEAST 1000 FROM PAD AND LOD (INCLUDING ANY DAS CONTROL FEATURE) TO ANY GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY	YES
AT LEAST 250 FEET FROM AN EXISTING WATER WELL DRIDEVELOPED SPRING TO WELL BEING DRILLED.	YES
AT JUDANT HIS STEET EROM AN OCCUPIED DWELLING STOLETTINE TO CENTER OF BAD	VER

AT LEAST 625 FEET FROM AGRICULTURAL BUILDINGS LARGER THAN 2500 SQUARE FEET YES TO THE CENTER OF THE PAD:

SHEET INDEX
1. COVER SHEET
2. GENERAL NOTES
3. MASTER LEGEND

SITE SAFETY PLAN

MATERIAL QUANTITIES BORING LOGS BORING LOGS 14. PROFILES AND SECTIONS 15. PROFILES AND SECTIONS 16. DETAILS SITE SAFETY PLAN 17. DETAILS

11. SITE PLAN 12. PROFILES AND SECTIONS

13. PROFILES AND SECTIONS

18. DETAILS 19. DETAILS 20. RECLAMATION PLAN

Lo	OCATION CO	ORDINATES	- 1	-	
CITE LOCATIONS	WV83 NF (N	(ORTH ZONE)	UTM83-17		
SITE LOCATIONS	LATITUDE	LONGITUDE	NORTHING	EASTING	
MAIN ACCESS ROAD ENTRANCE	40.216148	-80,636957	9451811.2195	530891.3050	
CENTROID OF WELL PAD	40.216534	-80,633186	4451855,3804	531212,0188	

LO,D, AREAS		GRADING	REMUTON		
DESCRIPTION	ACRES	DESCRIPTION	CUT (CY)	FILL (CY)	NET (CY)
MAIN ACCESS ROAD	2.84	MAIN ACCESS ROAD	2,170	2,461	-291
WELL PAD	5,17	WELL PAD	16,457	15,614	843
TOPSOIL/STRIPPING PILE 1	1.26	SPOIL PILE 1	0	552	-552
SPOR PILE 1	1.15	TOTAL	18,627	18,627	0
TOTAL	11.42	TOPSOIL / STRIPPING (9,408 C.Y.)	7,840 C.Y		
WOODED	11.23	TOTAL EXCAVATION	26,487	26,467	D

LIMITS	CARL CONTRACTOR OF	ACTOR STREET,	, WEST VIRGINIA	ESLOVICH WELL PAD	
	BN	200000000000000000000000000000000000000	A CONTRACTOR OF THE CONTRACTOR		
OWNER	TM-PARCEL	DEED-PAGE	TOTAL ACRES	TYPE OF DISTURBANCE	ACERAGE
TESLOVICH, BRIAN L.	B36 - 145	345 - 491	50,91	MAIN ACCESS ROAD	2,84
				WELLPAD	6.17
				TOPSOIL/STRIPPING PILE 1	1.26
				SPOIL PILE 1	1,15
				PARCEL TOTAL	11.42
				TOTAL	11.42

SWN QUICK ESTIMATE		
ITEM DESCRIPTION	UNIT	QUANTITY
MOBILIZATION/DEMOBILIZATION (Limited to 10% of Total Base Bid)	LS	1
CONSTRUCTION LAYOUT	LS	1
STABILIZED CONSTRUCTION ENTRANCE	EA.	0
CLEARING & GRUBBING	AC.	11.24
EARTHWORK	C.Y.	18,627
TOPSOIL REMOVAL, STOCKPILE, AND REDISTRIBUTION	C.Y.	7,840
GEOTEXTILE	5.Y.	19,060
EROSION CONTROL SLOPE MATTING	5.Y.	1,912
SEEDING, UME & FERTILIZER	AC.	N/A
12" FILTER SOCK	L.F.	261
16" FILTER SOCK	L.F.	5,839
24" FILTER SOCK	LF.	6
EROSION CONTROL MATTING LINED DITCH	LF.	1,912
15-IN CMP CULVERT	LF.	54
OUTLET PROTECTION	EA.	12
AGGREGATE BASE COURSE, AASHTO NO, 3 (8-IN DEPTH)	TON	8,979
AGGREGATE SURFACE COURSE, 1-1/2" MINUS (4-IN AVERAGE DEPTH)	TON	3,592
TOE KEY EXCAVATION MATERIAL	C.Y.	2,393
TOE KEY AND BONDING COLLECTION DRAINS TOTAL LENGTH - 4-IN PERFORATED SCH 40	LF,	938
TOE KEY AND BONDING OUTLET DRAINS TOTAL LENGTH 4-IN SOLID SCH 40	L.F.	130
WELL PAD SUMP: TYPE G DROP INLET	EA.	4
WELL PAD SUMP OUTLET AND SLOPE PIPE: 4-IN SCH 40 PVC	L.F.	148
4-IN PVC BALL VALVE	EA.	4
RISER PIPE AND T-HANDLE	EA.	4
WELL PAO EARTHEN BERM	L.F.	1,506
TOTAL		





Consultants, Inc. Bridgeport, WV 26330

& Envir

SWN PRODUCTION COMPANY, LLC BRIAN TESLOVICH WELL PAD BUFFALO DISTRICT BROOKE COUNTY, WEST VIRGINIA

Civil &

C000

JAN A 2019

WW Department of Environmental Protection



BRIAN TESLOVICH WELL PAD SITE PLAN SWN PRODUCTION COMPANY, LLC

LAT./LONG: N 40.216735° W -80.634171° (APPROXIMATE CENTER OF PROJECT)

LOCAL	EMERGENCY SERVICES	
	NAME	TELEPHONE NO
AMBULANCE		911
HOSPITAL EMERGENCY ROOM	OHIO VALLEY MEDICAL CENTER	(304) 234-0123
FIRE DEPARTMENT		911
POLICE DEPARTMENT		911
POISON CONTROL CENTER	WEST VIRGINIA POISON CENTER	(800) 222-1222

FLOOD F	PLAIN CONDITIONS	
DO SITE CONSTRUCTION ACTIVITY	ES TAKE PLACE IN FLOODPLAIN	NO
PERMIT NEEDED FROM COUNTY F	LOODPLAIN COOPDINATOR:	NO
HEC RAS STUDY COMPLETED:		1979
FLOODPLAIN SHOWN ON DRAWIN	98:	NV
FIRM MAP NUMBER(S) FOR SITE	54009001090	-
ACREAGE OF CONSTRUCTION IN	FLOGDPLAIN: 0.00 AC	

PROJECT OWNER/APPLICANT

SOUTHWESTERN PRODUCTION 179 INNOVATION DRIVE JANE LEW, WV 21378
PH: (281) 618-2723
CONTACT: STEVE VAN HOOK

CML ENGINEER

CIVIL & ENVIRONMENTAL CONSULTANTS, INC. 600 MARKETPLACE AVENUE SUITE 200 BRIDGEPORT, WV 28330 PH: (304) 233-3119 CONTACT: JOSEPH D. ROBINSON, P.E.

AREA

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (MVDEP) PH: (800) 642-3074

PENNSYLVANIA

MARYLAND

Fastern

PLAN REPRODUCTION WARNING

THE PLANS HAVE BEEN CREATED ON ANSI D (22" X 34") SHEETS. REDUCTIONS, REPORT TO GRAPHIC SCALE THE PLANS HAVE BEEN CREATED FOR FULL COLOR PLOTTING SET OF THE PLANS THAT IS NOT PLOTTED IN FILL COLOR SIN BE CONSIDERED ADEQUATE FOR CONSTRUCTION PURPOSES ""AVARIANDO"": INFORMATION WAY BE LOST IN COPYING AND/OR GRAY SCALE PLOTTING

ech tom - STACING AREA 2 STAGING AREA 3 ver





	0	BROOM	SCALE IN FEE	
FOR	NORTH		1 MAES 1 INCH = 1 MILE	2 VILE
ANY				

WELL RESTRICTIONS CHECKLIST (HORIZONTAL BA WELL)	
AT LEAST 100 FEET FROM PAD AND LOD (INCLUDING ANY EAS CONTROL FEATURE) TO ANY PERENNAL STREAM, LAKE, POND, RESERVOIR OR WETLAND:	YES
AT LEAST 300 PEET FROM PAD AND LOD (INCLUDING ANY EAS CONTROL FEATURE) TO ANY NATURALLY PRODUCING TROUT STREAM:	YES
AT LEAST 1000 FROM PAD AND LOD (INCLUDING ANY ENSIGNMENTED FEATURE) TO ANY GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY:	YES
AT LEAST 250 PEET FROM AN EXISTING WATER WELL OR DEVELOPED SPRING TO WELL BEING DRILLED:	YES
AT LEAST 625 FEET FROM AN OCCUPIED DWELLING STRUCTURE TO CENTER OF PAD	YES
AT LEAST 625 FEET FROM AGRICULTURAL BUILDINGS LANGER THAN 2500 BOUARE FEET	YES

SHEET INDEX
1. COVER SHEET
2. GENEPAL NOTES
1. MASTER LEGENO
MATERIAL QUANTITIES
BORNING LOGS
SITE SAFETY PLAN
SITE SAFETY PLAN
EXSTING CONDITIONS
ISOPACH 11. SITE PLAN
12. PROFILES AND SECTIONS
13. PROFILES AND SECTIONS
14. PROFILES AND SECTIONS
15. PROFILES AND SECTIONS
16. DETAILS
18. DETAILS
18. DETAILS
20. REGLAMATION PLAN

BELON TRILLOWCH WHILL PAD SW'S PRODUCTION COMPANY, LLC

t	OCATION CO	ORDINATES		
SITE LOCATIONS	WV83-NF1 N	NORTH ZONE)	UTM	83-17
SHE LOCATIONS	LATITUDE	LONGITUDE	NORTHING	EASTING
MAIN ACCESS ROAD ENTRANCE	40,216148	-80.636957	4451811.2195	530891.305
CENTROID OF WELL PAD	40.216534	-80.633186	4451855.3804	531212.018

LO.D. AREAS		GRADING	VOLUMES		
DESCRIPTION	ACRES	DESCRIPTION	CUT (CY)	FILL (CY)	NET (CY)
MAIN ACCESS ROAD	2.84	MAIN ACCESS ROAD	2,170	2,461	-291
WELL PAD	6.17	WELL PAD	16,457	15,614	843
TOPSOIL/STRIPPING PILE 1	1.26	SPOIL PILE 1	0	562	-562
SPOIL PILE 1	1.15	TOTAL	18,627	18,627	0
TOTAL	11.42	TOPSOIL / STRIPPING (9,408 C.Y.)	7,840 C.Y		
WOODED	11.23	TOTAL EXCAVATION	26,467	26,467	0

UMIT	OF DISTURBANC	E PARCEL BRE	AK UPS - BRIAN T	ESLOVICH WELL PAD	a diameter	
BROOKE COUNTY, WEST VIRGINIA						
OWNER	TM-PARCEL	DEED-PAGE	TOTAL ACRES	TYPE OF DISTURBANCE	ACERAGE	
TESLOVICH, BRIAN L.	836 - 145	345 - 441	50.91	MAIN ACCESS ROAD	2,84	
				WELL PAD	6,17	
				TOPSOIL/STRIPPING PILE 1	1,26	
				SPOLPILE 1	1.15	
				PARCEL TOTAL	11.42	
				TOTAL	11.42	

SWN QUICK ESTIMATE				
ITEM DESCRIPTION	UNIT	QUANTITY		
MOBILIZATION/DEMOBILIZATION (Limited to 10% of Total Base Bid)	LS	1		
CONSTRUCTION LAYOUT	LS	1		
STABILIZED CONSTRUCTION ENTRANCE	EA	1		
CLEARING & GRUBBING	AC.	11.24		
EARTHWORK	C.Y.	18,627		
TOPSOIL REMOVAL, STOCKPILE, AND REDISTRIBUTION	C.Y.	7,840		
GEOTEXTILE	S.Y.	19,060		
EROSION CONTROL SLOPE MATTING	S.Y.	5,839		
SEEDING, LIME & FERTILIZER	AC.	6.47		
12" FILTER SOCK	L.F.	2,177		
18" FILTER SOCK	LF.	152		
24° FILTER SOCK	LF.	261		
EROSION CONTROL MATTING LINED DITCH		5,839		
15-IN CMP CULVERT	LR	54		
OUTLET PROTECTION	EA.	12		
AGGREGATE BASE COURSE, AASHTO NO. 3 (8-IN DEPTH)	TON	8,979		
AGGREGATE SURFACE COURSE, 1-1/2" MINUS (4-IN AVERAGE DEPTH)	TON	3,592		
TOE KEY EXCAVATION MATERIAL	C.Y.	2,393		
TOE KEY AND BONDING COLLECTION DRAINS TOTAL LENGTH - 4-IN PERFORATED SCH 40	LF.	938		
TOE KEY AND BONDING OUTLET DRAINS TOTAL LENGTH - 4-IN SOLID SCH 40	L.F.	130		
WELL PAD SUMP: TYPE G DROP INLET	EA.	4		
WELL PAD SUMP OUTLET AND SLOPE PIPE: 4-IN SCH 40 PVC	LF.	148		
4-IN PVC BALL VALVE	EA.	4.		
RISER PIPE AND T-HANDLE	EA.	4		
WELL PAD EARTHEN BERM	L.F.	1,506		
TOTAL.				



Civil & Environz

SWN PRODUCTION COMPANY, LLC BRIAN TESLOVICH WELL PAD BUFFALO DISTRICT BROOKE COUNTY, WEST VIRGINIA

COVER SHEET

C000

