

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, September 20, 2019 WELL WORK PERMIT Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC POST OFFICE BOX 12359

SPRING, TX 773914954

Permit approval for RUSSELL HERVEY BRK 406H

47-009-00285-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5,2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: RUSSELL HERVEY BRK 406H

Farm Name: RUSSELL D. HERVEY

U.S. WELL NUMBER: 47-009-00285-00-00

Horizontal 6A New Drill

Date Issued: 9/20/2019

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Numl	er:	:							
4	7	0	0	9	0	0	2	8	5

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15) 47 00 9 0 0 2 8 5

OPERATOR WELL NO. Russell Hervey BRK 406H

Well Pad Name: Russell Hervey BRK

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: SWN Produ	uction Co., LLC	494512924	009-Brook	01-Buffal	620-Steubenville
-/ W		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Ru	ıssell Hervey BR	K 406H Well Pa	d Name: Russ	ell Hervey	BRK
3) Farm Name/Surface Owner:	Russell D. Herv	ey Public Ro	ad Access: Pie	rce Run Ro	oad
4) Elevation, current ground:	1166' E	levation, proposed	post-constructi	on: 1166'	
5) Well Type (a) Gas X Other	Oil	Und	erground Stora	ge	
	rizontal X	Deep	01	00	
6) Existing Pad: Yes or No Yes	S		_ (-1)	0-)-30.19
7) Proposed Target Formation(s Target Formation- Marcellus, Down-Dip Wel			*		Associated Pressure- 3888
8) Proposed Total Vertical Dept	h· 5968'				
9) Formation at Total Vertical D		3			
	100511				
10) Proposed Total Measured D					
11) Proposed Horizontal Leg Le	ength: 6047.44'				
12) Approximate Fresh Water S	trata Depths:	250'			
13) Method to Determine Fresh	Water Depths:	Deepest Nearby	Water Well and	d Salinity F	Profile
14) Approximate Saltwater Dep	ths: 404' Salinity	Profile Calculation	on, Potsville SS		
15) Approximate Coal Seam De	pths: 254'				
16) Approximate Depth to Possi	ble Void (coal m	ine, karst, other):	None that we	are aware	of.
17) Does Proposed well location directly overlying or adjacent to		ms Yes	No	x	RECEIVED Office of Oil and Gas
(a) If Yes, provide Mine Info:	Name:				AUG 1 2 2019
	Depth:				
	Seam:			8	WV Department of Invironmental Protection
	Owner:				

APINO. 47-004 7.00 9 0 0 2 8 5

OPERATOR WELL NO. Russell Hervey BRK 406H

Well Pad Name: Russell Hervey BRK

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	100'	100'	CTS
Fresh Water	13 3/8"	New	H-40	48#	349'	349'	348 sx/CTS
Coal	See	Surface	Casing				1
Intermediate	9 5/8"	New	J-55	36#	1634'	1634'	639 sx/CTS
Production	5 1/2"	New	HCP-110	20#	12,951'	12,951'	lead 771sx/Tail 1764sx/ 100' Inside Inter-
Tubing			T				
Liners							

C. All 7.3019

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	633	Class A	1.19/50% Excess
Coal	See	Surface	Casing				
Intermediate	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/50% Excess
Production	5 1/2"	8 3/4"	0.361	12360	9500	Class A	1.20/50% Excess
Tubing							
Liners							71

PACKERS

Kind:	
Sizes:	
Depths Set:	
	RECEIVED Office of Oil and Ga
	Office of Oil and Ga

AUG 1 2 2019

API NO. 47- 009

OPERATOR WELL NO. Russell Hervey BRK 406H

Well Pad Name: Russell Hervey BRK

19	Describe i	proposed w	ell work.	including	the drilling and	l plugging	back of any	pilot hole:
	Deserved	orobona				7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	- · · · · · · · · · · · · · · · · · · ·	F

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface or run external casing packer/cementing stage tool above void interval and perform 2 stage cementing operation dependent upon depth of void. Run casing not less than 20' below void nor more than 75' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, horizontal separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 100 barrels a minute.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 28.2
- 22) Area to be disturbed for well pad only, less access road (acres): 10.3
- 23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

RECEIVED
Office of Oil and Gas

AUG 12 2019

*Note: Attach additional sheets as needed.


Schlumberger Cement Additives

	Product Name	Product Use	Chemical Name	CAS Number
Surface	S001	accelerator	calcium chloride up to 3%	10043-52-4
Intermediate Surface	5001	accelerator	calcium chloride	10043-52-4
_	D080	dispersant	sodium polynaphthalene sulfonate	9008-63-3
9	D801	retarder	aromatic polymer derivative	propriatary
Kick Off Plug	D047	antifoam	polypropylene glycol	25322-69-4
	D167	fluid loss	aliphatic amide polymer	propriatary
	D154	extender	non-crystalline silica	7631-86-9
	D400	gas migration	boric acid	10043-35-3
			polypropylene glycol	25322-69-4
pea	D046	antifoam	fullers earth (attapulgite)	8031-18-3
Production-Lead			chrystalline silica	14808-60-7
Ę.	D201	retarder	metal oxide	propriatary
npo			sulphonated synthetic polymer	propriatary
Pro	D202	dispersant	formaldehyde (impurity)	propriatary
			polypropylene glycol	25322-69-4
	D046	antifoam	fullers earth (attapulgite)	8031-18-3
	D167	fluid loss	aliphatic amide polymer	propriatary
ᇹ			sodium polynaphthalene sulfonate	9008-63-3
-	D065	dispersant	sodium sulfate	7757-82-6
Production-Tall			chrystalline silica	14808-60-7
npo	D201	retarder	metal oxide	propriatary
Pre	D153	anti-settling	chrystalline silica	14808-60-7

Rev. 5/18/2018

RECEIVED Office of Oil and Gas

AUG 1 2 2019





47 00 9 0 0 2 8 5 SWN Production Company, LLC

1300 Fort Pierpont Dr, Ste 201 Morgantown, WV 26508 Tel: 304 884 1610 Fax: 304 471 2497 www.swn.com

July 15, 2019

Ms. Laura Adkins Office of Oil & Gas 601 57th Street Charleston, WV 25304

RE: Proposed New Well Russell Hervey BRK 406H

Dear Ms. Adkins

SWN has reviewed the area of the above mentioned well and discovered no shallow wells within 500' of the lateral. This well is situated on the Hervey's property, in Buffalo District, Brooke County, West Virginia.

If you have any questions or desire additional information, please me at 304-884-1613

Thank you.

Sincerely,

Brittany Woody

Senior Regulatory Analyst

Southwestern Energy Production Company, LLC

RECEIVED
Office of Oil and Gas

AUG 1 2 2019

WV Department of Environmental Protection

R2 noV+°

The Right People doing the Right Things, wisely investing the cash flow from our underlying Assets, will create Value+®

470090028	1	4	7	0	0	0	0	0	2	8	-
-----------	---	---	---	---	---	---	---	---	---	---	---

API Number 47 - 009

Operator's Well No. Russell Hervey BRK 406H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name SWN Production Co., LLC OP Code 494512924	
Watershed (HUC 10) Buffalo Creek Quadrangle Steubenville	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No _	
Will a pit be used? Yes No 🗸	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
■ Underground Injection (UIC Permit Number Reuse (at API Number at next anticipated well, API# will be included with the WR-34/DDMR &/or permit add	endum)
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain_ flow back fluids will be put in steel tanks and reused or taken to a permitted dis	
Will closed loop system be used? If so, describe: Yes- See Attachment 3A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Air drill to KOP. fluid drill will	th SOBM from KOP to TD
-If oil based, what type? Synthetic, petroleum, etc. Synthetic Oil Base	
Additives to be used in drilling medium? Attachment 3B	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. landfill	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	
-Landfill or offsite name/permit number? Meadowfill SWF-1032, Short Creek SWF-1034, Carbon Limestone MSWL018781, We Arden Landfill 100/2, Apex Sanitary Landfill 06-08438, Brooke Co SVVF-1013, Valley	atzel County 1021
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shal where it was properly disposed.	rejected at any
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTIO on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. It provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/alaw or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information application form and all attachments thereto and that, based on my inquiry of those individuals immediate obtaining the information, I believe that the information is true, accurate, and complete. I am aware that the penalties for submitting false information, including the possibility of fine or imprisonment: NOTARY PUBLIC OIL JESSICA L. VAN State of West V My Company Official Title Senior Regulatory Analyst	understand that the or other applicable submitted on this ely responsible for ere are significant FICIAL SEAL GILDER (Iriginia Jul 20, 2020 Jul 20,
Subscribed and sworn before me this 15th day of July , 20 19	AUG 1 2 2019
Dessica L. Van Hilder Notary Public	AUU I D LUIJ
	WV Department of vironmental Protection

roposed Revegetation Treatment: Acres Disturbed 2	8.2	Prevegetation pF	I
Lime _as determined by pH test min.2 Tons/acre or to correct	ct to pH 10.3		
Fertilizer type 10-20-20			
Fertilizer amount 600	lbs/acre		
Mulch_ Hay/Straw	_Tons/acre		
	Seed Mixtures		
Temporary		Perma	nent
Seed Type lbs/acre Attachment 3C		Seed Type	lbs/acre
ttach: Iaps(s) of road, location, pit and proposed area for land	d application (unless e	ngineered plans includ	ling this info have been
	lude dimensions (L x	ngineered plans incluc W x D) of the pit, and	ling this info have been dimensions (L x W), a
Iaps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, increage, of the land application area.	elude dimensions (L x	W x D) of the pit, and	ling this info have been dimensions (L x W), a
Iaps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incoreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a
laps(s) of road, location, pit and proposed area for land rovided). If water from the pit will be land applied, incorreage, of the land application area. hotocopied section of involved 7.5' topographic sheet.	elude dimensions (L x	W x D) of the pit, and	dimensions (L x W), a

Attachment 3A

CLOSED LOOP SYSTEM

The closed loop system is designed to eliminate the use of reserve pits by providing a higher level of solids control processing and using steel pits for capture of drill cuttings. The cuttings are then processed to achieve landfill requirements before hauling to approved landfills. The liquids are processed to recycle into the active mud system or to transfer to onsite temporary storage as needed.

The closed loop system consists of several sets of a shale gas separator (often called a 'methana'), several banks of solids shakers, high speed centrifuges (1 or 2) used to process the fluid portion of the mud system to remove low gravity solids, low speed centrifuge used for barite recovery in high weight liquid drilling systems, a dewatering system (for air intervals and if freshwater mud systems are in use) used to further clean liquids by flocculation and additional mechanical separation, associated open top tanks for processing liquids and capturing solids for disposal, and transfer pumps to move fluids through the processes. There is an area adjacent to the cuttings tanks (Red Zone) where a track hole is utilized to recover the processed cuttings for loading into containers for hauloff. (See attached schematic of a generic closed loop system layout)

Below are discussions of the processes used when drilling the air interval or liquids interval.

AIR DRILLING INTERVALS

During air drilling operations, flow from the rig will pass down the flowline to the Shale Gas Separater (sometimes called a methane) where gas and liquids/solids are separated. Gas is sent to the flare scrubber tank and is flared at the flare stack. Solids and fluids pass across a shaker system to separate solids from liquids. Solids pass into the cuttings tanks where they are captured for drying and hauloff to an approved landfill site. Liquids fall into a shaker tank and are collected by a centrifugal pump to be processed by the high speed centrifuge to further separate liquids and solids. Solids are then dumped into the cuttings tank for drying and hauloff. Liquids are further processed to remove additional low gravity solids before being reused or transferred to onsite storage.

LIQUIDS DRILLING (FRESHWATER, BRINE, SOBM)


When drilling is converted to liquids drilling, the shale gas separator and associated shaker tank are bypassed, and the liquids system is processed over the primary and drying shaker systems. Cuttings drop into the cuttings tank for additional processing. Any recoverable associated liquids attached to the cutting are recovered out the tank and processed through the low gravity (high speed) and barite recovery centrifuges (low speed) to further remove low gravity solids and to recover barite for reuse in the mud systems.

RECEIVED
Office of Oil and Gas

AUG 12 2019

Solids Control Layout





RECEIVED Office of Oil and Gas

Attachment 3B

Drilling Mediums

<u>Surface/Coal(if present)/Freshwater Intervals:</u>

Air

Freshwater (if needed based on conditions)

Intermediate/Coal (if present):

Air

Brine (In Gas Storage areas)

Organophilic Bentonite

Production Hole:

Air

Synthetic Oil (Base Fluid for mud system)

Barite

Calcium Chloride

Lime

Organophilic Bentonite

Primary and Secondary Emulsifiers

Gilsonite

Calcium Carbonate

Friction Reducers

RECEIVED
Office of Oil and Gas

AUG 12 2019



WVD Seeding Specification



To Order Seed contact Lyndsi Eddy Flippo office 570-996-4271 cell 501-269-5451 lyndsi_eddy@swn.com

(please allow 7 to 10 days for delivery)

NON-ORGANIC PROPERTIES		
Seed Mixture: ROW Mix	SW	N Supplied
Orchardgrass	40%	
Timothy	15%	
Annual Ryegrass	15%	
Brown Top Millet	5%	
Red Top	5%	
Medium Red Clover	5%	All legumes are
White Clover	5%	innoculated at 5x normal
Birdsfoot Trefoil	5%	rate
Rough Bluegrass	5%	
Apply @ 100lbs per acre April 16th- Oct. 14th	50	Apply @ 200lbs per acre Oct. 15th- April 15th PLUS lbs per acre of Winter Wheat

SUIL AIVIENDIVIEN IS	
10-20-20 Fertilizer	
Pelletized Lime	

*Apply @ 500lbs per Acre
Apply @ 2 Tons per Acre
*unless otherwise dictated by soil test results

Seeding Calculation Information:

1452' of 30' ROW/LOD is One Acre 871' of 50' ROW/LOD is One Acre 622' of 70' ROW/LOD is One Acre

Synopsis:

Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter Wheat/ac).

Special Considerations:

Landowner Special Considerations including CREP program participants require additional guidance that is not given here. Discuss these requirements with SWN supervision at the beginning of the project to allow time for special seed delivery.

ORGANIC PROPERTIES		
Seed Mixture: SWN Production Organi	c Mix	SWN Supplied
Organic Timothy	50%	
Organic Red or White Clover	50%	
OR		
Organic Perennial Ryegrass	50%	
Organic Red or White Clover	50%	
Apply @ 100lbs per acre		Apply @ 200lbs per acre
April 16th- Oct. 14th		Oct. 15th- April 15th
Organic Fertilizer @ 200lbs per Acre		Pelletized Lime @ 2 Tons per Acre

Seed Mixture: Wetland Mix	SWN S	upplied				
VA Wild Ryegrass	20%			u		
Annual Ryegrass	20%	Gas	6	of		
Fowl Bluegrass	20%	0 0	AUG 12			
Cosmos 'Sensation'	10%	VE an				
Redtop	5%	E O		RECEIVED Office of Oil and C	par	par
Golden Tickseed	5%	H H			De	
Maryland Senna	5%	#Ec	A	lbs per acre	WV Enviro	
Showy Tickseed	5%	0				E
Fox Sedge	2.5%					
Soft Rush	2.5%					
Woolgrass	2.5%					
Swamp Verbena	2.5%					
Apply @ 25lbs per acre		Apply @	50lbs pe	er acre		
April 16th- Oct. 14th		Oct. 15	h- April	15th		

MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN




SWN Production Company, LLC 1300 Fort Pierpont Drive, Suite 201 Morgantown, West Virginia 26508

API NO. 47-XXX-XXXXX
WELL NAME: Russell Hervey BRK 406H
Steubenville QUAD
Buffalo DISTRICT
BROOKE COUNTY, WEST VIRGINIA

Submitted by:		
Name: Brittany Woody Suttany Woody	Date: <u>7/15/2019</u>	
Title: Senior Regulatory Analyst	SWN Production C	o., LLC
Approved by: Name: Title: Oil and Go Infanto	Date: 7-36·19	RECEIVED Office of Oil and Gas
Approved by:		AUG 1 2 2019
Name:	Date:	WV Department of Environmental Protection

SWN PRODUCTION COMPANY, LLC - CONFIDENTIAL





THE THRASHER GROUP, INC. 600 WHITE (JAKS BLVD. BRIDGEPORT, WV 26330 PHONE 304-624-4108

TRACT	ADJOINING OWNERS TABLE RACT SURFACE OWNER TAX PARCEL AC						
A	CHARLIE D. & BRITNEY L. FARRIS	03-B28-0045-4	3.26				
В	BERNARD J. III & NICOLE C. KNORR	03-828-0057-2	3.65				
С	BERNARD J. III & NICOLE C. KNORR	03-828-0059	17.39				
D	STELLA MERWICK	03-B33-0027	0.50				
Ε	THEODORE EDWIN & MELISSA ANN EATON	03-833-0028	1.75				
F	SHARON A. CUNNINGHAM	03-B33-0032	1.06				
G	SHARON A. CUNNINGHAM	03-833-0033-1	0.05				
Н	JANICE F. EATON	03-833-033	0.21				
- 1	SHARON CUNNINGHAM	03-B33-0030	4.24				
J	WELLS-GIST LAND CO., LLC	03-B33-0034	2.07				
K	SCOTT L. EDGELL	03-B33-0099	1.73				
L	BRIAN T. & JACINDA D. LONG	03-833-0098	1.00				
М	STONE CHAPEL CHURCH	03-B33-0036	0.30				
N	JON T. & MARLENA L. SMITH	03-B33-0037	2.00				
0	FLOYD HENNIS, LEONA LAROCHE & TANA DISHER	03-B33-0038	2.18				
Р	FLOYD HENNIS, LEONA LAROCHE & TANA DISHER	03-B33-0039	1.10				
Q	CHARLES S. JR. & ETHEL F. RUSSELL	03-B33-0042	1.00				
R	ALEXANDER L. SR. & DONNA J. DIGHT	03-B28-0022	0.67				
S	ALEXANDER L. SR. & DONNA J. DIGHT	03-B28-0021	0.74				
T	ALEXANDER L. & DONNA J. DIGHT	03-B28-0023	0.66				
U	RYAN S. & CAROLYN A. BOOK	03-828-0025	1.60				
٧	DONALD & SHERRI YOHO	03-B28-0026	1,00				
W	RANDY & PATRICIA GRAHAM	03-828-0029-1	3.39				
X	RANDY R. & PATRICIA J. GRAHAM	03-B28-0042	4.59				



	and a supply of the supply of
REVISIONS: UPDATED SURFACE OWNER NAMES	DATE: 07-12-2019
	SHEET 2 OF 2
	DRAWN BY: R. DOERR
	SCALE: NOT TO SCALE
	DRAWING NO: 050-5495
	WELL LOCATION PLAT

WW-6A1 (5/13)

Operator's Well No. Russell Hervey BRK 406H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

See Attached Exhibit "A"

RECEIVED Office of Oil and Gas

Aug 1 2 2019

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	SWN Production Company, LLC
By:	SHIM!
Its:	Staff Landman

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC., Operator

Russell Hervey BRK 406H

Brooke County, West Virginia

RECEIVED Office of Oil and Gas	AUG 12 2019
--------------------------------	-------------

#	TMP	LESSOR	LESSEE	ROYALTY	BK/PG
1)	03-0B28-0045-0000-0000	Russell D. Hervey and Lisa K. Hervey,	Chesapeake Appalachia, L.L.C.	18.00%	17/89
		husband and wife	SWN Production Company, L.L.C.		30/480
2)	03-0B28-0045-0002-0000	William Judson Hervey III and Theresa J.	Chesapeake Appalachia, L.L.C.	18.00%	20/439
		Hervey, husband and wife	SWN Production Company, L.L.C.		30/480
3)	03-0B28-0043-0000-0000	Patricia Graham	SWN Production Company, L.L.C.	16.00%	33/292
		Michael Whitco	SWN Production Company, L.L.C.	16.00%	33/289
		Paula Baranowski	SWN Production Company, L.L.C.	16.00%	34/73
		Eileen Ridgely	SWN Production Company, L.L.C.	16.00%	34/79
4)	03-0B33-0022-0000-0000	Donna M. Sullivan, widowed now single woman	SWN Production Company, L.L.C.	18.00%	33/77
5)	03-0B33-0024-0000-0000	Phoenix-Greenlawn Partners, Limted	Great Lakes Energy Partners, L.L.C.	12.50%	9/376
		Partnership	Chesapeake Appalachia, L.L.C.		10/552
			SWN Production Company, L.L.C.		30/480
6)	03-0B33-0029-0000-0000	Phoenix-Greenlawn Partners, Limted	Chesapeake Appalachia, L.L.C.	18.00%	24/435
		Partnership	SWN Production Company, L.L.C.		30/480
		Wells-Gist Land, Co., L.L.C.	SWN Production Company, L.L.C.	18.00%	33/200
7)	03-0B33-0040-0000-0000	Carol Lynn Harms and Loren H. Harms,	Chesapeake Appalachia, L.L.C.	18.00%	28/510
		wife and husband	SWN Production Company, L.L.C.		30/480
		Robert J. Gierke and Rhonda A. Gierke,	Chesapeake Appalachia, L.L.C.	18.00%	28/771
		husband and wife	SWN Production Company, L.L.C.		30/480
		Lisa J. Sweeney, a single woman	Chesapeake Appalachia, L.L.C.	18.00%	28/505
			SWN Production Company, L.L.C.		30/480

RECEIVED Office of Oil and Gas

Sandra M. Kaplafka and Michael S.	Chesapeake Appalachia, L.L.C.	18.00%	28/644
Kaplafka, wife and husband	SWN Production Company, L.L.C.		30/480
Ella Marie Kasmarik, a widow appearing herein by and through Lisa M. Brichta, her Agent and Attorney-In-Fact	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	29/69 30/480
Phyllis Anne Wheeler and Jack D.	Chesapeake Appalachia, L.L.C.	18.00%	28/495
Wheeler, wife and husband	SWN Production Company, L.L.C.		30/480
Nelson Campbell Nicholls, III and Leslie S	. Chesapeake Appalachia, L.L.C.	18.00%	28/725
Nicholls, husband and wife	SWN Production Company, L.L.C.		30/480
Gertrude Margaret Burns and Robert J. Burns, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/730 30/480
Carolyn Kirchner Freeman and Lawrence	Chesapeake Appalachia, L.L.C.	18.00%	21/700
M. Freeman, wife and husband	SWN Production Company, L.L.C.		30/480
Paul Lakin Smith and Bonnie Smith,	Chesapeake Appalachia, L.L.C.	18.00%	22/547
husband and wife	SWN Production Company, L.L.C.		30/480
Rita Kay Wineman, fka Rita Kay	Chesapeake Appalachia, L.L.C.	18.00%	23/595
Cominottie, a widow	SWN Production Company, L.L.C.		30/480
John A. Cominotte, a widower	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	23/600 30/480

AUG 12 2019	WV Department of Environmental Protection
-------------	--

RECEIVED Office of Oil and Gas

00/4		Josie Lynn Moran, fka Josie Lynn Smith and William Moran, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	23/605 30/480
		Lisa Catlin, fka Lisa Smith and Shawn Catlin wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	24/22 30/480
		Robert Joseph Smith, single	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	24/27 30/480
		Galen Hartman Smith, Jr. and Lucille A. Smith, husband and wife	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	25/357 30/480
		Frank Eugene Cominotti and Marilyn Cominotti, husband and wife	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	25/362 30/480
8)	03-0B33-0035-0000-0000	Phoenix-Greenlawn Partners, Limted Partnership	Great Lakes Energy Partners, L.L.C. Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	12.50%	9/376 10/552 30/480
9)	03-0B33-0096-0000-0000	Richard C. Culbertson	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	29/552 31/288
		Susan S. Culbertson	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	30/640 31/288
		Carol A. Williams	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	29/589 31/288
		Ray A. Culbertson	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	30/286 31/288
		John F. Culbertson	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	29/601 31/288

AUG 12 2019
WV Department of
Environmental Protection

10)	Pierce Run Road	West Virginia Department of Transporation, Division of Highways	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	15.00%	18/723 30/480
					



SWN Production Company, LLC 1300 Fort Pierpont Dr, Ste 201 Morgantown, WV 26508 Tel: 304 884 1610 Fax: 304 471 2497 www.swn.com

July 23, 2019

Ms. Laura Adkins WV DEP Office of Oil & Gas 601 57th St., SE Charleston, WV 25304

RE: SWN's proposed New Well: Russell Hervey BRK 406H in Brooke County, West Virginia, Drilling under Pierce Run Road.

Dear Ms. Adkins:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Pierce Run Road. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely.

Michael H. Wilder Staff Landman

SWN Production Company, LLC

RECEIVED
Office of Oil and Gas

AUG 1 2 2019

WV Department of Environmental Protection

R2 wV+

The Right People doing the Right Things, wisely investing the cash flow from our underlying Assets, will create Value+®

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification:	AP	I No. 47- 009	
Date of 1 off	- VI 0 1 1		erator's Well No. Re	issell Hervey BRK 406H
	Lit		Il Pad Name: Russ	
Notice has l	been given:			CONTRACTOR OF THE PARTY OF THE
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provide	d the required parties	with the Notice Forms listed
	tract of land as follows:			
State:	West Virginia		ting: 537711.07	
County:	009-Brook	N0	rthing: 4456495.45	
District:	Buffalo	Public Road Access:	Pierce Run Ro	
Quadrangle:	Stuebenville	Generally used farm	name: Russell Herve	
Watershed:	Buffalo Creek			
in fas providing information roof giving the requirements Virginia Code of this article	ed the owners of the surface desc equired by subsections (b) and (c), surface owner notice of entry to of subsection (b), section sixteen e § 22-6A-11(b), the applicant shal have been completed by the applic		at the requirement we section ten of this acting by the surface eccretary that the noti	as deemed satisfied as a lessul- ticle six-a; or (iii) the notice owner; www Bursuant to West
that the Ope	West Virginia Code § 22-6A, the Crator has properly served the requience. ECK ALL THAT APPLY	Operator has attached proof to this Noved parties with the following:	Notice Certification	OOG OFFICE USE
				O, ULI
☐ 1. NO	TICE OF SEISMIC ACTIVITY of	r II NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO		RECEIVED/ NOT REQUIRED
☐ 2. NO	ΓΙCE OF ENTRY FOR PLAT SUF	VEY or NO PLAT SURVEY	WAS CONDUCTED	RECEIVED
■ 3. NO	TICE OF INTENT TO DRILL OF	NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLA WAS CONDUCTED or		RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER BY S (PLEASE ATTACH)	SURFACE OWNER	
■ 4. NO	TICE OF PLANNED OPERATION			RECEIVED
■ 5. PUE	BLIC NOTICE			RECEIVED
■ 6. NO	TICE OF APPLICATION			RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of Code § 21-6A-11(b) and Gas

AUG 1 2 2019

Certification of Notice is hereby given:

THEREFORE, I Brittany Woody , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:

SWN Production Co., LLC

By:

Brittany Woody

Its:

Senior Regulatory Analy

Telephone:

304-884-1610

Address:

Email:

1300 Fort Pierpont Dr., Suite 201

Morgantown, WV 26508

Facsimile:

304-884-1690

Brittany_Woody@swn.com



NOTARY PUBLIC OFFICIAL SEAL L. VANGILDER State of West Virginia My Comm. Expires Jul 20, 2020 SWN Production Company, LLC 9 Innovation Dr. Jane Lew. WV 2637

Subscribed and sworn before me this

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

> > AUG 12 2019

WW-6A (9-13) API NO: 47-009 0 0 0 2 8 5
OPERATOR WELL NO. Russell Hervey BRK 406H
Well Pad Name: Russell Hervey BRK

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided a Date of Notice: Date Permit Application Notice of:	ALIA
	TE OF APPROVAL FOR THE TION OF AN IMPOUNDMENT OR PIT
Delivery method pursuant to West Virginia Code §	22-6A-10(b)
☐ PERSONAL ☑ REGISTERED ☐ SERVICE MAIL	METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION
registered mail or by any method of delivery that requires sediment control plan required by section seven of this at the surface of the tract on which the well is or is propose oil and gas leasehold being developed by the proposed w described in the erosion and sediment control plan submit operator or lessee, in the event the tract of land on which more coal seams; (4) The owners of record of the surface well work, if the surface tract is to be used for the placen impoundment or pit as described in section nine of this a have a water well, spring or water supply source located provide water for consumption by humans or domestic as proposed well work activity is to take place. (c)(1) If most subsection (b) of this section hold interests in the lands, to records of the sheriff required to be maintained pursuant provision of this article to the contrary, notice to a lien he	diment or pit as required by this article shall deliver, by personal service or by a receipt or signature confirmation, copies of the application, the erosion and rticle, and the well plat to each of the following persons: (1) The owners of record of do to be located; (2) The owners of record of the surface tract or tracts overlying the rell work, if the surface tract is to be used for roads or other land disturbance as street pursuant to subsection (c), section seven of this article; (3) The coal owner, the well proposed to be drilled is located [sic] is known to be underlain by one or tract or tracts overlying the oil and gas leasehold being developed by the proposed ment, construction, enlargement, alteration, repair, removal or abandonment of any rticle; (5) Any surface owner or water purveyor who is known to the applicant to within one thousand five hundred feet of the center of the well pad which is used to mimals; and (6) The operator of any natural gas storage field within which the re than three tenants in common or other co-owners of interests described in the applicant may serve the documents required upon the person described in the to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any older is not notice to a landowner, unless the lien holder is the landowner. W. Va. shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any ster testing as provided in section 15 of this rule.
☐ Application Notice ☐ WSSP Notice ☐ E&S Pl	an Notice Well Plat Notice is hereby provided to:
☑ SURFACE OWNER(s)	☐ COAL OWNER OR LESSEE
Name: Russell D. Hervey	Name: Starvaggi Industries, Inc. Attn: Richard Trzaskoma
Address: 200 Carol Road	Address: 401 Pennslyvania Ave
Wellsburg, WV 26070	Weirton, WV 26062
Name:	□ COAL OPERATOR
Address:	Name:
	Address:
SURFACE OWNER(s) (Road and/or Other Disturb	
Name:	☑ SURFACE OWNER OF WATER WELL
Address:	AND/OR WATER PURVEYOR(s)
W.	Name: See Attachment 13
Name:	Address:
Address:	HODED ATOD OF ANY NATIONAL CARGOTTON AND THE PA
= CLIDE ACE OWNIED(a) (Language Language in P')	☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	*Bl # RECEIVED
	*Please attach additional forms if necessary Office of Oil and Gas

AUG 1 2 2019

WW-6A (8-13) RECEIVED
Office of Oil and Gas

AUG 1 2 2019

47 00 9 0 0 2 8 5 PI NO. 47-009

API NO. 47-009 OPERATOR WELL NO. Russoli Hervey BRK 408H
Well Pad Name: Russell Hervey BRK

Notice is hereby given: WV Department of Environmental Protection

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

RECEIVED
Office of Oil and Gas

WW-6A (8-13)

AUG 12 2019

4700 900285

API NO. 47-009 OPERATOR WELL NO. Russell Hervey BRK 406H

Well Pad Name: Russell Hervey BRK

examined in the study required by this subsection, the secretary the large the fauthority to propose for promulgation legislative rules establishing guidelines and procedures regarding reason to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

OPERATOR WELL NO. Russell Hervey BRK 406H Well Pad Name: Russell Hervey BRK

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning RECEIVED
Office of Oil and Gas the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

AUG 12 2019

WW-6A (8-13) 4700 9 0 0 2 8 5
PI NO. 47-009 -

OPERATOR WELL NO. Russell Hervey BRK 406H
Well Pad Name: Russell Hervey BRK

Notice is hereby given by:

Well Operator: SWN Production Co., LLC

Telephone: 304-884-1610

Email: Brittany_Woody@swn.com

Address: 1300 Fort Pierpont Dr., Suite 201

Morgantown, WV 26508

Facsimile: 304-884-1690

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

NOTARY PUBLIC OFFICIAL SEAL
JESSICA L. VANGILDER
State of West Virginia
My Comm. Expires Jul 20, 2020
SWN Production Company, LLC
179 Innovation Dr. Jane Lew, WV 26378

Subscribed and sworn before me this 15th day of July, 2019.

Notary Public My Commission Expires 1-20-20

RECEIVED
Office of Oil and Gas

AUG 1 2 2019

ATTACHMENT 13

PARID	OWNER	ADDRESS	CITY	STATE	ZIP	WATERSOUCE
03 B28004500000000	HERNEY RUSSELL D	200 CAROL RD	WELLSBURG	WV	26070	1
03 B28004500020000	HERVEY WILLIAM JUDSON III	1030 WASHINGTON PIKE	WELLSBURG	WV	26070	1

RECEIVED Office of Oil and Gas

AUG 12 2019

RECEIVED
Office of Oil and Gas

AUG 1 2 2019



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Notice	Requirement: Notice shall be provided at ee: 07/10/2019 Date Per	t least TEN (10) days prior to tiling a rmit Application Filed:	permit application.
Delivery met	hod pursuant to West Virginia Code § 2	22-6A-16(b)	
☐ HAND	CERTIFIED MAIL		
DELIVE		QUESTED	
receipt request drilling a hor of this subsect subsection mand if availab	izontal well: Provided, That notice given tion as of the date the notice was provided by be waived in writing by the surface own le, facsimile number and electronic mail a	ner notice of its intent to enter upon the pursuant to subsection (a), section to the surface owner: <i>Provided, hower.</i> The notice, if required, shall includers of the operator and the operator	ne surface owner's land for the purpose of en of this article satisfies the requirements vever, That the notice requirements of this ude the name, address, telephone number,
Notice is he Name: Russell	reby provided to the SURFACE OW	NER(s): Name:	
Address: 200		Address:	
Wellsburg, WV 2			
State: County:	vner's land for the purpose of drilling a ho West Virginia Brooke	— UTM NAD 83 Easting: Northing:	537,711.07 4,456,495.45
	Buffalo	Public Road Access:	Pierce Run Rd
Quadrangle:	Steubenville	Public Road Access: Generally used farm name:	
District: Quadrangle: Watershed:			Pierce Run Rd
Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor	Shall Include: West Virginia Code § 22-6A-16(b), this other and electronic mail address of the control of the	Generally used farm name: notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters,
Quadrangle: Watershed: This Notice Pursuant to Vaccimile nurrelated to hor located at 601 Notice is he	Shall Include: West Virginia Code § 22-6A-16(b), this ober and electronic mail address of the dizontal drilling may be obtained from the 57 th Street, SE, Charleston, WV 25304 (3) reby given by:	Generally used farm name: notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Quadrangle: Watershed: This Notice Pursuant to Valential facsimile nurrelated to hor located at 601 Notice is he Well Operato	Shall Include: West Virginia Code § 22-6A-16(b), this ober and electronic mail address of the dizontal drilling may be obtained from the 57th Street, SE, Charleston, WV 25304 (Streby given by:	Generally used farm name: notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he	Shall Include: West Virginia Code § 22-6A-16(b), this ober and electronic mail address of the dizontal drilling may be obtained from the 57 th Street, SE, Charleston, WV 25304 (3) reby given by:	Generally used farm name: notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato Address:	Steubenville Buffalo Creek Shall Include: West Virginia Code § 22-6A-16(b), this ober and electronic mail address of the dizontal drilling may be obtained from the 57 th Street, SE, Charleston, WV 25304 (Creby given by: SWN Production Company, LLC	Generally used farm name: notice shall include the name, address: Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Mike Yates
Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato Address: Telephone:	Sleubenville Buffalo Creek Shall Include: West Virginia Code § 22-6A-16(b), this aber and electronic mail address of the dizontal drilling may be obtained from the 57 th Street, SE, Charleston, WV 25304 (3) reby given by: SWN Production Company, LLC 1300 Fort Pierpont Dr., Suite 201	Generally used farm name: notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de Authorized Representative: Address: Telephone:	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Mike Yates 1300 Fort Pierpont Dr., Suite 201
Quadrangle: Watershed: This Notice Pursuant to Vaccimile nurrelated to hor located at 601 Notice is he Well Operato	Steubenville Buffalo Creek Shall Include: West Virginia Code § 22-6A-16(b), this aber and electronic mail address of the dizontal drilling may be obtained from the 57th Street, SE, Charleston, WV 25304 (3) reby given by: T: SWN Production Company, LLC 1300 Fort Pierpont Dr., Suite 201 Morgantown, WV 26508	Generally used farm name: notice shall include the name, address: Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Pierce Run Rd Russell Hervey BRK ress, telephone number, and if available, ed representative. Additional information ff Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Mike Yates 1300 Fort Pierpont Dr., Suite 201 Morgantown, WV 26508

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our personal information. If you have any questions about our use or your personal information DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

AUG 1 2 2019

Operator Well No. Resel Have yerk 4561 5

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Noti	Requirement: notice shall be provi	ded no later than the filing mit Application Filed:	date of permit	application.
Delivery me	thod pursuant to West Virginia Co	ode § 22-6A-16(c)	1.	
■ CERT	FIED MAIL	☐ HAND		
	RN RECEIPT REQUESTED	DELIVERY		
return receip the planned required to b drilling of a damages to tl (d) The notice of notice.	t requested or hand delivery, give the operation. The notice required by a provided by subsection (b), section horizontal well; and (3) A proposed he surface affected by oil and gas open to the surf	e surface owner whose land this subsection shall inclu ten of this article to a surf d surface use and compen- erations to the extent the da iven to the surface owner a	I will be used for de: (1) A copy ace owner whose sation agreement amages are com	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter. Sted in the records of the sheriff at the time
	ss listed in the records of the sheriff a			
Name: Russell		Name:		
Address: 200		Addres	s:	
Wellsburg, WV 2	6070	· ·		
	the surface owner's land for the pur West Virginia Brooke Buffalo Steubenville	pose of drilling a horizonta UTM NAD 8 Public Road	I well on the tra Easting: Northing:	well operator has developed a planned act of land as follows: 537,711.07 4,456,495.45 Pierce Run Rd Russell Hervey BRK
Watershed:	Buffalo Creek		od rami mamo.	The state of the s
Pursuant to V to be provide horizontal was surface affect information	ed by W. Va. Code § 22-6A-10(b) ell; and (3) A proposed surface use a ted by oil and gas operations to the related to horizontal drilling may be, located at 601 57th Street, SE,	to a surface owner whose and compensation agreeme extent the damages are controlled to obtained from the Secret	e land will be unt containing arompensable und ary, at the WV	code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

AUG 1 2 2019

Office of Oil and Gas



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

July 8, 2019

Byrd E. White, III Secretary of Transportation

Jimmy Wriston, P. E. Deputy Secretary/ Acting Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Russell Hervey Pad, Brooke County Russell Hervey BRK 406H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2012-0308 issued to Southwestern Energy for access to the State Road for a well site located off Brooke County Route 27/4 SLS.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc:

Brittany Woody Southwestern Energy CH, OM, D-6 File RECEIVED
Office of Oil and Gas

AUG 1 2 2019

		Attachment VI Frac Additives 4 / 0 0	30070
Product Name	Product Use	Chemical Name	CAS Numbe
II-303 (U.S. Well Services)	Mixture	Ethylene glycol	107-21 1
		Cinnamaldehyde	104-55 2
		Butyl cellosolve	111-76 2
		Formic acid	64-18 6
		Polyether	Proprietary
		Acetophenone, thiourea, formaldehyde polymer	68527-49 1
AP ONE (U.S. Well Services)	Breaker	Ammonium persulfate	7727-54-0
Bactron K-139 (Champion Technologies)	Biocide	Glutaraldehyde	111-30-8
200/		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl,	Chlorides 68424-85-1
		Ethanol	64-17-5
Bactron K-219 (Champion Technologies)	Biocide	Methanol	67-56-1
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl,	
CarboNRT	Tracer	Ceramic Proppant	66402-68-4
C6486A (Nalco Champion)	Scale Inhibitor	Amine Triphosphate	Proprietary
		Ethylene Glycol	107-21-1
C6734A (Champion Technologies)	Biocide	Hydrogen Peroxide	7722-84-1
- Farmer Land Control of the Control	(7,317,0	Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
Same CIRON (SIMIN Moll Foreigns)	Corrosion Inhibitor	Methanol	67-56-1
Cono-Cl200 (SWN Well Services)	Corrosion inhibitor		68951-67-7
		Oxyalkylated fatty acid	
		Fatty acids	61790-12-3
		Modified thiourea polymer	68527-49-1
		Water	7732-18-5
		Hydrochloric acid	7647-01-0
		Potassium acetate	127-08-2
		Formaldehyde	50-00-0
copol-FEAC (SWN Well Services)	Iron Control	Acetic Acid	64-19-7
coport zate (SWA Well Services)	non control	Citric Acid	77-92-9
		Water	7732-18-5
	8 (U - 8 - 1		
DP-S1176-15 (Halliburton)	Friction Reducer	Polyacylate	Proprietary
		Hydrotreated light petroleum distillate	64742-47-8
LOJET DR900 LPP (SWN Well Services)	Friction Reducer	Distillates (petroleum) hydrotreated light	64674-47-8
		Ethylene Glycol	107-21-1
		Alcohols, C12-16, Exoxylated propoxylated	68213-24-1
		Fatty Alcohols ethoxylated	Proprietary
		Water	7732-18-5
LOJET DRP 1130X (SWN Well Services)	Friction Reducer	Proprietary	Proprietary
R-76 (Halliburton)	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8
R-76 (Halliburton)	Friction Reducer	Inorganic Salt	Proprietary
	2 17 - HILLS		
SYPTRON T-390 (Champion Technologies)	Scale Inhibitor	Methanol	67-56-1
		Nonylphenol Ethoxylate	Proprietary
HAI-150E (Halliburton)	Corrosion Inhibitor	No hazardous substance	N/A
HCL (SWN Well Services)	Hydrocholic Acid	Hydrochloric Acid	7647-01-0
		Water	7732-18-5
P-65 MC (Halliburton)	Scale Inhibitor	Organic phosphonate	Proprietary
r-95 IVIC (Hamburton)	Scale IIIIIDILUI	Ammonium Chloride	12125-02-9
Annual Control of the	A Proceedings of the Control of the		
OPTI-FLEX (U.S. Well Services)	Viscosifying Agent	Distillates, petroleum, hydrotreated light	64742-47-8
lexslick 930	Friction Reducer	Copolymer of 2-propenamide	Proprietary
		Hydrotreated Distillate	64742-47-8
		Sodium Chloride	7647-14-5
		Alcohols, C12-16, Exoxylated	68551-12-2
		Oleic Acid Diethanolamide	93-83-4
		Ammonium Chloride	12125-02-9
lexslick 953	Friction Reducer	Petroleum Distillate	64742-47-8
ichonak 333	, menon medagai	Sodium Chloride	7647-14-5
		Ammonium Chloride	12125-02-9
		N,N-bis (2-hydroxyethyl) oleamide	93-83-4
	ALIANA SE NAS	RECEIVEL	
Plexslick 957	Friction Reducer	Petroleum Distillate Office of Oil and	Gas 64/42-4/-8
		Ammonium Chioride	12125-02-9
		Oleic Acid Diethanolamide	93-83-4
		Alcohols, C12-16, Exoxylated AUG 1 2 2	019 68551-12-2
		Water	7732-15-5
WFRA-2000 (U.S. Well Services)	Anionic Friction Reducer		54740 47.0