



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Thursday, June 25, 2020
WELL WORK PERMIT
Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC
POST OFFICE BOX 12359

SPRING, TX 773914954

Re: Permit approval for STATE OF WV DNR C BRK 6H
47-009-00316-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
Chief

Operator's Well Number: STATE OF WV DNR C BRK 6H
Farm Name: STATE OF WV, BUREAU OF 6H
U.S. WELL NUMBER: 47-009-00316-00-00
Horizontal 6A New Drill
Date Issued: 6/25/2020

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: _____

PERMIT CONDITIONS

4700900316

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
Fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
dep.wv.gov

**ORDER
ISSUED UNDER
WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A**

TO: SWN Production Company, LLC
Post Office Box 12359
Spring TX 77391-4954

DATE: August 2, 2018
ORDER NO.: 2018-W-5

INTRODUCTION

This Order (hereinafter “Order”) is issued by the Office of Oil and Gas (hereinafter “OOG”), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 *et seq.* to SWN Production Company, LLC (hereinafter “SWN” or “Operator”), collectively the “Parties.”

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 *et seq.*, and the rules and regulations promulgated thereunder.
2. SWN is a “person” as defined by W. Va. Code §22-6-1(n), with a corporate address as Post Office Box 12359, Spring TX 77391-4954
3. On May 24, 2018 SWN submitted a well work permit application identified as API# 47-009-00257. The proposed well is to be located on the WV DNR C Pad in Cross Creek District of Brooke County, West Virginia.
4. On May 24, 2018 SWN requested a waiver for Wetland W-MRK-023 outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-009-00257.

CONCLUSIONS OF LAW

1. West Virginia Code §22-1-6(d) requires, in part, that “in addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to... (3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing.”
2. West Virginia Code §22-6A-2(a)(6) requires, in part, that “Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter.”
3. West Virginia Code §22-6A-12(b) requires, in part, that “no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary.”

ORDER

West Virginia Code §22-6A-12(b) requires, in part, that “no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetland W-MRK-023 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-009-00257. The Office of Oil and Gas hereby **ORDERS** that SWN shall meet the following site construction and operational requirements for the WV DNR C Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24”) in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland W-MRK-023 shall be protected by triple stacked filter socks consisting of two thirty-two inch filter socks and an eighteen inch filter sock. This along with rip-rap aprons, temporary and permanent vegetative cover will prevent sediment from reaching the wetlands
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½”) rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

Thus ORDERED, the 2nd day of August, 2018.

IN THE NAME OF THE STATE OF WEST VIRGINIA:


OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OF WEST VIRGINIA

By:



JAMES A. MARTIN, CHIEF

Attachment 1



AECOM
 FOSTER PLAZA 6
 SUITE 400
 PTTSBURGH, PA 15220



REVISION RECORD

No.	Date	Description
01	03/20/17	ISSUED FOR PERMITTING
02	03/20/17	ISSUED FOR PERMITTING
03	03/20/17	ISSUED FOR PERMITTING
04	03/20/17	ISSUED FOR PERMITTING
05	03/20/17	ISSUED FOR PERMITTING
06	03/20/17	ISSUED FOR PERMITTING
07	03/20/17	ISSUED FOR PERMITTING
08	03/20/17	ISSUED FOR PERMITTING

STATE OF WV DNR C WELL SITE PROJECT

PREPARED FOR: SWN PRODUCTION COMPANY, LLC
COLLIERIES, BROOKS COUNTY, WV

PROJECT INFORMATION:
 Project Name: SWN PRODUCTION COMPANY, LLC
 Date: 03/20/17
 Drawn By: J. L. HARRIS
 Checked By: J. L. HARRIS
 Project Manager: J. L. HARRIS

ES 100
 PAGE 8 OF 11

WW-6B
(04/15)

API NO. 47-009
OPERATOR WELL NO. State of WV DNR C BRK 6H
Well Pad Name: State of WV DNR C BRK

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: SWN Production Co., LLC 494512924 009-Brooke 4-Cross 620-Steubenville
Operator ID County District Quadrangle

2) Operator's Well Number: State of WV DNR C BRK 6H Well Pad Name: State of WV DNR C BRK

3) Farm Name/Surface Owner: State of WV DNR Public Road Access: Putney Ridge Road

4) Elevation, current ground: 993' Elevation, proposed post-construction: 990'

5) Well Type (a) Gas x Oil _____ Underground Storage _____
Other _____

(b) If Gas Shallow x Deep _____
Horizontal x

6) Existing Pad: Yes or No No

C-788 3-20-20

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Target Formation- Marcellus, Down-Dip Well to the South, Target Top TVD- 5868', Target Base TVD- 5930', Anticipated Thickness- 62', Associated Pressure- 3854

8) Proposed Total Vertical Depth: 5914'

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 29,985'

11) Proposed Horizontal Leg Length: 23,926.84'

12) Approximate Fresh Water Strata Depths: 371'

13) Method to Determine Fresh Water Depths: nearby water well.

14) Approximate Saltwater Depths: 575' salinity profile analysis

15) Approximate Coal Seam Depths: 6'

16) Approximate Depth to Possible Void (coal mine, karst, other): None that we are aware of

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes _____ No X

RECEIVED
Office of Oil and Gas
MAY 20 2020

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

WV Department of
Environmental Protection

WW-6B
(04/15)

API NO. 47-009

OPERATOR WELL NO. State of WV DNR C BRK 24

Well Pad Name: State of WV DNR C BRK

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	J-55	94#	100'	100'	CTS
Fresh Water	13 3/8"	New	H-40	48#	421'	421'	415 sx/CTS
Coal	See	Conductor	Casing				
Intermediate	9 5/8"	New	J-55	36#	1380'	1380'	456 sx/CTS
Production	5 1/2"	New	P-110 HP	20#	29,985'	29,985'	<small>1.64 550/307/156' in de intermedate</small>
Tubing							
Liners							

C. J. R. 3.20.20

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	633	Class A	1.19/50% Excess
Coal	See	Conductor	Casing				
Intermediate	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/50% Excess
Production	5 1/2"	8 3/4"	0.361	12360	9500	Class A	1.20/50% Excess
Tubing							
Liners							

PACKERS

Kind:				<p>RECEIVED Office of Oil and Gas MAY 20 2020 WV Department of Environmental Protection</p>
Sizes:				
Depths Set:				

WW-6B
(10/14)

API NO. 47- 009 - _____

OPERATOR WELL NO. State of WV DNR C BRK 6H

Well Pad Name: State of WV DNR C BRK

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface or run external casing packer/cementing stage tool above void interval and perform 2 stage cementing operation dependent upon depth of void. Run casing not less than 20' below void nor more than 75' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production units, horizontal separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 100 barrels a minute.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 15.72

22) Area to be disturbed for well pad only, less access road (acres): 12.13

23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

RECEIVED
Office of Oil and Gas

MAY 20 2020

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

WV Department of
Environmental Protection

*Note: Attach additional sheets as needed.

CEMENT ADDITIVES						
INTERVAL	SCHLUMBERGER PRODUCT NAME	BJ PRODUCT NAME	NEXTIER PRODUCT NAME	PRODUCT USE	CHEMICAL NAME	CAS-Number
SURFACE (FRESHWATER) up to 3%	 	INTEGRA SEAL	CJ600	LOST CIRC MATERIAL	CELLOPHANE FLAKES	9005-81-6
	S001	A-7P	CJ110	ACCELERATOR	CALCIUM CHLORIDE	10043-52-4
COAL PROTECTION up to 3%	 	INTEGRA SEAL	CJ600	LOST CIRC MATERIAL	CELLOPHANE FLAKES	9005-81-6
	S001	A-7P	CJ110	ACCELERATOR	CALCIUM CHLORIDE	10043-52-4
INTERMEDIATE	D020	BENTONITE	CJ020	EXTENDER	BENTONITE	1302-78-9
	D047	FP 28L	 	LIQUID ANTIFOAM AGENT	POLYPROPYLENE GLYCOL	25322-69-4
	 	INTEGRA SEAL	CJ600	LOST CIRC MATERIAL	CELLOPHANE FLAKES	9005-81-6
	CemNet	 	 	LOST CIRC MATERIAL	COATED FIBERGLASS FIBERS	PROPRIETARY
	SUGAR	SUGAR	CJ795	CMT RETARDER	SUCROSE	57-50-1
	S001	A-7P	CJ110	ACCELERATOR	CALCIUM CHLORIDE	10043-52-4
PRODUCTION	 	 	CJ111	ACCELERATOR	SODIUM CHLORIDE	7440-23-5
	 	SS-11W	CJ880	SURFACTANT	NONIONIC SURFACTANT	6540-99-4
	D047	FP 28L	 	LIQUID ANTIFOAM AGENT	POLYPROPYLENE GLYCOL	25322-69-4
	 	 	CJX157011	SOLID ANTIFOAM AGENT	FULLERS EARTH(ATTAPULGITE)	8031-18-3
	 	 	CJ540	HP FLUID LOSS ADDITIVE	ALIPHATIC AMIDE POLYMER	PROPRIETARY
	D255	 	 	MED TEMP FLUID LOSS ADDITIVE	POLYACRILIC POLYMER	PROPRIETARY
	 	 	CJ213	RETARDER	CHRYSTALLINE SILICA	14808-60-7
	 	FL-66	CJ501	LOW TEMP FLUID LOSS ADD	POWDERED POLYSACCHARIDE	PROPRIETARY
	 	BENTONITE	CJ020	EXTENDER	BENTONITE	1302-78-9
	D208	ASA-301	 	VISCOSIFIER/ANTI- SETTLING AGENT	REFINED POLYMER/ CHRYSTALLINE SILICA	PROPRIETARY
	D198	R-3		CEMENT RETARDER	LIGNIN	8068-51-6
	SUGAR	SUGAR	CJ795	CEMENT RETARDER	SUCROSE	57-50-1

4700900316

RECEIVED
Office of Oil and Gas

JUN 11 2011

WV Department
Environmental Protection


Well: STATE OF WV DNR C BRK 6
 Field: PANHANDLE FIELD WET
 County: BROOKE
 SHL: 40.3023 Latitude -80.5377 Longitude
 BHL: 40.2400 Latitude -80.5079 Longitude
 KB Elev: 1,016 ft MSL

Re-entry Rig: TBD
 Prospect: Marcellus Shale
 State: WV

4700900316



KB: -123 ft AGL GL Elev: 990 ft MSL



PROD TOC Lead @ 1,500' MD
 PROD TOC Tail @ 5,050' MD


Handwritten notes:
 3-10-20

TUBULAR DETAIL

Casing String	Casing Size (in)	Weight (Min)	Grade (Min)	Planned Interval	
				From	To
Cond/Coal	20	94.0 #	I-55	0'	100'
Surface	13.375	48.0 #	H-40	0'	421'
Intermediate	9.625	36.0 #	I-55	0'	1,380'
Production	5.5	20.0 #	P-110 HP	0'	29,985'

CEMENT DETAIL

	Sacks	Class	Density
Conductor:	151	A	19.3
Surface:	415	A	15.5
Intermediate:	456	A	15.6
Production:	5569	A	15.6



KOP at 4,801' MD

Freshwater Depth - 371' TVD
 Coal Depth - 6' TVD
 Saltwater Depth - 575' TVD
 TVD - 5,914'
 TMD - 29,985'

5,628' TVD Target Center

TD at 29,985' MD
 5,914' TVD

EOB at 6,048' MD

EOB at 5,628' TVD

SHL Onondaga 5,644' TVD

Onondaga 5,930' TVD

6,048' to 29,985'
 12.5-12.5 ppg

RECEIVED
 Office of Oil and Gas
 MAY 20 2020
 WV Department of
 Environmental Protection

WW-9
(4/16)

API Number 47 - 009

4700900316

Operator's Well No. State of WV DNR C BRK 6H

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name SWN Production Co., LLC OP Code 494512924

Watershed (HUC 10) North Fork Cross Creek- Cross Creek Quadrangle Steubenville East

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: _____

Will a synthetic liner be used in the pit? Yes No If so, what ml.? _____

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number Various Approved facilities)
- Reuse (at API Number At next anticipated well)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain Recovery and Solidification)

Will closed loop system be used? If so, describe: Yes- See Attachment 3A

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Air drill to KOP, fluid drill with SOBMs from KOP to TD

-If oil based, what type? Synthetic, petroleum, etc. Synthetic Oil Base

Additives to be used in drilling medium? Attachment 3B

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)

-Landfill or offsite name/permit number? Meadowfill SWF- 1032, Short Creek SWF-1034, Carbon Limestone MSLW018781, Wetzel County 1021

Apex Sanitary Landfill 06-08438, Brooke Co SWF-1013,

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Brittany Woody
Company Official (Typed Name) Brittany Woody
Company Official Title Senior Regulatory Analyst



Subscribed and sworn before me this 19th day of February, 20 20

Jessica L. Vangilder Notary Public

My commission expires 7-20-20

RECEIVED
Office of Oil and Gas
MAY 20 2020
WV Department of
Environmental Protection

SWN Production Co., LLC

Proposed Revegetation Treatment: Acres Disturbed 15.72 Prevegetation pH _____

Lime as determined by pH test min. 2 Tons/acre or to correct to pH 12.13

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch Hay/Straw 2.5 Tons/acre

Seed Mixtures

Temporary

Permanent

Seed Type lbs/acre

Seed Type lbs/acre

Attachment 3C

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: [Signature] 2.4.20

Comments: _____

RECEIVED
Office of Oil and Gas
MAY 20 2020
WV Department of
Environmental Protection

Title: Oil & Gas Inspector Date: 2.4.20

Field Reviewed? Yes No

Attachment 3A

CLOSED LOOP SYSTEM

The closed loop system is designed to eliminate the use of reserve pits by providing a higher level of solids control processing and using steel pits for capture of drill cuttings. The cuttings are then processed to achieve landfill requirements before hauling to approved landfills. The liquids are processed to recycle into the active mud system or to transfer to onsite temporary storage as needed.

The closed loop system consists of several sets of a shale gas separator (often called a 'methana'), several banks of solids shakers, high speed centrifuges (1 or 2) used to process the fluid portion of the mud system to remove low gravity solids, low speed centrifuge used for barite recovery in high weight liquid drilling systems, a dewatering system (for air intervals and if freshwater mud systems are in use) used to further clean liquids by flocculation and additional mechanical separation, associated open top tanks for processing liquids and capturing solids for disposal, and transfer pumps to move fluids through the processes. There is an area adjacent to the cuttings tanks (Red Zone) where a track hole is utilized to recover the processed cuttings for loading into containers for hauloff. (See attached schematic of a generic closed loop system layout)

Below are discussions of the processes used when drilling the air interval or liquids interval.

AIR DRILLING INTERVALS

During air drilling operations, flow from the rig will pass down the flowline to the Shale Gas Separator (sometimes called a methane) where gas and liquids/solids are separated. Gas is sent to the flare scrubber tank and is flared at the flare stack. Solids and fluids pass across a shaker system to separate solids from liquids. Solids pass into the cuttings tanks where they are captured for drying and hauloff to an approved landfill site. Liquids fall into a shaker tank and are collected by a centrifugal pump to be processed by the high speed centrifuge to further separate liquids and solids. Solids are then dumped into the cuttings tank for drying and hauloff. Liquids are further processed to remove additional low gravity solids before being reused or transferred to onsite storage.

LIQUIDS DRILLING (FRESHWATER, BRINE, SOBM)

When drilling is converted to liquids drilling, the shale gas separator and associated shaker tank are bypassed, and the liquids system is processed over the primary and drying shaker systems. Cuttings drop into the cuttings tank for additional processing. Any recoverable associated liquids attached to the cutting are recovered out the tank and processed through the low gravity (high speed) and barite recovery centrifuges (low speed) to further remove low gravity solids and to recover barite for reuse in the mud systems.

RECEIVED
Office of Oil and Gas


MAY 20 2020

WV Department of
Environmental Protection

EXAMPLE SCHEMATIC FOR CLOSED LOOP SOLIDS CONTROL SYSTEM



Solids Control Layout



RECEIVED
Office of Oil and Gas
MAY 20 2020
WV Department of
Environmental Protection

Attachment 3B
Drilling Mediums

Surface/Coal(if present)/Freshwater Intervals:

Air

Freshwater (if needed based on conditions)

Intermediate/Coal (if present):

Air

Brine (In Gas Storage areas)

Organophilic Bentonite

Production Hole:

Air

Synthetic Oil (Base Fluid for mud system)

Barite

Calcium Chloride

Lime

Organophilic Bentonite

Primary and Secondary Emulsifiers

Gilsonite

Calcium Carbonate

Friction Reducers

RECEIVED
Office of Oil and Gas
MAY 20 2020
WV Department of
Environmental Protection



WVD Seeding Specification

RV+

To Order Seed contact Lyndsi Eddy Filippo office 570-996-4271 cell 501-269-5451 lyndsi_eddy@swn.com (please allow 7 to 10 days for delivery)

NON-ORGANIC PROPERTIES

Seed Mixture: ROW Mix	SWN Supplied
Orchardgrass	40%
Timothy	15%
Annual Ryegrass	15%
Brown Top Millet	5%
Red Top	5%
Medium Red Clover	5%
White Clover	5%
Birdsfoot Trefoil	5%
Rough Bluegrass	5%

All legumes are inoculated at 5x normal rate

Apply @ 100lbs per acre
April 16th- Oct. 14th

Apply @ 200lbs per acre
Oct. 15th- April 15th PLUS
50lbs per acre of Winter Wheat

SOIL AMENDMENTS

10-20-20 Fertilizer
Pelletized Lime

* Apply @ 500lbs per Acre
Apply @ 2 Tons per Acre

* unless otherwise dictated by soil test results

Seeding Calculation Information:

1452' of 30' ROW/LOD is One Acre
871' of 50' ROW/LOD is One Acre
622' of 70' ROW/LOD is One Acre

Synopsis:

Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter Wheat/ac).

Special Considerations:

Landowner Special Considerations including CREP program participants require additional guidance that is not given here. Discuss these requirements with SWN supervision at the beginning of the project to allow time for special seed delivery.

ORGANIC PROPERTIES

Seed Mixture: SWN Production Organic Mix	SWN Supplied
Organic Timothy	50%
Organic Red or White Clover	50%
OR	
Organic Perennial Ryegrass	50%
Organic Red or White Clover	50%

Apply @ 100lbs per acre
April 16th- Oct. 14th

Apply @ 200lbs per acre
Oct. 15th- April 15th

Organic Fertilizer @ 200lbs per Acre
Pelletized Lime @ 2 Tons per Acre

WETLANDS (delineated as jurisdictional wetlands)

Seed Mixture: Wetland Mix	SWN Supplied
VA Wild Ryegrass	20%
Annual Ryegrass	20%
Fowl Bluegrass	20%
Cosmos 'Sensation'	10%
Redtop	5%
Golden Tickseed	5%
Maryland Senna	5%
Showy Tickseed	5%
Fox Sedge	2.5%
Soft Rush	2.5%
Woolgrass	2.5%
Swamp Verbena	2.5%

Apply @ 25lbs per acre
April 16th- Oct. 14th

Apply @ 50lbs per acre
Oct. 15th- April 15th

NO FERTILIZER OR LIME INSIDE WETLAND LIMITS

4700900316

RECEIVED
Office of Oil and Gas
MAY 20 2020
WV Department of Environmental Protection

MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN



SWN Production Company, LLC
1300 Fort Pierpont Drive, Suite 201
Morgantown, West Virginia 26508

API NO. 47-XXX-XXXXX
WELL NAME: Stat of WV DNR C BRK 6H
Steubenville East QUAD
Cross Creek DISTRICT
Brooke COUNTY, WEST VIRGINIA

Submitted by:

Name: Brittany Woody

Date: 1/30/2020

Brittany Woody

Title: Senior Regulatory Analyst

SWN Production Co., LLC

Approved by:

Name: *[Signature]*

Date: 2-4-20

Title: *Oil and Gas Inspector*


RECEIVED
Office of Oil and Gas
MAY 20 2020
WV Department of
Environmental Protection

Approved by:

Name: _____

Date: _____

Title: _____



RECEIVED
Office of Oil and Gas
JUN 9 2020
WV Department of
Environmental Protection



NO.	DATE	DESCRIPTION

PREPARED FOR:
Southwestern Energy®
MISS INTL. CO. OF WEST VIRGINIA
2 WORKING DAYS
BEFORE YOU DIG
CALL TOLL FREE
800-244-1448


SEAL
Southwestern Energy®
SWN

JHA SURVEYORS
ENGINEERS
ENVIRONMENTAL
Engineers GIS MAPPING
www.jhacompanies.com
6801 WINEYARD ROAD
ST. CHARLES, OH 43980
PA, OH, WV, IN, WV

PROJECT: WV DNR C BRK PAD
DATE: 04/2020
SCALE: 1" = 300'
TITLE: WV DNR C BRK PAD
FLARE MAP
FOR
LOCATED IN CROSS CREEK DISTRICT,
BRIDGE COUNTY, WEST VIRGINIA
PLAN TITLE: FINAL
SHEET NO: 1

THESE DRAWINGS SHALL NOT BE UTILIZED BY ANY PERSON, FIRM OR CORPORATION WITHOUT THE SPECIFIC WRITTEN PERMISSION OF JHA COMPANIES

4700900316



JHA SURVEYORS
 ENGINEERS
 ENVIRONMENTAL
 CONSULTANTS
 GIS MAPPING

www.jhacompanies.com
 8801 WENTHROP ROAD
 ST. CLAIRSVILLE, OH 43985
 (740) 895-0100
 PA • OH • WV • VA

PROJECT NO. 2019-066
 DATE 06/04/2020
 SCALE AS SHOWN
 SHEET NO. 2

FLARE PAD
 FOR
 WV DNR C BRK PAD
 LOCATED IN CROSS CREEK DISTRICT,
 BROCK COUNTY, WEST VIRGINIA

ACCESS ROAD MAP

SWN
 Southwestern Energy

PREPARED FOR:
 MISS. UTILITY OF WEST VIRGINIA

2 WORKING DAYS
 BEFORE TOLLING
 CALL TOLL FREE
 800.246.4848

NO. DATE DESCRIPTION

1 06/04/2020 2 WORKING DAYS BEFORE TOLLING CALL TOLL FREE 800.246.4848


LOCATION MAP NOT TO SCALE

PROJECT LOCATION

THIS DRAWING SHALL NOT BE REPRODUCED OR COPIED WITHOUT THE SPECIFIC WRITTEN PERMISSION OF JHA COMPANIES

4700900316

**JACKSON SURVEYING
INC.**
2413 EAST PIKE ST. # 112
Clarksburg, WV 26302
304-823-5851



NOTES ON SURVEY

1. SURFACE AND ROYALTY OWNER INFORMATION AND THEIR BOUNDARIES SHOWN HEREON WERE PLOTTED FROM DEEDS AND/OR TAX PARCEL MAPS PROVIDED BY CLIENT AND/OR FIELD LOCATIONS.
2. THIS PLAT DOES NOT REPRESENT A BOUNDARY SURVEY OF THE PARCELS SHOWN HEREON.
3. ALL INSETS ARE GRID NORTH UNLESS OTHERWISE DEPICTED.

LEGEND:

- PROPOSED SURFACE HOLE / BOTTOM HOLE
- ☼ EXISTING / PRODUCING WELLHEAD
- LPL* LANDING POINT LOCATION
- FLOOD PLAIN
- ACCESS ROAD
- - - PUBLIC ROAD
- - - - ACCESS ROAD TO PREV. SITE
- ==== LEASE BOUNDARY
- PROPOSED PATH

WELL OPERATOR: SWN PRODUCTION COMPANY, LLC	WELL (FARM) NAME: STATE OF WV DNR C BRK	WELL # 6H	SERIAL #
ADDRESS: 1300 FORT PIERPONT ROAD, SUITE 200 MORGANTOWN, WV 26508	COUNTY - CODE BROOKE - 009	DISTRICT; CROSS CREEK	
SURFACE OWNER: STATE OF WEST VIRGINIA, BUREAU OF COMMERCE, DIVISION OF NATURAL RESOURCES, PUBLIC LAND CORPORATION	USGS 7 1/2 QUADRANGLE MAP NAME STUEBENVILLE EAST, WV		

Latitude: 40°20'00"

SURFACE HOLE 10521'

Latitude: 40°15'00"

BOTTOM HOLE 2201'

JACKSON SURVEYING INC. 2413 EAST PIKE ST. # 112 Clarksburg, WV 26302 304-823-5851

3000' 0 3000'

GRAPHIC SCALE IN FEET

Table with 2 columns: Location Name and Coordinates (Easting, Northing, Meters). Rows include Surface Hole (SHL), Landing Point (LPL), and Bottom Hole (BHL).





Table with 5 columns: Line, Bearing, Distance, Description, Monument. Contains line data L1, L2, L3.

WELL RESTRICTIONS

- List of well restrictions including distances from buildings, streams, and public water supply.

NOTES ON SURVEY

- Notes on survey including owner information, boundary sources, and grid north reference.

I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.

P.S. 708



(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25034

MINIMUM DEGREE OF ACCURACY: 1/200 PROVEN SURVEY SOURCE OF GRADE GPS ELEVATION: (NAVD 88, US FT)

COMPANY: SWN SWN Production Company, LLC Production Company

STATE OF WV DNR C BRK OPERATOR'S WELL #: 6H API WELL #: 47 009 00316 STATE COUNTY PERMIT

Well type and completion information: WELL TYPE: OIL, WASTE DISPOSAL, PRODUCTION, DEEP, GAS, LIQUID INJECTION, STORAGE, SHALLOW. Includes watershed, district, county, surface owner, oil & gas royalty owner, drill type, and target formation.

WELL OPERATOR: SWN PRODUCTION COMPANY, LLC ADDRESS: 1300 FORT PIERPONT ROAD, SUITE 200 CITY: MORGANTOWN STATE: WV ZIP CODE: 26508

DESIGNATED AGENT: BRITTANY WOODY ADDRESS: 1300 FORT PIERPONT ROAD, SUITE 200 CITY: MORGANTOWN STATE: WV ZIP CODE: 26508

LEGEND: PROPOSED SURFACE HOLE / BOTTOM HOLE, EXISTING / PRODUCING WELLHEAD, LPL: LANDING POINT LOCATION, EXISTING WATER WELL, EXISTING SPRING, SURVEYED BOUNDARY, DRILLING UNIT, LEASE BOUNDARY, PROPOSED PATH, AZLX: AZIMUTH POINT LOCATION

REVISIONS: REVISED REFERENCES 06-05-2020 DATE: 03-19-2020 DRAWN BY: N. MANO SCALE: 1" = 3000' DRAWING NO: WELL LOCATION PLAT

BOTTOM HOLE 3634'

SURFACE HOLE 11300'


Longitude: 80°30'00"

Latitude: 80°30'00"

GRID NORTH UTM, NAD83 DATUM, ZONE 17, US FT

**JACKSON SURVEYING
INC.**

2413 EAST PIKE ST. # 112
Clarksburg, WV 26302
304-623-5851



47-009-00316

REVISIONS: REVISED REFERENCES 06-05-2020	COMPANY: <div style="text-align: center;">  </div>	<div style="text-align: center;">  </div>
OPERATOR'S WELL #: DISTRICT:	STATE OF WV DNR C BRK 6H COUNTY: BROOKE	DATE: 03-19-2020 DRAWN BY: N. MANO SCALE: N/A DRAWING NO: WELL LOCATION PLAT 2
CROSS CREEK	STATE: WV	

JACKSON SURVEYING

INC.

2413 EAST PIKE ST. # 112
 Clarksburg, WV 26302
 304-623-5851

DETAIL "B"



47-009-00316

REVISIONS:	COMPANY:			
REVISED REFERENCES 06-05-2020				
	OPERATOR'S STATE OF WV DNR C BRK		DATE: 03-19-2020	
	WELL #: 6H		DRAWN BY: N. MANO	
DISTRICT: CROSS CREEK	COUNTY: BROOKE	STATE: WV	SCALE: N/A	
			DRAWING NO:	
			WELL LOCATION PLAT 3	

**JACKSON SURVEYING
INC.**

2413 EAST PIKE ST. # 112
Clarksburg, WV 26302
304-623-5851

WELL BORE TABLE FOR SURFACE / ROYALTY OWNERS		
TRACT	SURFACE OWNER (S) / ROYALTY OWNER (R)	TAX PARCEL
1	STATE OF WEST VIRGINIA, BUREAU OF COMMERCE, DIVISION OF NATURAL RESOURCES, PUBLIC LAND CORPORATION (S/R)	4-CC20-06
TRACT	SURFACE OWNER	TAX PARCEL
2	STATE OF WEST VIRGINIA, BUREAU OF COMMERCE, DIVISION OF NATURAL RESOURCES, PUBLIC LAND CORPORATION (S)	4-CC19-169
3	NICKOLES 3, LLC (S)	4-CC20-33
4	NORFOLK & WESTERN RAILWAY CO. (S)	4-C19K-18
5	STATE OF WEST VIRGINIA, BUREAU OF COMMERCE, DIVISION OF NATURAL RESOURCES, PUBLIC LAND CORPORATION (S)	4-CC23-325
6	MARK E. VAUGHN & LISA A. VAUGHN (S)	04-CC24-09
7	DAVID A. MIHLBAUER & TERI L. MIHLBAUER (S)	04-CC24-10
8	OTIS T. PETTRY (S)	04-CC24-11
9	OTIS T. PETTRY (S)	04-CC24-12
10	RAYMOND S. CROSS, DENNIS P. CROSS, & KATHRYN R. BUTLER (S)	04-CC24-13
11	JAMES MCCLOUD, ET AL (S)	04-CC24-15
12	GEORGE D. BRADLEY (S)	04-CC24-55
13	DEAN SMITH (S)	04-CC24-98
14	DEAN SMITH (S)	04-CC24-99
15	MICHAEL K. MCFADDEN & SHARON MCFADDEN (S)	04-CC24-93
16	MICHAEL J. CIPRIANI (S)	04-CC24-142
17	MICHAEL J. CIPRIANI (S)	04-CC24-141
18	RICHARD H. SCOTT & DENA M. SCOTT (S)	04-CC24-104
19	STEVEN BROWN (S)	04-CC24-99.2
20	EDWARD A. CALVERT & JULIA A. CALVERT (SURV)(S)	04-CC24-105
21	EDWARD A. CALVERT & JULIE A. CALVERT (S)	04-CC24-106
22	TRAVIS SMITH (S)	04-CC24-112
23	MICHAEL D. JONES & LOIS J. JONES (S)	4-CC24-128
24	EUGENE MITCHELL JR. & MARGARET MITCHELL - L/E, JESSE MITCHELL ET AL (S)	04-CC24-131
25	FREDERICK C. CASALE & SUZANNE CASALE (S)	04-CC29-39.12
26	ELLEN CATTARUZZA (S)	4-CC29-39
27	MITCHELL SPURLOCK & RANA D. MITCHELL (S)	4-CC29-40
28	JEFFERY LUCK & JANE DAUGHERTY-LUCK (S)	04-CC29-39.1
29	JEFFERY LUCK & JANE DAUGHERTY-LUCK (S)	04-CC29-39.13
30	MARK A. HONE & LAUREN N. HONE (S)	04-CC29-39.2
31	DEBRA CYPHER, MATTHEW FAIR & SUSAN BRUFFY (S)	4-CC29-57
32	ROBERT LEE FRESHWATER (S)	4-CC29-134
33	RUTH ANN STEWART, MADELOD DAWN JACKSON (S)	4-CC29-194
34	NEAL E. SMITH & JOAN W. SMITH (S)	04-CC29-194.2
35	RYAN M. SMITH & BROOKE N. SMITH (S)	370-007-00-00-0001-01
36	NICOLE R. SMITH & NEAL E. SMITH (S)	370-007-00-00-0001-02
37	JOSEPH D. DEPETRO III (S)	370-007-00-00-0001-00
38	HIGHLAND SPRINGS GOLF COURSE (S)	370-007-00-00-0006-00
39	ROBERT C. BRIGGS & NANCY L. BRIGGS (S)	370-007-00-00-0002-00
40	BROWNLEE LAND VENT LP (S)	370-007-00-00-0005-00
41	JOSEPH J. DEPETRO III (S)	370-011-00-00-0009-00
42	LISA L. JACOBS & TERRY G. JACOBS (S)	370-011-00-00-0009-01

ADJOINING OWNERS TABLE

ADJOINING OWNERS TABLE

TRACT	SURFACE OWNER	TAX PARCEL	TRACT	SURFACE OWNER	TAX PARCEL
A	STATE OF WEST VIRGINIA, BUREAU OF COMMERCE, DIVISION OF NATURAL RESOURCES, PUBLIC LAND CORPORATION	04-CC19-168	X	CALVIN H. MYERS JR.	380-014-00-00-0002-00
B	GRETCHEN MOORE LANGEVIN, TRUSTEE & WESTBANCO BANK INC, TRUSTEE	04-CC20-05	Y	JEFFERSON QTW EXEMPT PROPERTY	380-014-00-00-0001-00
C	JOHN ERNEST MILLER & JESSE ANDREW MILLER	04-CC20-04	Z	RANDY L. NICKOLES	380-015-00-00-0019-00
D	SUSAN D. BREEN & DENNIS M. BREEN	04-CC20-22	A2	JEFFERY O. NICKOLES	04-C24B-09
E	COLLIER'S SPORTSMAN CLUB	04-CC20-21	B2	RANDY L. NICKOLES	04-C24B-08
F	WILLIAM MORGAN ROUSE & DORIS J. ROUSE	04-CC20-20	C2	RANDY L. NICKOLES	04-C24B-33
G	LINDY L. BLACK	04-CC20-07	D2	MICHAEL OBER	4-CC24-07
H	LINDY L. GALIANO & SANTY GALIANO	04-CC20-19.1	E2	GREG NICKOLES & CAROL NICKOLES	04-C24B-12
I	EDWARD L. CARTER & DEBORAH C. CARTER	04-CC20-18	F2	GREG NICKOLES & CAROL NICKOLES	04-C24B-13
J	EDWARD L. CARTER & DEBORAH C. CARTER	04-CC20-17	G2	GREG NICKOLES & CAROL NICKOLES	04-C24B-14
K	ERIC T. GALIANO	04-CC20-16	H2	H3, LLC.	04-C24B-15
L	ERIC T. GALIANO	04-CC20-14	I2	GREG NICKOLES & CAROL NICKOLES	04-C24B-16
M	ERIC T. GALIANO	04-CC20-19	J2	CL45 MW REG I, LLC	04-C24B-20
N	KEVIN MCCONNELL	04-CC20-11	K2	JOHN MATTHEW BUCY & TABITHA BUCY	04-C24B-07
O	SUSAN KAY PRONCHIK	4-CC20-08	L2	GREGORY NICKOLES	04-C24B-06
P	BARBARA J. MCCONNELL	4-CC20-10	M2	DEBRA MCQUILLAN & ANNETTE MILLER	04-C24B-27
Q	NORFOLK & WESTERN RAILWAY CO.	04-C24B-29	O2	DEBRA MCQUILLAN & ANNETTE MILLER	04-C24B-28
R	ROBERT G. HIGGINBOTHAM JR.	04-CC20-41	P2	JANE KIERCE	04-C24B-04
S	RON GASPARENE	04-CC20-40	Q2	WVA DEPARTMENT OF HIGHWAYS	04-C24B-03
T	WILLIAM & MILDRED T. MARINO	04-CC20-35	R2	EDWARD L. THOMPSON & CAROL J. THOMPSON	04-C24B-02
U	ROBERT & DELORIS CLINE	04-CC20-34	S2	JEFFERY NICKOLES, RANDY NICKOLES & GREGORY NICKOLES	04-C24B-01
V	DEBORAH K. SLIDAY	04-CC20-32			
W	STATE OF WV DNR	04-CC20-25		JEFFERY O. NICKOLES	04-CC20-33.1

REVISIONS:
REVISED REFERENCES 06-05-2020

COMPANY: **SWN** Production Company, LLC **SWN** Production Company™

OPERATOR'S: STATE OF WV DNR C BRK DATE: 03-19-2020

WELL #: 6H DRAWN BY: N. MANO

DISTRICT: CROSS CREEK COUNTY: BROOKE STATE: WV SCALE: N/A

DRAWING NO: WELL LOCATION PLAT 4

**JACKSON SURVEYING
INC.**

2413 EAST PIKE ST. # 112
Clarksburg, WV 26302
304-623-5851

ADJOINING OWNERS TABLE			ADJOINING OWNERS TABLE		
TRACT	SURFACE OWNER	TAX PARCEL	TRACT	SURFACE OWNER	TAX PARCEL
T2	JAMES JOHNSON & CHARLENE JOHNSON	04-CC20-43	D4	BROWNLEE LAND	370-011-00-00-0007-00
U2	TIMOTHY J. DISERIO	04-CC20-42			
V2	STATE OF WEST VIRGINIA, BUREAU OF COMMERCE, DIVISION OF NATURAL RESOURCES, PUBLIC LAND CORPORATION	4-CC24-03	P4	RONALD BERNARD SENG & JOANNE ALICE SENG	370-011-00-00-0006-00
W2	WHEELING ENERGY WORKS, LTD.	04-CC24-08	Q4	BELLVIEW CAMP MEETING ASSOC, LINDA HEPBURN	370-007-00-00-0003-00
X2	EUGENE CRUNY	04-CC24-130	R4	PAUL A. CUNNINGHAM	370-007-00-00-0004-00
Y2	STARVAGGI INDUSTRIES	04-CC24-129	S4	BROWNLEE LAND VENT, L.P.	370-011-00-00-0004-00
Z2	BROWNLEE LAND VENTURES	370-001-00-00-0015-00	T4	BROWNLEE LAND VENTURES, L.P.	03-B34-66
A3	RYAN J. COOK & EMILY M. COOK	04-CC24-149	U4	BROWNLEE LAND VENTURES, L.P.	03-B34-78
B3	KEITH J. FISCHER & DAWN MARIE FISCHER	04-CC24-152	V4	HIGHLAND SPRINGS GOLF COURSE, LLC	03-B29-18
C3	KEITH J. FISCHER & DAWN MARIE FISCHER	04-CC24-153	W4	DARREN P. MILLS	04-CC29-235
D3	JOSEPH M. WHITE & RACHEL E. WHITE	4-CC24-150	X4	L & G REALTY LLC	04-CC29-234
E3	JOSEPH M. WHITE & RACHEL E. WHITE	04-CC24-151	Y4	GARLAND E. MINOR	04-CC29-232
F3	THOMAS COLE & VIRGINIA COLE	04-CC24-127	Z4	KEVIN A. JEFFRIES & RACHAEL M. JEFFRIES	04-CC29-230
G3	COREY L. PALMER & ALLYSON M. PALMER	04-CC24-143	A5	JEREMY J. KOLBA	04-CC29-229
H3	CHAD A. SOLE & MISTY D. SOLE	4-CC29-39.20	B5	GERALD D. JACKSON	04-CC29-228
I3	JOSEPH F. CROSS JR. & JENNIFER L. CROSS	4-CC29-39.21	C5	GERALD D. JACKSON & JUDITH K. JACKSON	04-CC29-227
J3	JOSPEH E. CROSS JR. & JENNIFER L. CROSS	04-CC29-39.17	D5	MARK W. MINOR, KEVIN L. MINOR & LISA M. MINOR	04-CC29-194.1
K3	EMILY BEALL & STEPHANIE BEALL	04-CC29-39.16	E5	BRIAN CONNELLY & JAMMY CONNELLY	04-CC29-219
L3	JOHN E. MITCHELL & JOAN R. MITCHELL	04-CC29-39.16	F5	HIGHLAND SPRINGS GOLF COURSE, LLC	03-B29-06
M3	ALFRED J. ROCCHIO JR. & SHERRY E. ROCCHIO	04-CC29-39.8	G5	CHARLES M. ROBERSON & DOROTHY ROBERSON	03-B29-05
N3	ARLEY R. MITCHELL & NANCY E. MITCHELL	04-CC29-39.11	H5	KEVIN C. KLAGES	04-CC29-217
O3	DAVID H. MCCLAIN & KAREN MCCLAIN	04-CC29-39.7	I5	RUTH ANN STEWART & MADELON DAWN JACKSON	04-CC29-213
P3	STATE LINE REAL ESTATE LLC	370-004-00-00-0001-00	J5	RUTH ANN STEWART & MADELON DAWN JACKSON	04-CC29-193
Q3	RONALD B. POWELL JR. & ROSEANNE POWELL	370-007-00-00-0002-02	K5	JAMI PACKER	04-CC29-192
R3	CHERYL BULYA	370-007-00-00-0002-01	L5	NORMAN C. CLAMPITT & JEANETTE K. CLAMPITT	04-CC29-190
S3	ROBERT T. MCALPINE & RHONDA M. MCALPINE	370-007-00-00-0002-04	M5	ROBERT LEE FRESHWATER	04-CC29-168
T3	DAVID J. DEMPSTER & JOANNE K. DEMPSTER	370-007-00-00-0002-03	N5	MAIN DRIVE CMC ASSOCIATION, INC.	04-CC29-167
U3	WILLIAM TACZAK & GEORGE TACZAK	370-008-01-01-0001-01	O5	ROBERT LEE FRESHWATER	04-CC29-166
V3	ALBERT PETRUSH & JAMIE GMITER	370-007-00-00-0002-05	P5	ROBERT LEE FRESHWATER	04-CC29-165
W3	INDEPENDENCE-EXEMPT PROPERTY, LOWER BUFFALO PRESBYTERIAN CHURCH	370-008-01-03-0002-00	Q5	ROBLRI LLE FRESHWATER	04-CC29-164
X3	LINDA LEA HALL	370-008-01-03-0003-00	R5	CHARLES HAGLER	04-CC29-162
Y3	EUGENE F. GEORGETTI & SHIRLEY L. GEORGETTI	370-008-01-03-0006-00	S5	PHILLIP E. BLANKENSHIP	04-CC29-153
Z3	JOSEPH J. DEPETRO III	370-008-01-03-0011-00	T5	MARY D. GOUGHNER	04-CC29-152.1
A4	JASON J. ATKINSON	370-008-01-03-0012-00	U5	JANIS BARNA RED	04-CC29-149
B4	KENNETH H. RUSH & SANDRA K. RUSH	370-008-01-03-0013-00	V5	PAUL S. BILLIARD & CAROL A. BILLIARD - L/E KIMBERLY A. WALES, PAUL BILLIARD & TIMOTHY BILLIARD	04-CC29-148
C4	ROBERT S. KLEM & TERESA A. KLEM	370-008-01-03-0014-00	W5	RANDY FILKINS	04-CC29-147
D4	WALTER J. KOPKO & HOLLY A. KOPKO	370-008-01-03-0015-00	X5	COREY L. MAYNARD	04-CC29-146
E4	WALTER JEFFREY KOPKO & HOLLY A. KOPKO	370-008-01-03-0015-00	Y5	GERALDINE A. AUBER	04-CC29-142
F4	LISA M. PITTMAN	370-008-01-03-0017-00	Z5	GERALDINE A. AUBER	04-CC29-138
G4	LISA M. PITTMAN	370-008-01-03-0018-00	A6	LORI ANN OHLER & RICK OHLER	04-CC29-137
H4	INDEPENDENCE-EXEMPT PROPERTY, TOWNSHIP SUPERVISORS	370-008-01-03-0019-00	B6	HOLLIS R. OSBORNE & DEBORAH M. OSBORNE	04-CC29-136
I4	TERRY G. JACOBS JR. & SAMANTHA J. JACOBS	370-008-00-00-0008-00	C6	JAMES N. HARTZER & CAROLE G. HARTZER	04-CC29-135
J4	ROBERT J. DEPETRO JR. & REBECCA DEPETRO	370-008-00-00-0005-00	D6	JERRY FLUHARTY & MARY FLUHARTY	04-CC29-133
K4	JACK M. HOPWOOD	370-011-00-00-0010-01	E6	ROBERT L. YOUNG	04-CC29-132
L4	PAUL A. CUNNINGHAM	370-012-00-00-0002-00	F6	ERIC W. CAMPBELL	04-CC29-117
M4	GARY RUSH	370-011-00-00-0008-00	G6	CHARLES L. KRAFT	04-CC29-111
N4	JOSEPH J. DEPETRO	370-011-00-00-0009-02	H6	EMILIO A. MUSCEDERE & JUDITH A. MUSCEDERE	04-CC29-53
			I6	EMILIO A. MUSCEDERE & JUDITH A. MUSCEDERE	04-CC29-54
			J6	JOHN H. LYLE JR. & MARY CATHERINE LYLE	04-CC29-55
			K6	JOHN H. LYLE JR. & MARY CATHERINE LYLE	04-CC29-56
			L6	BRIAN T. FERDA & VI-EVA FERDA	04-CC29-58
			M6	BRIAN T. FERDA & VI-EVA FERDA	04-CC29-59
			N6	BRIAN T. FERDA & VI-EVA FERDA	04-CC29-60
			O6	GARY KUSICH & PATRICIA ELAINE KUSICH	04-CC29-61
			P6	GARY KUSICH & PATRICIA ELAINE KUSICH	04-CC29-62
			Q6	ROGER L. CLEM & MILDRED O. CLEM	04-CC29-63
			R6	RONALD LEE HICKS & DEBRA V. HICKS	04-CC29-43
			S6	ROBERT R. NEWTON JR.	04-CC29-41.1
			T6	NATALIE J. PAPSON	04-CC29-41
			U6	KERRY W. WELSH & BARBARA A. WELSH	04-CC29-39.9
			V6	JOHN E. MITCHELL & JOAN R. MITCHELL	04-CC29-39.5
			W6	JOHN E. MITCHELL & JOAN R. MITCHELL	04-CC29-39.14
			X6	EUGENE MITCHELL JR. & MARGARET MITCHELL - L/E, JESSE MITCHELL ET AL	04-CC24-126
			Y6	GEORGE A. BARCHIESI & PAMELA J. BARCHIESI	04-CC24-125
			Z6	GEORGE A. BARCHIESI & PAMELA J. BARCHIESI	04-CC24-122
			A7	TODD P. FERGUSON & LISA FERGUSON	04-CC24-99.1
			B7	TODD P. FERGUSON & LISA FERGUSON	04-CC24-120
			C7	JERRY M. BOOTH & DEBRA D. BOOTH	04-CC24-119
			D7	PAUL J. SICURELLA & LEA M. SICURELLA	04-CC24-118

47-009-00316

REVISIONS:	COMPANY:		
Δ REVISED REFERENCES 06-05-2020			
	OPERATOR'S	STATE OF WV DNR C BRK	DATE: 03-19-2020
	WELL #:	6H	DRAWN BY: N. MANO
	DISTRICT:	CROSS CREEK	SCALE: N/A
	COUNTY:	BROOKE	DRAWING NO:
	STATE:	WV	WELL LOCATION: PLAT 5

**JACKSON SURVEYING
INC.**

2413 EAST PIKE ST. # 112
Clarksburg, WV 26302
304-623-5851

ADJOINING OWNERS TABLE			ADJOINING OWNERS TABLE		
TRACT	SURFACE OWNER	TAX PARCEL	TRACT	SURFACE OWNER	TAX PARCEL
E7	DAVID HUNT KINS & PATRICIA ANN KINS	04-CC24-116	C9	WARREN H. MOZINGO & LINDA D. MOZINGO	04-CC24-24
F7	JEFFERY R. ADAMS & SHEILA D. ADAMS	04-CC24-115	D9	CALVIN G. BURDINE & HANNA M. BURDINE	04-CC24-25
G7	JEFFERY R. ADAMS & SHEILA D. ADAMS	04-CC24-114	E9	MARIE LAUCK	04-CC24-26
H7	ARTHUR SHERICH & LEIGH ANN SHERICH	04-CC24-113	F9	WARREN H. MOZINGO & LINDA D. MOZINGO	04-CC24-27
I7	DEAN SMITH	04-CC24-111	F9	WARREN H. MOZINGO & LINDA D. MOZINGO	04-CC24-27
J7	DEAN SMITH	04-CC24-110	G9	ROBERT B. COLEMAN & SHERRY E. COLEMAN	04-CC24-28
K7	DEAN SMITH	04-CC24-109	H9	BUDDY I. TAYLOR, JR. & PATRICIA L. TAYLOR	04-CC24-29
L7	PATRICK D. AMKRUM & ERIC C. ANKRUM	04-CC24-107	I9	JASON R. ADAMS	04-CC24-30
M7	JACK B. EARNEST JR. & LESLIE M. EARNEST	04-CC24-108	J9	ROGER DALE WHITE	04-CC24-31
N7	MICHAEL J. CIPRIANI	04-CC24-141	K9	ROGER DALE WHITE	04-CC24-32
O7	KEVIN L. CRAFT & MARGARET K. CRAFT	04-CC24-103	L9	PAULETTE MCCLLOUD	04-CC24-33
P7	SHELLY D. GAUMER	04-CC24-102	M9	EVA SHINGLE & RAYMOND SHINGLE	04-CC24-34
Q7	JAY THOMAS GAUMER & SHFLY DAWN GAUMER	04-CC24-99.3	N9	EVA SHINGLE & RAYMOND SHINGLE	04-CC24-35
R7	BRIAN TAYLOR	04-CC24-99.5	O9	BERNARD E. CRAWFORD & WILMA L. CRAWFORD	04-CC24-36
S7	BRIAN TAYLOR	04-CC24-133	P9	BERNARD E. CRAWFORD & WILMA L. CRAWFORD	04-CC24-37
T7	COREY T. CARROLL & KATELYN N. SWAGER	04-CC24-134	Q9	WILLIAM R. HUNTER & GLORIA J. HUNTER	04-CC24-38
U7	RYAN E. HALL & NICOLE M. STANLEY	04-CC24-137	R9	VICKIE L. SMITH	04-CC24-39
V7	JASON MICHAEL KUSIC & ALICIA RENEE KUSIC	04-CC24-136	S9	JIM R MCCLLOUD & MARTHA MCCLLOUD	04-CC24-40
W7	JOHN L. DAVIS & F. LYNN DAVIS	04-CC24-145	T9	JIM R MCCLLOUD & MARTHA MCCLLOUD	04-CC24-42
X7	JOHN L. DAVIS & F. LYNN DAVIS	04-CC24-144	U9	JOHN O. FILLINGER	04-CC24-44
Y7	LESLIE J. JOHNS & MELISSA J. JOHNS	04-CC24-140	V9	RANDALL L. THOMPSON	04-CC24-45
Z7	LESLIE J. JOHNS & MELISSA J. JOHNS	04-CC24-139	W9	DAVID GRANT MCCLLOUD & THERESA A. MCCLLOUD	04-CC24-46
A8	JUSTIN A. GRIFFITH & KERI D. GRIFFITH	04-CC24-148	X9	JENNIFER TAYLOR	04-CC24-47
B8	GARRETT AUSTIN INGRAM	04-CC24-99.7	Y9	RANDY L. COLLINS & AMY R. COLLINS	04-CC24-17
C8	LARRY T. MAIN	04-CC24-99.8	Z9	THERESA ANN LYNCH (LE - CHARLES THORNE & ELLEN THORNE)	04-CC24-16
D8	JASON D. DRUM & AMANDA R. DRUM	04-CC24-146	A10	RICHARD L. WALLACE & TRACEY WALLACE	04-CC24-14
E8	WILLIAM L. MONK & TINA M. MONK	04-CC24-99.4	B10	DON TAYLOR	04-CC24-06
F8	JOSH R. COOK & BEVERLY A. COOK	04-CC24-97	C10	WILLIAM C. BAIRD & CYNTHIA L. BAIRD	04-CC24-05
G8	JOSH R. COOK & BEVERLY A. COOK	04-CC24-147	D10	ALBERT JOHNS, GARY JOHNS, GREGORY JOHNS & TAMMY MOORE	04-CC23-326
H8	JOSEPH M. MULLENBACH & SUSAN B. MULLENBACH	04-CC24-95	E10	WILLIAM H. THOMPSON & DEBRA THOMPSON	04-CC23-320
I8	JOSEPH M. MULLENBACH & SUSAN B. MULLENBACH	04-CC24-135	F10	SAMUEL HUBBARD	04-CC23-318
J8	EDWARD ROBERT MARKS III & TONI JO MARKS	04-CC24-117	G10	BRIAN CORWIN	04-CC23-78
K8	KEVIN M. FARRELL & HEIDI J. FARRELL	04-CC24-92	H10	COOK FAMILY REVOCABLE TRUST	04-CC23-322
L8	KEVIN M. FARRELL & HEIDI J. FARRELL	04-CC24-91	I10	BOBBIE JO MENEELY & RANDALL MINCH	04-CC23-324
M8	RALPH A. BRADY & KIM BRADY	04-CC24-90	J10	MICHAEL W. MOORE	04-CC23-323
N8	BRIAN L. FERGUSON & NANCY J. FERGUSON	04-CC24-89	K10	JUDITH ANN MOORE	04-CC23-185
O8	JAMES E. HUFFNER & PATRICIA HUFFNER	04-CC24-88	L10	CHARLES D. MOORE & CECILIA F. MOORE	04-CC23-180
P8	JAMES E. HUFFNER & PATRICIA HUFFNER	04-CC24-99.6	M10	ROSA MARIE EDGELL	04-CC23-176
Q8	CHRISTOPHER L. CECCHINI	04-CC24-87	N10	CONSTANTINE EVANGELINOS & TOULA EVANGELINOS	04-CC23-171
R8	CHRISTOPHER L. CECCHINI & AMY CECCHINI	04-CC24-86	O10	LINDY L. GALIANO	04-CC23-170
S8	MICHAEL SCOTT BOLEN	04-CC24-85	P10	PETER D'AGOSTINO	04-CC23-188
T8	DREW FERGUSON	04-CC24-84.1	Q10	GREGORY DANIEL NICKOLES, RANDY LEE NICKOLES, JEFFREY OWEN NICKOLES (DANNY NICKOLES & GRACE NICKOLES -LE)	04-CC23-160
U8	TERRI HEFFNER	04-CC24-84	R10	DAVID BAKER	04-CC19-164
V8	CHARLES WAYNE MALONEY & NANCY L. MALONEY	04-CC24-17	S10	DOUGLAS P. EMMERTH & PAMELA L. EMMERTH	04-CC19-165
W8	JOHN STEVENS & LINDA STEVENS	04-CC24-56	T10	JUDITH ANN BERNARDINI	04-CC20-09
X8	KEVIN W. KLAGES & LINDA K. KLAGES	04-CC24-52	U10	MICHAEL LEE BERNARDINI & JULIE LYNN BERNARDINI	04-CC20-44
Y8	KEVIN W. KLAGES & LINDA K. KLAGES	04-CC24-51			
Z8	TERRI HEFFNER	04-CC24-49			
A9	GEORGE BRADLEY	04-CC24-132			
B9	DONALD LEMASTERS & JOYCE LEMASTERS	04-CC24-23			

47-009-00316

REVISIONS:	COMPANY:		
REVISED REFERENCES 06-05-2020			
	OPERATOR'S	STATE OF WV DNR C BRK	DATE: 03-19-2020
	WELL #:	6H	DRAWN BY: N. MANO
	DISTRICT:	CROSS CREEK	SCALE: N/A
	COUNTY:	BROOKE	DRAWING NO:
	STATE:	WV	WELL LOCATION PLAT 6

WW-6A1
(5/13)

Operator's Well No. STATE OF WV DNR C BRK 6H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
See Exhibit "A"				

**Acknowledgement of Possible Permitting/Approval
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: SWN Production Company, LLC.
 By: *Barley Bragher*
 Its: Landman - SW Appalachia

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
 State of WV DNR C BRK 6H
 Brooke County, West Virginia

WV #	TMP	LESSOR	LESSEE	ROYALTY	BK/PG
1)	04-CC20-0006-0000	Starveggi Industries, Incorporated	Fortune Energy, Inc. Range Resources - Appalachia, LLC Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	12.50% 10/226 10/541 30/480	9/532 10/226 10/541 30/480
2)	04-CC19-0169-0000	Ridgetop Appalachia LLC, a Delaware Limited Liability Company	SWN Production Company, L.L.C.	18.00%	45/169
3)	04-CC20-0033-0000	Nickoles 3, LLC	Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	18.00%	18/471 30/480
4)	04-C19K-0018-0000	Wheeling & Lake Erie Railway Company, a Delaware corporation, sublessee of the Pittsburgh & West Virginia Railway Company	SWN Production Company, LLC	18.00%	53/702
5)	04-CC23-0325-0000	Golden Eagle Resources II, LLC	SWN Production Company, L.L.C.	18.00%	40/591
6)	04-CC24-0009-0000	Mark E. Vaughn and Lisa A. Vaughn, husband and wife	Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	18.00%	20/223 30/480
7)	04-CC24-0010-0000	Dennis Paul Cross, a married man dealing in his sole and separate property Raymond Scott Cross, a divorced man Kathryn Rae Butler, a single woman	SWN Production Company, LLC SWN Production Company, LLC SWN Production Company, LLC	18.00% 18.00% 18.00%	58/177 58/168 58/186
8)	04-CC24-0011-0000	Ottis T. Pettry, a single man	Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	14.00%	21/220 30/480
9)	04-CC24-0012-0000	Ottis T. Pettry, a single man	Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	14.00%	21/220 30/480
10)	04-CC24-0013-0000	Dennis Paul Cross, a married man dealing in his sole and separate property Raymond Scott Cross, divorced and unmarried Kathryn Rae Butler, a single woman	Chesapeake Appalachia, L.L.C. SWN Production Company, LLC Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	18.00% 18.00% 18.00%	23/339 30/480 23/345 30/480 23/333 30/480
11)	04-CC24-0015-0000	Diana L. Allman, a single woman Shirley Cross a/k/a Shirley McCloud, a married woman dealing in her sole and separate property Garnet Hilt, a married woman dealing in her sole and separate property Bonnie Lenkey, a married woman dealing in her sole and separate property	Chesapeake Appalachia, L.L.C. SWN Production Company, LLC Chesapeake Appalachia, L.L.C. SWN Production Company, LLC Chesapeake Appalachia, L.L.C. SWN Production Company, LLC	15.00% 15.00% 15.00% 15.00%	13/725 30/480 13/486 30/480 14/328 30/480 14/319 30/480

12)	04-CC24-0055-0000	Jacob Wright, a married man dealing in his sole and separate property	Chesapeake Appalachia, L.L.C.	15.00%	13/512
		separate property	SWN Production Company, LLC		30/480
		Jim R. McCloud, a married man dealing in his sole and separate property	Chesapeake Appalachia, L.L.C.	15.00%	13/119
		separate property	SWN Production Company, LLC		30/480
		Joan McClure, a married woman dealing in her sole and separate property	Chesapeake Appalachia, L.L.C.	15.00%	13/516
		separate property	SWN Production Company, LLC		30/480
		Mary Louise Wilson, a single woman	SWN Production Company, LLC	18.00%	56/158
13)	04-CC24-0098-0000	Sharon K. Riggs, a single woman	Chesapeake Appalachia, L.L.C.	15.00%	10/568
		separate property	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	18/791
		separate property	SWN Production Company, LLC		30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		separate property	SWN Production Company, LLC		30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		separate property	SWN Production Company, LLC		30/480
14)	04-CC24-0099-0000	Sharon K. Riggs, a single woman	Chesapeake Appalachia, L.L.C.	15.00%	18/791
		separate property	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		separate property	SWN Production Company, LLC		30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		separate property	SWN Production Company, LLC		30/480
15)	04-CC24-0093-0000	Sharon K. Riggs, a single woman	Chesapeake Appalachia, L.L.C.	15.00%	18/791
		separate property	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		separate property	SWN Production Company, LLC		30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		separate property	SWN Production Company, LLC		30/480
16)	04-CC24-0142-000	Sharon K. Riggs, a single woman	Chesapeake Appalachia, L.L.C.	15.00%	18/791
		separate property	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		separate property	SWN Production Company, LLC		30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		separate property	SWN Production Company, LLC		30/480
17)	04-CC24-0141-000	Sharon K. Riggs, a single woman	Chesapeake Appalachia, L.L.C.	15.00%	18/791
		separate property	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		separate property	SWN Production Company, LLC		30/480

700900316

		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		Sharon K. Riggs, a single woman	SWN Production Company, LLC		30/480
18)	04-CC24-0104-0000	Chesapeake Appalachia, L.L.C.	15.00%	18/791	
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	SWN Production Company, LLC	18.00%	30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
19)	04-CC24-0099-0002	Chesapeake Appalachia, L.L.C.	15.00%	18/791	
		Sharon K. Riggs, a single woman	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
20)	04-CC24-0105-0000	Chesapeake Appalachia, L.L.C.	15.00%	18/791	
		Sharon K. Riggs, a single woman	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
21)	04-CC24-0106-0000	Chesapeake Appalachia, L.L.C.	15.00%	18/791	
		Sharon K. Riggs, a single woman	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
22)	04-CC24-0112-0000	Chesapeake Appalachia, L.L.C.	15.00%	18/791	
		Sharon K. Riggs, a single woman	SWN Production Company, LLC		30/480
		Clayton W. Seiple and Lisa L. Seiple, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/298
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
		Kevin W. Seiple and Jill Kuhlman, husband and wife	Chesapeake Appalachia, L.L.C.	18.00%	24/649
		Kevin W. Seiple and Jill Kuhlman, husband and wife	SWN Production Company, LLC	18.00%	30/480
23)	04-CC24-0128-0000	Fossil Creek Ohio, LLC	16.00%	29/164	
		Ray C. Beagle and Lillian J. Beagle, his wife	Gulfport Energy Corporation		31/102
		American Petroleum Partners Operating, LLC		32/643	
		SWN Production Company, LLC		576/22	

		Phil Beagle, a married man dealing in his sole and separate property	Fossil Creek Ohio, LLC Gulfport Energy Corporation American Petroleum Partners Operating, LLC	16.00%	29/169 31/102 32/643 576/22
24)	04-CC24-0131-0000	Eugene H. Mitchell, Jr. and Margaret J. Mitchell, husband and wife	SWN Production Company, L.L.C.	18.00%	43/569
25)	04-CC29-0039-0012	Frederick C. Casale and Suzanne Casale, husband and wife	SWN Production Company, LLC	18.00%	53/49
26)	04-CC29-0039-0000	Golden Eagle Resources II, LLC	SWN Production Company, LLC	18.00%	40/595
27)	04-CC29-0040-0000	Jonathan G. Beall and Deanna M. Beall, husband and wife	SWN Production Company, LLC	18.00%	52/315
28)	04-CC29-0039-0001	Jeffrey D. Luck and Jane Daugherty-Luck, husband and wife	SWN Production Company, L.L.C.	18.00%	39/670
29)	04-CC29-0039-0013	Jeffrey D. Luck and Jane Daugherty-Luck, husband and wife	SWN Production Company, L.L.C.	18.00%	39/670
30)	04-CC29-0039-0002	Douglas H. Nutter and Mary D. Nutter, husband and wife	SWN Production Company, L.L.C.	16.00%	40/281
31)	04-CC29-0057-0000	Matthew H. Fair and Robin C. Fair, husband and wife Susan S. Fair, formerly known as Susan Fair Bruffy, a divorced woman Debra R. Cyphert and Robert Cyphert, wife and husband	SWN Production Company, L.L.C. SWN Production Company, L.L.C. SWN Production Company, L.L.C.	18.00% 18.00% 18.00%	40/411 40/389 40/400
32)	04-CC29-0134-0000	Robert Freshwater, a single man	SWN Production Company, L.L.C.	18.00%	46/658
33)	04-CC29-0194-0000	Trustees of the First Presbyterian Church of Wellsburg	SWN Production Company, L.L.C.	18.00%	41/764
34)	04-CC29-0194-0002	Trustees of the First Presbyterian Church of Wellsburg	SWN Production Company, L.L.C.	18.00%	41/764

May 8, 2020

Ms. Laura Adkins
WV DEP Office of Oil & Gas
601 57th St., SE
Charleston, WV 25304

RE: SWN's proposed New Well: State of WV DNR C BRK 6H in Brooke County, West Virginia, Drilling under Norfolk Ridge Road, Hill Road, Washington Pike, Spruce Road, and Camp Ground Road.

Dear Ms. Adkins:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Norfolk Ridge Road, Hill Road, Washington Pike, Spruce Road, and Camp Ground Road. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely,



Bailey Brougher
Landman – SW Appalachia
SWN Production Company, LLC



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE CERTIFICATION

Date of Notice Certification: 5/18/20

API No. 47- 009
Operator's Well No. State of WV DNR C BRK 6H
Well Pad Name: State of WV DNR C BRK

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>539,284.420</u>
County:	<u>009-Brooke</u>		Northing:	<u>4,461,414.602</u>
District:	<u>Cross Creek</u>	Public Road Access:	<u>Putney Ridge Road</u>	
Quadrangle:	<u>Steubenville East</u>	Generally used farm name:	<u>State of WV DNR C BRK</u>	
Watershed:	<u>North Fork Cross Creek- Cross Creek</u>			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

<p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p>*PLEASE CHECK ALL THAT APPLY</p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p>	<p>OOG OFFICE USE ONLY</p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p>
---	---

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC
(1/12)

Certification of Notice is hereby given:

THEREFORE, I Brittany Woody, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	<u>SWN Production Co., LLC</u>	Address:	<u>1300 Fort Pierpont Dr., Suite 201</u>
By:	<u>Brittany Woody</u>		<u>Morgantown, WV 26508</u>
Its:	<u>Senior Regulatory Analyst</u>	Facsimile:	<u>304-884-1690</u>
Telephone:	<u>304-884-1610</u>	Email:	<u>Brittany_Woody@swn.com</u>

Brittany Woody



Subscribed and sworn before me this 3rd day of February, 2020
Jessica L. Vangilder Notary Public
 My Commission Expires 7-20-20

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION**

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 5/15/20 **Date Permit Application Filed:** 5/15/20

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)
 Name: State of WV-DNR
 Address: PO Box 99, 1110 Railroad Street
Farmington, WV 26571
 Name: _____
 Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)
 Name: _____
 Address: _____
 Name: _____
 Address: _____

SURFACE OWNER(s) (Impoundments or Pits)
 Name: _____
 Address: _____

COAL OWNER OR LESSEE
 Name: Starvaggi Industries, INC.
 Address: 401 Pennsylvania Ave
Weirton, WV 26062

COAL OPERATOR
 Name: _____
 Address: _____

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)
 Name: See Attachment 13A
 Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD
 Name: _____
 Address: _____

*Please attach additional forms if necessary

WW-6A
(9-13)

API NO. 47- 009
OPERATOR WELL NO. State of WV DNR C BRK 6H
Well Pad Name: State of WV DNR C BRK

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 5/18/20 Date Permit Application Filed: 5/18/20

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)
Name: _____
Address: _____

Name: _____
Address: _____

COAL OWNER OR LESSEE
Name: Monongahela Power Company
Address: 5001 Nasa Blvd
Fairmont, WV 26554

COAL OPERATOR
Name: _____
Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)
Name: _____
Address: _____

Name: _____
Address: _____

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)
Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)
Name: _____
Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD
Name: _____
Address: _____

*Please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A
(8-13)

API NO. 47-009
OPERATOR WELL NO. 4700900316 State of WV DNR C BRK 6
Well Pad Name: State of WV DNR C BRK

Notice is hereby given by:

Well Operator: SWN Production Co., LLC
Telephone: 304-884-1610
Email: Brittany_Woody@swn.com

Brittany Woody

Address: 1300 Fort Pierpont Dr., Suite 201
Morgantown, WV 26508
Facsimile: 304-884-1690

Oil and Gas Privacy Notice:


The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.



Subscribed and sworn before me this 3rd day of Feb, 2020.
Jessica L. Vangilder Notary Public
My Commission Expires 7-20-20

ATTACHMENT 13

OWNER	ADDRESS	CITY	STATE	ZIP
MARINO MILDRED T & WILLIAM	1020 CROSS CREEK RD	COLLIERS	WV	26035
HENDERSON WAYNE L & BETHANY A (SURV)	1048 CROSS CREEK RD	COLLIERS	WV	26035
MCCONNELL BARBARA J	44 PUNTNEY RIDGE RD	COLLIERS	WV	26035




**STATE OF
WV DNR C
BRK-PAD1**

MCGONNELL, BARBARA
046634001.00000000

HENDERSON, WAYNE & BEITHAN/A
046620800.00000000

MARINO WM & MILDRED T
046621003.00000000

N
1 in = 833 ft



Coordinate System: NAD 1983 UTM Zone 17N
Units: Meter

- S Spring
- W Water Well
- Pond
- 1500' Buffer

**Water Purveyor Map
Well Pad: STATE OF WV DNR C
County: BRK**



Date: 11/28/2017 Author: willisb

Document Path: K:\EandPWVD\Team Data\Regulatory\Gobby Willis\Maps\Water_Purveyor_Large_Landowner_8ToWV_DNR_C_1500Buffer.mxd

RECEIVED
Office of Oil and Gas

MAY 20 2020

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 12/10/2019 **Date of Planned Entry:** 12/17/2019

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)

Name: State of WV-DNR Attn: Steve Rausch
 Address: PO Box 99, 1110 Railroad Street
 Farmington, WV 26571
 Name: _____
 Address: _____
 Name: _____
 Address: _____

COAL OWNER OR LESSEE

Name: Starvaggi Industries, INC.
 Address: 401 Pennsylvania Ave
 Weirton, WV 26062

MINERAL OWNER(s)

Name: Starvaggi Industries, INC.
 Address: Weirton, WV 26062
 Weirton, WV 26062

*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State: West Virginia	Approx. Latitude & Longitude: 4461365.21, 539282.70
County: Brooke	Public Road Access: Putney Ridge Road
District: Cross Creek	Watershed: North Fork Cross Creek
Quadrangle: Steubenville East	Generally used farm name: State of WV DNR C

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: SWN PRODUCTION COMPANY, LLC	Address: 1300 Fort Pierpont Dr., Suite 201
Telephone: 304-884-1610	Morgantown, WV 26508
Email: brittany_woody@swn.com	Facsimile: 304-884-1690

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacvofficer@wv.gov.

4700900316

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL**

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least **TEN (10)** days prior to filing a permit application.

Date of Notice: 02/03/2020 **Date Permit Application Filed:** 5/18/20

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

- HAND DELIVERY
- CERTIFIED MAIL RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: St of WV Dept of Commerce Div of Natural Resources
Address: 324 4th Ave, Rm 200
Charleston, WV 25303

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>539,284.420</u>
County:	<u>Brooke</u>		Northing:	<u>4,461,414.602</u>
District:	<u>Cross Creek</u>	Public Road Access:	<u>Putney Ridge Rd</u>	
Quadrangle:	<u>Steubenville East, OH</u>	Generally used farm name:	<u>State of WV DNR C BRK</u>	
Watershed:	<u>North Fork Cross Creek-Cross Creek</u>			

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: SWN Production Company, LLC
Address: 1300 Fort Pierpont Dr., Suite 201
Morgantown, WV 26508
Telephone: 304-231-8329
Email: Reid_Croft@swn.com
Facsimile: 304-884-1691

Authorized Representative: Reid Croft
Address: 1300 Fort Pierpont Dr., Suite 201
Jane Lew, WV 26508
Telephone: 304-231-8329
Email: Reid_Croft@swn.com
Facsimile: 304-884-1691

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5
(1/12)

Operator Well No. State of WV DNR C BRK BH

4700900316

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 02/03/2020 **Date Permit Application Filed:** 5/18/20

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL
RETURN RECEIPT REQUESTED HAND
DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: St of WV Dept of Commerce Div of Natural Resources
Address: 324 4th Ave, Rm 200
Charleston, WV 25303

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: West Virginia
County: Brooke
District: Cross Creek
Quadrangle: Steubenville East
Watershed: North Fork Cross Creek- Cross Creek

UTM NAD 83 Easting: 539,284,420
Northing: 4,461,414,602
Public Road Access: Putney Ridge Rd
Generally used farm name: State of WV DNR A BRK

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator: SWN Production Company, LLC
Telephone: 304-231-8329
Email: Reid_Croft@swn.com

Address: 1300 Fort Pierpont Drive, Suite 201
Morgantown, WV 26508
Facsimile: 304-884-1691

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Charleston, West Virginia 25305-0430 • (304) 558-3505

Byrd E. White, III
Secretary of Transportation/
Commissioner of Highways

January 31, 2020

Jimmy Wriston, P. E.
Deputy Secretary/
Deputy Commissioner

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

Subject: DOH Permit for the State of WV DNR C Pad, Brooke County

State of WV DNR C BRK 6H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2017-0591 which has been issued to Southwestern Energy for access to the State Road for a well site located off Brooke County Route 7/3 SLS.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018.

Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office O&G Coordinator

Cc: Brittany Woody
Southwestern Energy
CH, OM, D-6
File

Product Name	Product Use	Chemical Name	CAS Number
AI-303 (U.S. Well Services)	Mixture	Ethylene glycol	107-21-1
		Cinnamaldehyde	104-55-2
		Butyl cellosolve	111-76-2
		Formic acid	64-18-6
		Polyether	Proprietary
		Acetophenone, thiourea, formaldehyde polymer	68527-49-1
AP ONE (U.S. Well Services)	Breaker	Ammonium persulfate	7727-54-0
Bactron K-139 (Champion Technologies)	Biocide	Glutaraldehyde	111-30-8
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
Bactron K-219 (Champion Technologies)	Biocide	Ethanol	64-17-5
		Methanol	67-56-1
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
CarboNRT	Tracer	Ceramic Proppant	66402-68-4
EC6486A (Nalco Champion)	Scale Inhibitor	Amine Triphosphate	Proprietary
		Ethylene Glycol	107-21-1
EC6734A (Champion Technologies)	Biocide	Hydrogen Peroxide	7722-84-1
		Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
Econo-C1200 (SWN Well Services)	Corrosion Inhibitor	Methanol	67-56-1
		Oxyalkylated fatty acid	68951-67-7
		Fatty acids	61790-12-3
		Modified thiourea polymer	68527-49-1
		Water	7732-18-5
		Hydrochloric acid	7647-01-0
		Potassium acetate	127-08-2
		Formaldehyde	50-00-0
Ecopot-FCAC (SWN Well Services)	Iron Control	Acetic Acid	64-19-7
		Citric Acid	77-92-9
		Water	7732-18-5
FDP-S1176-15 (Halliburton)	Friction Reducer	Polyacrylate	Proprietary
		Hydrotreated light petroleum distillate	64742-47-8
FLOJET DR900 LPP (SWN Well Services)	Friction Reducer	Distillates (petroleum) hydrotreated light	64674-47-8
		Ethylene Glycol	107-21-1
		Alcohols, C12-16, Exoxylated propoxylated	68213-24-1
		Fatty Alcohols ethoxylated	Proprietary
		Water	7732-18-5
FLOJET DRP 1130X (SWN Well Services)	Friction Reducer	Proprietary	Proprietary
FR-76 (Halliburton)	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8
		Inorganic Salt	Proprietary
GYPTRON T-390 (Champion Technologies)	Scale Inhibitor	Methanol	67-56-1
		Nonylphenol Ethoxylate	Proprietary
HAI-150E (Halliburton)	Corrosion Inhibitor	No hazardous substance	N/A
HCL (SWN Well Services)	Hydrochloric Acid	Hydrochloric Acid	7647-01-0
		Water	7732-18-5
LP-65 MC (Halliburton)	Scale Inhibitor	Organic phosphonate	Proprietary
		Ammonium Chloride	12125-02-9
OPTI-FLEX (U.S. Well Services)	Viscosifying Agent	Distillates, petroleum, hydrotreated light	64742-47-8
Plexslick 930	Friction Reducer	Copolymer of 2-propenamide	Proprietary
		Hydrotreated Distillate	64742-47-8
		Sodium Chloride	7647-14-5
		Alcohols, C12-16, Exoxylated	68551-12-2
		Oleic Acid Diethanolamide	93-83-4
Plexslick 953	Friction Reducer	Ammonium Chloride	12125-02-9
		Petroleum Distillate	64742-47-8
		Sodium Chloride	7647-14-5
		Ammonium Chloride	12125-02-9
Plexslick 957	Friction Reducer	N,N-bis (2-hydroxyethyl) oleamide	93-83-4
		Petroleum Distillate	64742-47-8
		Ammonium Chloride	12125-02-9
		Oleic Acid Diethanolamide	93-83-4
		Alcohols, C12-16, Exoxylated	68551-12-2
WFRA-2000 (U.S. Well Services)	Anionic Friction Reducer	Water	7732-15-5
		Hydrotreated light distillate (petroleum)	64742-47-8
Plexaid 655 NM	Scale Inhibitor	Propenoic acid, polymer with propenamide	9003-06-9
		Diethylenetriamine penta (methylene phosphonic acid)	15827-30-8
Plexslick 922	no data available	Copolymer of 2-propenamide	69418-26-4
		Distillates (petroleum), hydrotreated light	64742-47-8
		Ammonium chloride ((NH4)Cl)	12125-02-9
		Oleic Acid Diethanolamide	93-83-4
Tolcide PSS0A	Biocidal product	Tetrakis (hydroxymethyl) phosphonium sulphate	55566-30-8
		Acrylic acid terpolymer containing carboxylate phosphonate and sulfonate groups	397256-50-7
LD-2950	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8
		Ethoxylated alcohol	Proprietary
Legend LD-7750W	Scale Control	Poly (oxy-1,2-ethanediyl) alpha-tridecyl-omega-hydroxy-, branched	69011-36-5
		Methanol	67-56-1
MC MX 8-4743	Specialty Product	Phosphonic Acid Salt	Proprietary
		Sodium Nitrate	7631-99-4

OPERATOR: SWN Production Co., LLC WELL NO: State of WV DNR C BRK 6H

PAD NAME: State of WV DNR C BRK

REVIEWED BY: _____ SIGNATURE: *Brittany Moody*

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

Well Restrictions

- At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR
 DEP Waiver and Permit Conditions
- At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR
 DEP Waiver and Permit Conditions
- At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR
 DEP Waiver and Permit Conditions
- At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR
 Surface Owner Waiver and Recorded with County Clerk, OR
 DEP Variance and Permit Conditions
- At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR
 Surface Owner Waiver and Recorded with County Clerk, OR
 DEP Variance and Permit Conditions
- At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR
 Surface Owner Waiver and Recorded with County Clerk, OR
 DEP Variance and Permit Conditions

STATE OF WV DNR C

SITE DESIGN, EROSION AND SITE RESTORATION PLANS

PUTNEY RIDGE ROAD (CR 7/3)
BROOKE COUNTY, WV

PREPARED FOR:
SWN PRODUCTION COMPANY, LLC.
10000 ENERGY DRIVE
SPRING, TX 77389

PROPOSED LIMITS
OF DISTURBANCE



HIGHWAY MAP SCALE



SITE LOCATION MAP
USGS 7.5' TOPOGRAPHIC QUADRANGLE MAP
STEUDEVILLE EAST, OH-WV-PA 1997

PROJECT LOCATION



NOT ALL UTILITIES ARE SHOWN
THE LOCATION OF ALL UTILITIES (BENEATH OR BELOW GROUND) SHOWN ON THESE DRAWINGS IS BASED ON THE RECORD DRAWINGS PROVIDED BY THE UTILITY OWNERS. AECOM DOES NOT GUARANTEE THAT LOCATIONS SHOWN ON THESE DRAWINGS ARE ACCURATE. IT IS THE RESPONSIBILITY OF THE UTILITY OWNERS TO VERIFY THE LOCATION OF UTILITIES PRIOR TO ANY CONSTRUCTION.

CALL BEFORE YOU DIG
WEST VIRGINIA LAW REGULATES THE LOCATION OF UTILITIES. FOR MORE INFORMATION, CONTACT THE WEST VIRGINIA ONE CALL SYSTEM INC. 1-800-252-4444

PROPERTY OWNER	TOTAL PARCEL AREA (AC)	DISTURBED AREA (AC)	CLEARING AREA (AC)
WEST VIRGINIA ST OF BUREAU OF COMAN DIV OF NAT RES PR LD CORP TAX ID 04-0029-0006	83.85	15.72	3.37
TOTAL	83.85	15.72	3.37

COORDINATE LABEL	ACCESS ROAD ENTRANCE		WELL PAD CENTER	
	LAT	LONG	LAT	LONG
WB3-NF -DMS	40°18'20.34"N	80°32'03.61"W	40°18'07.82"N	80°32'15.90"W
WB3-NF -DECIMAL DEGREES	40.30565°	80.53434°	40.3022°	80.53777°

SHEET	TITLE
1	COVER SHEET
2-3	PREVAILING WINDS AND EVACUATION ROUTES
4-5	INDEX SHEETS
6-8	EXISTING CONDITIONS PLANS
9-11	PROPOSED CONDITIONS PLANS
12-18	CROSS SECTIONS
19	PAD LAYOUT
20-22	RECLAMATION PLANS
23-41	DETAILS



DRIVING DIRECTIONS FROM ROCKDALE:
1.) TAKE CROSS CREEK ROAD FOR 3 MILES.
2.) TURN LEFT ONTO PUTNEY RIDGE ROAD
3.) SITE WILL BE ON LEFT AFTER 0.5 MILES.

OPERATOR
SWN PRODUCTION COMPANY, LLC.
179 INNOVATION DRIVE
JANE LEW, WV 26378
(304) 884-1610

ENGINEER'S ESTIMATE OF QUANTITIES		CUT/FILL DATA	
DESCRIPTIONS	ESTIMATED QTY	UNIT	
CUT (EXCLUDES TOPSOIL)	31,710	CY	
FILL (EXCLUDES TOPSOIL)	14,891	CY	
WELL PAD DATA			
DESCRIPTIONS	ESTIMATED QTY	UNIT	
PAD PUMP	2	EA	
PUMP DISCHARGE PIPE (4" PLASTIC PIPE)	207	LF	
3.5L BERM (2' TALL)	1314	LF	
5.1 BERM (2' TALL)	50	LF	
BASE COURSE (8" ASPHTO #3)	6,205	CY	
SURFACE COURSE (2" W/ BOM 304-83)	2,669	CY	
GEOTEXTILE	5,274	SY	
ACCESS ROAD DATA			
DESCRIPTIONS	ESTIMATED QTY	UNIT	
W/DOOR TYPE 1 GUARDRAIL CLASS III	243	LF	
18" DIAMETER HOPE CULVERT	101	LF	
TURNSOUTS	1	EA	
GEOTEXTILE	3,079	SY	
BASE COURSE (2" ASPHTO #1)	1,079	CY	
SURFACE COURSE (1" W/ DOH 307-93)	359	CY	
EROSION AND SEDIMENT CONTROL ITEMS			
DESCRIPTIONS	ESTIMATED QTY	UNIT	
COMPOST FILTER SOCK 12"	1158	LF	
COMPOST FILTER SOCK 18"	948	LF	
COMPOST FILTER SOCK 24"	1,106	LF	
COMPOST FILTER SOCK 32"	425	LF	
GRASS CONSTRUCTION FENCE	207	LF	
OUTLET PROTECTION / ROCK APRON R-3	9.06	CY	
ROCK CHECK DAM	10	EA	
TIM CHANNEL	699	LF	
ECS CHANNEL	1334	LF	
ADDITIONAL ITEMS			
DESCRIPTIONS	ESTIMATED QTY	UNIT	
PAVED CONSTRUCTION ENTRANCE	1	EA	
NOVILIZATION/DEMOLITION	1	EA	
ENTRANCE GATE	1	EA	
TRUCK SAFETY PLAN/PROTECTION	1	EA	
CLEARING/GRUBBING			
DESCRIPTIONS	ESTIMATED QTY	UNIT	
TOTAL FORESTED CLEARING AND GRUBBING	3.37	AC	
TOTAL BOM FORESTED CLEARING AND GRUBBING	12.35	AC	
RECLAMATION ITEMS			
DESCRIPTIONS	ESTIMATED QTY	UNIT	
BERM BREACH	3	EA	
EROSION CONTROL FABRIC	234	SY	
OUTLET PROTECTION / ROCK APRON R-3	5.56	CY	

APPROVED FOR PERMITS DATE: _____ BY: _____
 APPROVED FOR BIDS DATE: _____ BY: _____
 APPROVED FOR CONSTRUCTION DATE: _____ BY: _____

DESIGN CERTIFICATION
THE DRAWINGS, CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CRS 35-80.

PREPARED BY:
AECOM
FOSTER PLAZA 6
681 ANDERSEN DRIVE
SUITE 400
PITTSBURGH, PA 15220
PHONE: (412) 503-4700
FAX: (412) 503-4701

