



*Cross Creek*  
 .....District, Brooke County, W. Va.  
 Hope Natural Gas Co.  
 Conductor, 15'; 10" casing, 96'; 8 1/4", 520'; 6 1/2", 980'.

	Top.	Bottom.
Pittsburgh Coal	8	
Lime	96 -	200
Sand	200 -	250
Lime and slate	250 -	350
Sand	350 -	425
Slate and lime	425 -	525
Lime	525 -	575
Slate shells	575 -	625
Sand	625 -	775
Slate lime	775 -	820
Salt Sand	820 -	980
Big Injun Sand	980 -	1240
Slate	1240 -	1320
Squaw Sand	1320 -	1350
Slate shells	1350 -	1450
Slate	1450 -	1500
Slate shells	1500 -	1575
30-Ft. ? shells	1575 -	1611
Berea Grit	1611 -	1640
100-Ft. Sand	1787 -	1793
Total depth		1969

Filled up with weed and stone to bottom of 100-Ft. and shot with 30 qts. 18 1/4' 6" tubing in well. First cage, 1' 6" from bottom; second cage, 9' 6" from bottom; packer, 18 1/4' 2" from bottom. Tubing dropped in this well. There is 160' of 2" pipe in hole. Impression block shows tubing leaning over in shot hole. Steel-line measurement shows hole clear to 1792', one foot from bottom of sand. Well tubed March, 1908. 8" and 10" casing pulled.

ID: COUNTY: (009) Brooke PERMIT: 70003 SUFFIX: 0 REASSIGNED COUNTY/PERMIT #: Cross Creek

COMPLETION INFO: ELEVATION: ELEVATION TYPE: COMP FLAG: LOCATION INFO: TAX DISTRICT: ( ) RIG TYPE: 7.5' LATITUDE (DDMM.M Miles\_South)

CLASSIFICATION: DATES: MM/DD /YYYY SPUD: 7 / 7 WELL TYPE: INITIAL: 7 / 7 COMPL METH: FINAL: / / BATCH: / / YEAR RPTD: QUADRANGLE: ( )

OPEN GAS-BEFORE TREATMENT (MCFPD): OIL-BEFORE TREATMENT: (BOPD): 15' LATITUDE (DDMM Miles\_South) FLOW: GAS-AFTER TREATMENT (MCFPD): OIL-AFTER TREATMENT (BOPD): LONGITUDE (DDMM Miles\_West)

ROCK NATURAL (PSI): TIME (NATURAL, IN HOURS): DEPTHS: TOTAL FOOTAGE: 1969 NEW FOOTAGE: 1969 EXPLORATORY FOOTAGE: PRESSURE: TREATED (PSI): TIME (TREATED, IN HOURS): DEEPEST FORMATION: AT TOTAL DEPTH: ( ) DEEPEST FORMATION TESTED: ( )

OWNERS:INFO: STATUS: ( ) DATE: (MM/DD/YYYY): / / SURFACE OWNER: Baygett OIL&GAS OWNER: COMPANY NUMBER: ( 1160 )

OGWATER (INCLUDE QUALITY, DEPTH, QUANTITY) if available: OPERATOR CODE: ( ) -NAME: Hope Nat Gas

Table with columns: PAYS INFO, ACTIVITY, PRODUCT, TOP FORMATION, TOP DEPTH, BOTTOM DEPTH, BOTTOM FORMATION, BEFORE, AFTER, THICKNESS, THICKNESS QUALITY, ELEVATION, TYPE