

- New Location...
- Drill Deeper.....
- Abandonment.....

Company DICKSON GAS CO.
 Address HAMLIN, W. VA.
 Farm CECIL SIMMONS
 Tract _____ Acres 62 Lease No. _____
 Well (Farm) No. 1 Serial No. 3
 Elevation (Spirit Level) 760
 Quadrangle GUYANDOT-NC
 County CABELL District GUYANDOT
 Engineer L. E. Curing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 2-9-54 Scale 1"=400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. CAB-470

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

samples (MI 25-F) (660'-329') Deep well 3-3 205 ✓



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION /

Guyandot

WELL RECORD

Permit No. CAB-470

Oil or Gas Well Gas

(KIND)


Company Dickson Gas Company
Address Hamlin, W. Va.
Farm Cecil Simmons Acres 62
Location (waters) Camp Creek
Well No. One Elev. 760'
District Guyandotte County Cabell
The surface of tract is owned in fee by Cecil Simmons Address Huntington, W. Va.
Mineral rights are owned by Cecil Simmon Address Huntington, W. Va.
Drilling commenced February 15, 1954
Drilling completed April 7, 1954
Date Shot April 9 From 2706' To 3304'
With 4466 2/3 lbs Gelatin
Open Flow 9 /10ths Water in 1 Inch
 /10ths Merc. in Inch
Volume 35,000 Cu. Ft.
Rock Pressure 575 lbs. 72 hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10		20	Size of
8 1/2		190' 9"	
6 5/8			Depth set
5 3/16		2222	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date

COAL WAS ENCOUNTERED AT FEET INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	5			
Yellow Clay			5	15			
Red Rock			15	34			
Blue Slate			34	53			
Red Rock			53	150			
Sand			150	172			
Red Rock			172	187			
Blue slate			187	215			
Sand			215	295			
Slate			295	325			
Sand			325	390			
Blue Saate			390	415			
Sand			415	500			
Slate			500	535			
Sand			535	575			
Slate			575	600			
Broken Sand			600	635			
Sand			635	755			
Slate			755	773			
Sand			773	800			
Slate			800	930			
Broken Sand			930	990			
Slate & Shells			990	1105			
Salt Sand			1105	1225			
Slate			1225	1265			
Red Rock			1265	1278			
Slate			1278	1305			
Big Lime			1305	1490			
Injun Sand			1490	1600			
Slate & Shells			1600	2115			
Brown Shale			2115	2140			
erea Grit			2140	2152			
Slate & Shells			2152	2198			
Brown Shell			2198	2290			
Slate			2290	2592			
Light Brown Shale			2592	2640			
Slate			2640	2710			
Brown Shale			2710	2807			
Blue Slate			2807	2840			



Description	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Brown Shale			2840	2922			
Slate			2922	2950			
Brown Shale			2950	3050			
White Slate			3050	3245			
Brown Shale			3245	3291			
Wetaga Lime			3291	3304			
Total Depth				3304			
				461			
					3291		
					760		
					<u>2531</u>		
					3304		
					760		
					<u>2544</u>		

Date _____, 19__

APPROVED _____

By _____ (Title)