


Latitude 38° 25'

Longitude 82° 15'



New Location..
 Drill Deeper.....
 Abandonment.....

Company DENNIS M. ROY
 Address HUNTINGTON, W. VA.
 Farm JAMES J. WEILER
 Tract _____ Acres 50 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 590
 Quadrangle GUYANDOT
 County CABELL District MSCOMAS
 Engineer B. E. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 5-10-55 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. CAB-485

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION /

Quadrangle Gaymans
Permit No. 62-485

WELL RECORD


Oil or Gas Well Gas
(KIND)

Company W. H. H. Co. #1
Address 1614-7th Ave. Huntington
Farm James White Acres 1.00
Location (waters) Gaymans River
Well No. 1 Elev. 590
District 7th Comm. County Cabell
The surface of tract is owned in fee by James White
Address Huntington
Mineral rights are owned by James White
Address _____
Drilling commenced 8-10-55
Drilling completed 8-15-55
Date Shot 8-15-55 From _____ To _____
With 4000 lbs. Dynamite
Open Flow 4/10ths Water in 21 Inch
_____ /10ths Merc. in _____ Inch
Volume 100,000 Cu. Ft.
Rock Pressure 450 lbs. 48 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet
Salt water _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<u>32</u>	<u>27'</u>	Size of
8 3/4	<u>100</u>		
6 3/4	<u>1721</u>	<u>1721</u>	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used	<u>40</u>	<u>40</u>	Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Red		0	45			
Shale			45	70			
Red Rock	Red		70	85			
Shale			85	300			
Lime			300	325			
Shale & Shell			325	395			
Sand			395	450			
Lime			450	550			
Shale			550	675			
Sand			675	700			
Lime			700	725			
Shale			725	800			
Coal			800	803			
Shale			803	850			
Sand			850	900			
Lime			900	1050			
Shale & Shell			1050	1075			
Lime & Sand			1075	1225			
Salt Sand			1225	1275			
Salt & Gull			1275	1285			
Black Sand			1285	1370			
Hard Sand			1370	1450			
Brown Lime			1450	1475			



One

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			1475	1515			
Bedrock			1515	1700			
Shales & Shell			1740	1750			
Sand			1750	1800			
Slate & Shell			1800	2307			
Brn Grit			2307	2327			
Peckit			2327	2350			

Date 8/10, 1910

APPROVED [Signature], Owner

By [Signature] (Title)