

E. & NANCY KYLE

211 AC

S76°E

6,682.6'

82 15

Longitude

H.M D. & RACHEL KYLE

158 AC

W.E. DEEGANS

PAUL TURMAN

145.93 AC

MC-2

A.J. ELDER

61 AC

G. C. FERRELL

JUN 26 1961

SURVEYED 5-31-61 L.G. STURGILL F.B. "B" P. 1

New Location   
Drill Deeper   
Redrill   
Abandonment

Company **CUMBERLAND GAS CORP.**  
 Address **P.O. Box 2386 Charleston, W. Va.**  
 Farm **H. M. D. & RACHEL KYLE**  
 Tract \_\_\_\_\_ Acres **158** Lease No. **MC-3**  
 Well (Farm) No. **1** Serial No. **MC-2**  
 Elevation (Spirit Level) **828.** BAR  
 Quadrangle **HUNTINGTON N.E. (Guyandot)**  
 County **CABELL** District **BARBOURSVILLE**  
 Engineer **G. H. Hall**  
 Engineer's Registration No. **2602**  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date **6-6-61** Scale **1" = 400'**

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. **CAB-95-A**

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

6-6 Huntington (205)

H.M.D. & RACHEL KYLE 00.1 (MC-2) - CUMBERLAND GAS CORP. - CAB-95-A



239

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Buyantst Good

WELL RECORD

Permit No. 95A

Oil or Gas Well Gas  
(KIND)

Company Cumberland Gas Corporation  
 Address P. O. Box 2386, Charleston 28, W. Va.  
 Farm Kyle, H. McD & Rachel Acres 158  
 Location (waters) Merritts Creek  
 Well No. MC-2 Elev. 828.3  
 District Barboursville County Cabell  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed May 1, 1928  
 Date Shot 8/28/28 From 3176 To 3296  
 With 200 Quarts  
 Open Flow 10/10ths Water in 2" Inch  
 \_\_\_\_\_/10ths Merc. in \_\_\_\_\_ Inch  
 Volume 133 M Cu. Ft.  
 Rock Pressure 720 lbs. 2 1/2 hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
<del>6 3/4</del> 7"	1821	1821	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT

ROCK PRESSURE AFTER TREATMENT

Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Salt Sand			1370	1410			
Big Lime			1551	1677			
Big Injun			1724	1817			
Berea			2290	2295			
Brown Shale			2295	3296			
Total Depth				3300			

APR 6 1962