FILE COPY



1)	Date:			3	9	, 19	84
2)	Operator's Well No.	E COPY	1111				FORM
		47				2707	30 10 YO Z

3) API Well No. 47 - 013 - 3707
State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION ARRICATION FOR A WELL WORK REPORT

5) LOCATIO								DIFICATIONS	
3) LUCATIO									/ Shallow X/)
							Lemuels Run		Annamoriah 7.5
6) WELL OP					n				ancis E. Cain
Address		P. (0. Box 80
71441000					136		Address	THE PARTY OF THE P	gbend, WV 26136
8) OIL & GA	S INSPEC	0					9) DRILLING CO		goena, wy 20130
Name							Name		ancis E. Cain
Address	Rt	1, Bo	ox 5				Address		0. Box 80
	Sar	dridge	, WV	2527	74				ghend WW 26136-
10) PROPOSE						deeper	/ Redrill		
							ate new formation_		1100
									MAD 1 7 1001
1) GEOLOGI	CAL TAR	GET FOR							WAR 1 3 1984
12) Estima									OIL & GAS DIVISION
13) Appro	ximate trat	a depths:	Fresh, _		180	feet; salt	, 1610	feet.	
14) Appro	ximate coa	l seam dep	ths:			Is co	al being mined in the	area? Yes	EPT NOF MINE
5) CASING A	ND TUBI	NG PRO	GRAM						
CASING OR TUBING TYPE	1	SPEC	IFICATIONS Weight	3	- 1	FOOTAGE I	NTERVALS	CEMENT FILL-UP	PACKERS
TOBING TIPE	Size	Grade	per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor									Kinds
Fresh water	10 3/4					275	275	100 CT	NEAT
Coal			Part of the	113					Sizes
ntermediate	8 5/8					920	10° 10°		
Production	7					1700			Depths set
ubing	4 1/2				7	2400	2400	100 SKS	OR AS REG. B
iners									Perforations: RULE 15
		ections	rani que	polla	une hae	n occurrences	edates of certain	di brossi ot si (e	Top Bottom
	hts(]						sinfl		
				4)000	OF	TELOP LIGHT			Showness acutodian
					Property and the second second second	FICE USE C			
					DR	ILLING PE	RMIT		Well work started
			47-013	-370	7			Ap	ril 5, 1984
ermit number_									
ermit number								Du	tellfib and to nonsigmo
his permit cover	ring the we	ll operato	r and well	locatio	n shown bel	ow is evidence o	f permission granted	to drill in accordar	oce with the partinent lead as
his permit cover	ct to the co	nditions c	ontained h	ierein a	nd on the re	verse hereof. Not	ification must be give	to drill in accordar	nce with the pertinent legal re-
nis permit cover nirements subjects. 8) Prior to th	ct to the co	ion of roa	ontained h	nerein a	nd on the re-	verse hereof. Not permitted work.	ification must be give	to drill in accordar	oce with the pertinent legal re-
his permit cover airements subject b. 8) Prior to the strict oil and ga	e construct as inspector	tion of roa 24 hours	ontained for the state of the s	ons and tual per	nd on the re- pits for any mitted work	permitted work. has commenced	ification must be given In addition, the well.)	to drill in accordar en to the District Oil l operator or his con	nce with the pertinent legal re- l and Gas Inspector, (Refer to attractor shall notify the proper
his permit cover nirements subject o. 8) Prior to the strict oil and gas ne permitted wo	e construct as inspector	tion of roa 24 hours	ontained for the state of the s	ons and tual per	nd on the re- pits for any mitted work	permitted work. has commenced	ification must be given In addition, the well.)	to drill in accordar en to the District Oil l operator or his con	nce with the pertinent legal re- l and Gas Inspector, (Refer to attractor shall notify the proper
his permit cover uirements subject o. 8) Prior to the strict oil and gas the permitted wo verse hereof.	e construct as inspector	tion of roat 24 hours scribed in	ontained for the state of the s	ons and tual per	nd on the re- pits for any mitted work pplication, p	permitted work. has commenced lat, and reclama	ification must be given addition, the weld in addition, the weld in the weld i	I to drill in accordar en to the District Oi I operator or his con any modifications a	nce with the pertinent legal re- l and Gas Inspector, (Refer to attractor shall notify the proper and conditions specified on the
his permit cover uirements subject o. 8) Prior to the strict oil and gas the permitted wo verse hereof.	e construct as inspector	tion of roat 24 hours scribed in	ontained for the deformation of the Notice	ons and tual per	nd on the re- pits for any mitted work pplication, p	permitted work. has commenced lat, and reclama	ification must be given addition, the weld in addition, the weld in the weld i	to drill in accordar en to the District Oi I operator or his con any modifications a prior to that date and	and Gas Inspector, (Refer to the proper and conditions specified on the prosecuted with due diligence.
o. 8) Prior to the strict oil and gathe permitted wo everse hereof.	ect to the co le construct as inspector ork is as des	tion of roa 24 hours scribed in	ontained foods, location before action the Notice April	ons and tual per and A	pits for any mitted work pplication, p	permitted work. has commenced lat, and reclamaunless well	ification must be given addition, the weld in addition, the weld in the weld i	to drill in accordar en to the District Oi I operator or his con any modifications a prior to that date and	and Gas Inspector, (Refer to a tractor shall notify the proper and conditions specified on the prosecuted with due diligence.
his permit cover uirements subject o. 8) Prior to the strict oil and gathe permitted wo verse hereof. ermit expires	e construct as inspector	tion of roa 24 hours scribed in	ontained for the deformation of the Notice	ons and tual per	pits for any mitted work pplication, p	permitted work. has commenced lat, and reclamaunless well	ification must be given addition, the weld in addition, the weld in the weld i	to drill in accordar en to the District Oi I operator or his con any modifications a prior to that date and	and Gas Inspector, (Refer to a tractor shall notify the proper and conditions specified on the prosecuted with due diligence.
his permit cover uirements subject o. 8) Prior to the strict oil and gathe permitted wo verse hereof.	ect to the co le construct as inspector ork is as des	tion of roa 24 hours scribed in	ontained foods, location before action the Notice April	ons and tual per and A	pits for any mitted work pplication, p	permitted work. has commenced lat, and reclamaunless well	ification must be given addition, the weld in addition, the weld in the weld i	to drill in accordar en to the District Oi I operator or his con any modifications a prior to that date and	and Gas Inspector, (Refer to a tractor shall notify the proper and conditions specified on the prosecuted with due diligence.


NOTE: Keep one copy of this permit posted at the drilling location.

File



OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK



FORM	IV-2(A)
Obver	se
[8-83]

1)	Date: Operator'	March	9 . 6		,1984
	Well No. API Well	~	1	012 23	7
3)	ALI WELL	Sta	te	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

	NOTICE OF APPLICATION	FOR A WELL	WORK P	PERMIT	
4) SURFACE OWNER(S)	OF RECORD TO BE SERVED				
(i) Name Wilburt		2(1)	Addre	OPERATOR none	z i i i i i i i i i i i i i i i i i i i
	ion, WV 26151		Audre		
111. 2	1011, WV 20131	5(ii)	COAL	OWNER (S) WITH DE	ECLARATION ON RECO
(ii) Name			Name	ONLINE (B) WITH DI	ALARATION ON RECO
Address			Add	ress	
(iii) >7					
(TII) Name			Name		
Audress			Add	ress	
		5(iii)	COAT. T	LECCEE MILITED DEST	ARATION ON RECORD
		()	Name	DESSEE WITH DECL	ARATION ON RECORD
			Addr	ress	
TO THE	PERSON(S) NAMED ABOVE: You should h	have received thi	is Form an	d 11- C 13	
(The Application for a Well Work Peto be plugged, which sets out the 	ermit on Form IV-	-2 (B) (or	the following documen	ts:
	to be plugged, which sets out the and describes the well and its loo	parties involved	in the d	frilling or other work.	S
· ·	cementing program.	and the	britanie,	the proposed casing and	d
(;	2) The plat (surveyor's map) showing 3) The Construction and Reclamation P plug a well), which sets out the p	the well locatio	on on Form	IV-6; and	
	plug a well), which sets out the p reclamation for the site and acces	lan for erosion	and sedime	the well work is only to ment control and for)
T	E REASON VOIL PECCHIAN				
(FORM I	ARE SUMMARIZED IN THE "INSTRUCTIONS" (IV-2(B) OR FORM 4, DESIGNATED FOR YOU	ON THE REVERSE S	IDE OF THE	REGARDING THE APPLICATION OF THE APPLICATION	CON
(12170)	AL ALL.	, 100 1	THE TANK NE	EQUIRED TO TAKE ANY	
erator	ke notice that under Chapter 22 of the proposes to file or has filed this No	ne West Virginia	Code, the	undersigned wall on	
Departm	ent of With the Administrato	or of the Office	of Oil	accompanying documents	
and dep	ell Work Permit with the Administrator ent of Mines, with respect to a well icted on attached Form IV-6. Copies ction and Reclamation Plan have been to the person(s) armed an average of the person(s)	at the location	described	on attached Application	PRETURED
by hand	to the person (a)	mailed by regist	cred or o	cation, the plat, and the	PORTA G
before,	to the person(s) named above (or by the day of mailing or delivery to the	Administrator.	ertain ci	rcumstances) on or	
6) EXTRA	CTION RIGHTS				MAR 1 3 1984
Check	and provide one of the following:			0	II & CAS DIVISION
	and provide one of the following: iccluded is the lease or leases or other included the right to extract oil or go e requirement of Code 22-4-1-(c)(1) to	er continuing cor	ntract or	contracts by which	TE & GAS DIVISION
7)	e requirement of Code 22-4-1-(c)(1) t	through (4). (See	e reverse	side for specifics	71. OF MINES
// ROYAL! Is the	TY PROVISIONS				
or other	e right to extract, produce or market her contract or contracts providing f impensation to the owner of the oil or a volume of oil	the oil or gas	based upor	n a lease or leases	
to the	e volume of oil or gas so extracted,	gas in place wh	ich is not	ny similar provision t inherently related	
				S NO	
you ma	If the answer above is No, nothing ay use Affidavit Form IV-60.	additional is no	eeded. If	the answer is Yes,	
S	ee the reverse side for li				
t R	see the reverse side for line item ins the required copies of the Notice and eclamation Plan.	Application pla	for instru	actions concerning	
The truth of the info	Tan.	TTP-ICACION, pla	at, and Co	onstruction and	
Notice and Application	ormation on the	WELL	-		
and sworn to and the	Notice is	OPERATO	OR F	Francis E. Cain	
signed on behalf of t	he Well Operators		1	0 .	A Company of the Comp
and Stat	e by	Ву	ram	- Cum	
Snarron Sue William)S	Its	Agen	t & Operator	
this 28day of Februa	ry , 19 84.	Addre	-	. O., Box 80	
My commission expi	res 12/11/ , 19 89.	Telen	hone	ighend, WV 21636 354-7812)
Marron Sue	Williams	20200		224-7812	· · · · · · · · · · · · · · · · · · ·
Notary Public, C.	alhoun County,				10/00/0000
State of West Virg	ginia				12/08/2023

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-1b(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page

IV-9 (Rev 8-81)

COMPANY NAME

Address

Francis E. Cain

P. O. Box 80, Bigbend, WV



DATE	March 6,	1984	
WEITT, NO	1		

State of Mest Mirginia API-NO.

API-NO. 47 - 013 -3707

Same


Bepartment of Mines Gil und Gas Zürision


CONSTRUCTION AND RECLAMATION PLAN

DESIGNATED AGENT

Address

Telephone (304)-354-7812	Tele	phone		
LANDOWNER Wilhurt Kirby	SOII	ONS. DISTRI	CT Little Kana	awha
Revegetation to be carried out by_	Francis E. C	ain		(Agent)
This plan has been reviewed by	Little Kanaw	ha sc	D. All correct	
and additions become a part of this pl	an: 3-7		MIP CENT	
		Date)	ME CELL	[3]
	farrell (SO	Agent)	MAR 1 3 1	984
ACCESS ROAD			TIONOIL & GAS DIV	VISION
Structure Drainage Ditch	(A) Struc		DEPT. of M Drainage ditch	INES
Spacing	Mater	ial	Iron	
Page Ref. Manual 2:1	Page	Ref. Manual	2-12	
Structure 16" Culbert	(B) Struc	ture	16" Culvert	
Spacing	Mater		Iron	(2
Page Ref. Manual 2-12	Page :		2–12	
Structure Rip Rap	(C) Struct		6" Tile	
Spacing Stone & Wood			Plastic	(3
	Mater	al		
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be	regularly and re	Ref. Manual I	Location to pit	
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and st cut and removed from the site before	Page F regularly and re cacked and all br dirt work begins	Ref. Manual I	Location to pit	
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and st cut and removed from the site before	Page F	Ref. Manual I	Location to pit	
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and st cut and removed from the site before RETERMENT Area I & II	Page F regularly and re cacked and all br dirt work begins	Ref. Manual I	essary. All timber to be	
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and st cut and removed from the site before RE Treatment Area I & II ime	Page F regularly and re acked and all br dirt work begins VEGETATION	ef. Manual Impaired if necush and small	essary. All timber to be	
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II Tons/acre or correct to pH 6.5	Page F regularly and re cacked and all br dirt work begins VECETATION	Pef. Manual I rearred if necrush and small	essary. All timber to be Area II	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II ime	Page F regularly and re acked and all br dirt work begins VEGETATION	Pef. Manual I paired if necush and small Treatment Direct to pH	essary. All timber to be Area II Tons,	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II ime	Page F regularly and re cacked and all br dirt work begins VECETATION Lime OF C Fertili Mulch	Pef. Manual I paired if necush and small Treatment Direct to pH	Area II Tons, or equivalent)	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II Tons/acre or correct to pH 6.5 ertilizer 400 lbs/acre (10-20-20 or equivalent) alch Hay 2 Tons/acre eed* KY 31 40 lbs/acre	Page F regularly and re cacked and all br dirt work begins VECETATION Lime or of Fertili	Pef. Manual I paired if necush and small Treatment Direct to pH	Area II Tons, or equivalent) Tons/	/acre
All structures should be inspected commercial timber is to be cut and structured from the site before Treatment Area I & II ime	Page F regularly and re cacked and all br dirt work begins VECETATION Lime OF C Fertili Mulch	Pef. Manual I paired if necush and small Treatment Direct to pH	Area II Tons, or equivalent) Tons/ Ibs/a	/acre
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and structured from the site before Treatment Area I & II ime	Page F regularly and re cacked and all br dirt work begins VECETATION Lime or of Fertili Mulch Seed*	Treatment Direct to pH .zer (10-20-20	Area II Tons, or equivalent) Tons/a lbs/a lbs/a	/acre
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and structured from the site before Treatment Area I & II ime	Page F regularly and re cacked and all br dirt work begins VECETATION Lime or of Fertili Mulch Seed*	Treatment Direct to pH .zer (10-20-20	Area II Tons, or equivalent) Tons/a lbs/a lbs/a	/acre
Page Ref. Manual 2-9 All structures should be inspected commercial timber is to be cut and st cut and removed from the site before RE Treatment Area I & II ime	Page F regularly and re cacked and all br dirt work begins VECETATION Lime or of Fertili Mulch Seed*	Treatment Direct to pH .zer (10-20-20	Area II Tons, or equivalent) Tons/a lbs/a lbs/a	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II ime	Page F regularly and re cacked and all br dirt work begins VECETATION Lime or of Fertili Mulch Seed*	paired if necrush and small Treatment Direct to pH zer (10-20-20	Area II Tons, lbs/a lbs/a lbs/a roper baqterior	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II Imp	Page F regularly and re racked and all br dirt work begins VECETATION Lime	paired if necrush and small Treatment Direct to pH zer (10-20-20	Area II Tons, lbs/a lbs/a lbs/a roper bagterion E. Cain	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before RE Treatment Area I & II ime	Page F regularly and re racked and all br dirt work begins VECTATION Lime or of Fertili Mulch Seed*	Treatment Treatment Treatment Treatment Treatment Treatment Francis P. O. Bo	Area II Tons, lbs/a or equivalent) Tons/ lbs/a lbs/a lbs/a roper baqterion E. Cain ox 80, Bigbend,	/acre
All structures should be inspected commercial timber is to be cut and st cut and removed from the site before Treatment Area I & II Imp	Page F regularly and re racked and all br dirt work begins VECETATION Lime	Treatment Treatment Treatment Treatment Treatment Treatment Francis P. O. Bo	Area II Tons, lbs/a lbs/a lbs/a roper bagterion E. Cain	/acre





AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

STATE OFWest Virginia COUNTY OFCalhoun:
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of (1) Notice on Form IV-2(A) × / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B) x / Form IV-3(B) / Form IV-4(B) / (3) Plat showing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. 1 located in Sheridan District, Calboun County, West Virginia, upon the person or organization named
upon the person or organization named
WILBURT KIRBY
by delivering the same in Calhoun County, State of W. Va. MAR 1 3 1984 on the 9th day of April, 19_84 in the manner specified below. OIL & GAS DIVISION OIL & GAS DIVISION DEPT. OF MIN
[COMPLETE THE APPROPRIATE SECTION] DEPT. OF MIN
For an individual:
[] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership: [] Handing it to partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership: [] Handing it to the general partner, named because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation: [] Handing it to the corporation's employee _/ officer / director / attorney in fact _/ named
(Signature of person executing service)
Taken, subscribed and sworn before me this 12th day of March, 1984. My commission expires 12/11/89 Annuan Sue Williams
Notary Public (ASSIV SEAL IS NOTABLED IS OUTSIDE THE STATE)



DEPT. OF MINES





IV-35 (Rev 8-81)

fero

State of Mest Nirginia

Department of Mines Bil und Gas Bivision

Date De	cembe	er 11;	19	84	
Operator	's			Tonogues a	-
Well No.		1	-		
Farm Wil	burt	Kerb y	-		
API No. 4	7 -	013	_	3707	

WELL OPERATOR'S REPORT OF

DRILLING,	FRACTURING	AND/OR	STIMULATING,	OR	PHYSICAL	CHANGE
The same of the sa	THE RESIDENCE AND ADDRESS OF THE PERSON NAMED IN COLUMN 2 IN COLUM	the Real Property and Published Street, Street	CONTRACTOR OF THE PARTY OF THE	-		

WELL TYPE: Oil / Gas x / Liquid Injection (If "Gas," Production / Undergroup / Unde	on/ Wast	te Disposa ge/ Dee	1/ p / Sha	allow ×/)
LOCATION: Elevation: 900' Watershed			White the same	- Chromodonia
District: Sheridan County Call			e Annamo	riah 7.5
COMPANY Francis E. Cain				
ADDRESS P. O. Box 80 , Bigbend, WV 26136	Sentential parameter resident and reference resident	magismon francisco dell'Escalaca antino contributa di accioni musti considerativa		
CONTROL OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF THE PRO	Casing	Used in	Left	Cement fill up
DESIGNATED AGENT same ADDRESS	Tubing	Drilling	in Well	Cu. ft.
SURFACE OWNER Wilburt Kerby	Size			
	20-16 Cond.			
ADDRESS Annamoriah, WV	¥3-10" 3/	4 334	334	140
MINERAL RIGHTS OWNER G.W.Hardman Estate % George Vandale etal Spencer, WV 25276	9 5/8			
	8 5/8	884		
OIL AND GAS INSPECTOR FOR THIS WORK Dec Mace	7	1804	300'	
ADDRESS Sandridge, WV	5 1/2		The same of the sa	
PERMIT ISSUED April 5, 1984	4 1/2	2330	2330'	75
DRILLING COMMENCED 8/6/84	3			
DRILLING COMPLETED 11/8/84	2			-
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used			
GEOLOGICAL TARGET FORMATION Injun & Berea	official and an attended on the control and consequences of		2220	
		Dept	SECURE AND ADDRESS OF TAXABLE PARTY.	1000
Depth of completed well 2330 feet 1				
Water strata depth: Fresh none feet;			****	
Coal seam depths: none	is coal b	eing mine	d in the	area? no
OPEN FLOW DATA			Injun 18	394–1918
Producing formation Injun & Berea	Pay	zone depti	Berea 22	278-22 Eee t
Gas: Initial open flow show Mcf/d	Oil: Init	ial open i	Flow 0	Bbl/d
Final open flow 110 Mcf/d	Fina	l open flo	0 w	Bbl/d
Time of open flow between initi	al and fin	al tests 6	hou	rs
Static rock pressure 120# psig(surface	measureme	nt) after	12 hour	s shut in
(If applicable due to multiple completion-			12/0	08/2023
Second producing formation see above	Pay	zone depth	1	feet
Gas: Initial open flow Mcf/d	Oil: Init	ial open f	low	Bbl/d
Final open flow Mcf/d	Oil: Fina	l open flo	W	Bbl /d
Time of open flow between initi	al and fin	al tests	hou	rs
Static rock pressurepsig(surface	measuremen	t) after	hours	s shut in
		(Continu	e on reve	erse sidel

FORM IV-35 (REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Injun 18 holes, 1894-1918

20,000# sand

Berea 8 holes, 2278-2284 10,000 # sand

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all from and salt water, coal, oil and o
Red Rock	0	10	The state of the s
Blue	10	45	1 may 1 100
Slate	45	60	
Sand	60	141 -	
Red Rock	141	214	
Slate	214	285	
Red Rock	285	350	
Slate	350	395	
Red Rock	395	418	
Slate	418	515	
Red Rock	515	550	*
Sand	550	595	
Red Rock	595	662	The second secon
Slate	662	745	
Red Rock	745	850	
Slate	850	884	
Sand	884	902	
Slate	902	965	
Sand	965	995	
Slate	995	1015	
Sand	1015	1013	
Slate	1050	1085	
Sand	1085	1200	
Salte	1200	1230	
Sand	1230	1290	
Slate	1290	1360	
Sand	1360	1390	
Slate	1390	. 1500	The second secon
Sand	1500	1770	Land American Services
L.Lime	1770	The state of the s	Water hole full
Pencil Cave	1790	1790	
Big Lime	1795	1795	
Keener Sand	1880	1880	NATED TOTAL TOTAL
Injun Sand	1890	1890	Character of the state of the s
Slate & Shells	7 THE R. LEWIS CO., LANSING, MICH. 49 LANSING, P. LEWIS CO., LAN	1920	Show of gas .
Berea	1920	2272	
Slate & Shells	2272	2284	Show of gas
orace a shells	2284	2330	

(Attach separate sheets as necessary)

Well Operator

Francis E. Cain

12/08/2023

December 11, 1984 Date:

Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and, encountered in the drilling of a well."

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION DEPT. OF MINES

Permit No. 13-3707 Oil or Gas Well_ CASING AND Francis Cain USED IN LEFT IN PACKERS Size Address Kind of Packer___ Well No. Size of_ Cal County_ Drilling commenced_ Depth set_ Drilling completed_ __Total depth_ Perf. top___ Depth of shot Date shot Perf. bottom_ Initial open flow_____/10ths Water in___ Liners Used Perf. top___ Open flow after tubing_____/10ths Merc. in____Inch Perf. bottom_ Volume_ _Cu. Ft. CASING CEMENTED____ SIZE _No. FT._ NAME OF SERVICE COMPANY hrs. bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT_ _FEET_ _INCHES Fresh water____ feet FEET INCHES FEET_ INCHES Salt water_ FEET INCHES FEET_ INCHES Spudder Cain Remarks: 334' of 10" casing

Cemental 8-24-84

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS						
FARM	31		DISTRICTCOUNTY						
Filling Material Used			end.						
Liner Loc	ation	Amount	Packer	and the second s		34			
	ID DEPTH PLACED	77.1100110	- word	Location					
CEMENT-THICKNESS	WOOD-SIZE	LEAD	BRIDGES		G AND TU	BING			
		LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST			
			Company of the second	aj dan bear dan	email in Sil				
				- man	1.1	Property A. T.			
	· · · · · · · · · · · · · · · · · · ·					Root Des			
Add the second state	1 x 2 x 2 x 2 x 2 x 2 x 2 x 2 x 2 x 2 x								
attend I delen bed	and the control of th			An a Mily was so an		And the second second			
		and the second of the		At the state of th					
the profit of the second secon									
				W 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
			EVILLE COMMENS	A CONTRACTOR OF THE PROPERTY O	s. Charles and the				
2010 3731	L. Length	277 700 6							
rillers' Names									
mers Hames									
marks:				1					
						¥ %			
DATE	nereby certify I w	risited the above	ve well on this date.						

FERC-121

API well number: (If not available, leave blank. 14 digits.)	47-013-3707					
Type of determination being sought: (Use the codes found on the front of this form.)		103 Section of	NGPA	Category Co.	de	
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)				feet	,	
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Name P. O. Street	cis E. Cair Box 80		136 State Zip Cod	Seller Code	
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	Sher Field Nam Calh County		ict	State	WV	
(b) For OCS wells:	Area Name	Date of Le		Block Numb		
(c) Name and identification number of this well: (35 letters and digits maximum.)	Wilb	urt Kerby	Gas #1			
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)						
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	CNG	Developmen	t Co.		Buyer Code	
(b) Date of the contract:			Mo. Da		3373. 3332	
(c) Estimated annual production:				MMcf.		
		(a) Base Price (\$/MMBTU)	(b) Tax	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)	
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)		290			2 9 0	
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)		290			2 9 0	
9.0 Person responsible for this application: Agency Use Only Date Received by Juris. Agency DEC 1 2 1984 Date Received by FERC	Name Signature 12/11	2/89 ation is Complet	¿ Can	Agent & O Title	perator	

U.S. DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission Washington, D.C. 20426

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA) (Sections 102, 103, 107 and 108)

PLEASE READ BEFORE COMPLETING THIS FORM:

General Instructions:

Complete this form if you are applying for price classification under sections 102, 103, 107 or 108 of the NGPA. A separate application is required for each well. If any reservoir qualifies for a category which differs from the category applicable to the producing well, separate applications must be made for the producing well and the reservoir. Complete each appropriate item on the reverse side of this page. The code numbers used in items 4.0 and 6.0 can be obtained from the Buyer/Seller Code Book. If there is more than one purchaser or contract, identify the additional information in the space below. Enter any additional remarks in the space below.

Submit the completed application to the appropriate Jurisdictional Agency as listed in title 18 of the CFR, part 270.103. If there are any questions, call (202) 275-4539.

Specific Instructions for Item 2.0, Type of Determination:

Section of NGPA	Category Code	Description
102	1.	New OCS Lease
102	2	New onshore well (2.5 mile test)
102	3	New onshore well (1,000 feet deeper test)
102	4	New onshore reservoir
102	5	New reservoir on old OCS Lease
103		New onshore production well
107		High cost natural gas
108		Stripper well

Contract Date	Purchaser	Buyer Code
(Mo. Day Yr.)		

Remarks:

Other Purchasers/Contracts:

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

DEC. 28 1984

COVER SHEET, STATE APPLICATION FOR	WELL CLASSIFICATION
Date: Dec. 11 ,19 84	AGENCY USE ONLY
Applicant's Name: Francis E. Cain	WELL DETERMINATION FILE NUMBER
Address: P. O. Box 80	
Bigbend, WV 26136	841212 -103-013-3707
Gas Purchaser Contract No.	Use Above File Number on all Communications Relating to This Well
Date of Contract (Month, day and year)	
First Purchaser: CNG Development Co.	Designated Agent: Francis E. Cain
Address: Rt.2, Box 698, Bridgeport, WV 26330 (Street or P.O. Box)	Address:same
(City) (State) (Zip Code) FERC Seller Code	FERC Buyer Code
NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERN: BE ADDRESSED:	ING THIS APPLICATION SHALL
Name: Francis E. Cain	Agent & Operator
Signature: Francis 2. Cam	(Title)
Address: P. O. Box 80 (Street or P.O. Box) Bigbend WV (City) (State) Telephone:	26136 (Zip Code)
(Area Code) (Phone N	Number)
(Certificate of Proof of Service to Purcha	aser)
NGPA Catagory App	olied For
NGPA SECTION/SUBSECTION	
102 New Natural Gas 102-2 2.5 Mile Test 102-3 1000 Foot Deeper Test 102-4 New Onshore Reservoir	108 Stripper Well Natural Gas 108- Stripper Well 108-1 Seasonally Affected 108-2 Enhanced Recovery
103 New Onshore Production Well x 103 New Onshore Production Well	108-3 Temporary Pressure Buildup
107 High Cost Natural Gas 107-0 Deep (more than 15,000 feet)	AGENCY USE ONLY
107-1 Geopressured Brine 107-2 Coal Seams 107-3 Devonian Shale 107-5 Production enhancement	
107-6 New Tight Formation 107-7 Recompletion Tight Formation	QUALIFIED
RECEIVEN	12/08/2023
F70121984	
OIL & GAS DIV. DEPT. OF MINES	

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date	12	11-84	19_
Operato Well No		1	
API Well No. 47 Sta	-	013 County	707

WELL CLASSIFICATION FORM

NEW ONSHORE PRODUCTION WELL

NEW ONSHORE P	RODUCTION WELL		
NGPA Sect	ion 103		
	DESIGNATED AGENT	Francis E. Cain	
	ADDRESS	P. O. Box 80	
	ADDRESS	Bigbend, WV 26136	
WELL OPERATORFrancis E. Cain	LOCATION: Elevation		
ADDRESS same		Lemuel's Run	
		County Calhoun Quad Anna	mariah 7 5
GAS PURCHASER CNG Developemnt Compan		countyCarnoun Quad. Anna	morran 7.5
ADDRESS Rt. 2. Box 698	Contract No.		
Bridgeport, WV 26330	meter Chart Code		
	Date of Contract_		
* * * * * * *	* * * *	* * * * *	*
Date surface drilling was begun: 8/6/84			
of of of			
Indicate the bottom hole pressure of the well	and explain how this	was calculated:	
Will be mailed later.			
will be mailed later.			
AFFIDAV	/T.T.		
Francis E. Cain			
I, Francis E. Cain, has surface drilling of the well for which this det 1977; the well satisfies applicable state or few in this appropriate and the produced in commercial quantities or on which surface draws capable of producing gas in commercial quantities or on which surface draws capable of producing gas in commercial quantities a new onshore production well and that I am application which is inconsistent with this consistent with this consistent with this consistent.	me surface drilling and which applied tilling began on or a tities. I state, fuf, that the well for	began, which was applicable to the o any other well producing gas fter February 19, 1977, and which orther, that I have concluded to	e
	F	rancis & Cain	
STATE OF INCH ASSESSED			
STATE OF WEST VIRGINIA,			
COUNTY OF <u>Calhoun</u> , TO WIT:			
I, Aharron Sue WIlliams Notar	y Public in and for	the state and county aforesaid	
Francis E. Cain, whose name	is signed to the wa	iting shows bear .	
the <u>lithday of December</u> , 19 <u>84</u> , has ac	knowledged the same	before me in my county of	
Given under my hand and official se	al this 11th day of	Dec. 10 84	
My term of office expires on the $\underline{1}$	1thday of De	ec. 19 89	
		, 17_02.	
		,	
[NOTARIAL SEAL]	Shi	erron Sue Welliams	.)
N. A.	XST CO	Notary Public	

Obverse

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OFFICE OF OIL AND GAS
CHARLESTON 25305
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT

APR 1 5 1986

4-5-84

15-Apr-85

Company: CAIN, FRANCIS E Farm: KIRBY, WILBURT

Well: 1

Permit No. 47- 13-3707 County: CALHOUN

		in Compl	rance	
Rule	Description	Yes	No	
23.06	Notification prior to starting work	4 MIN COST CAS CAS CAS CAS CAS CAS CAS CAS	(a) 142 194 145 115 115 115 115 115 115 115	Eac. 018 Stor 0015
25.04	Prerred before drilling to prevent waste		1956 ELAT \$755 St. 8 St. 8 ST. 8 ST. 8 ST. 8 ST.	
25.03	Hish pressure drillins	-84 185 184 181 151 134 134 134 183	180 MA 180 170 180 190 180 MA	
16.01	Required permits at wellsite		\$40 Kg - \$40 CG \$50 JES \$500 CG	
15.03	Adequate Fresh Water Casins			
15.02	Adequate Coal Casing		DES TOO TOO THE SEE THE STA SEE THE	
15.01	Adequate Production Casins	VINE THE PARK THE THE PARK THE THE THE		
15.04	Adequate Cement Strensth		400- ED: 140- 500 578 531 501 500- 510	
15.05	Cement Type			
23.02	Maintained Access Roads		1166 THE PASS THE CO. ST. S. CO. S. ST. ST. S.	
25.01	Necessary Equipment to Prevent Waste			
23.04	Reclaimed Drillins Pits		44- 59- 10- EM 10- 400 FM 419 698	
23.05	No Surface or Underground Pollution		100 100 100 100 100 100 100 100 100	
23.07	Requirements for Production & Gatherins Pipelines		\$100 M2+ 5500 \$100 \$10+ 610+ 640 \$610 \$600	
16.01	Well Records on Site		107-007-307-007-007-107-007-009	
16.02	Well Records Filed		\$2.5 \$4.0 \$40 \$100 \$2.5 Wed \$400 \$100 \$100	
5	Identification Markinss	383 409 483 404 304 727 403 137 148		
T HALLE	THOROTER THE ADDIT CARTTONER HELL AND RECONMEND	THAT TT DE	DEL EACED+	

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECONNEND THAT IT BE RELEASED:

SIGNED Que Mace

DATE 4-12-86

Your well record was received and reclamation requirements approved. In accordance with Chapter 22; Article 4; Section 2; the above well will remain under bond

coverage for the life of the well.

Administrator

April 21, 1986

Date

OFFICE OF OIL AND BAS CHARLESTON 25305 FINAL IMSPECTION REPORT INSPECTORS COMPLIANCE REPORT

	13-3707	mit No. 47-		
		NUOHJADIEI	KIRRY: WILBURT Well: 1 Cou	Farms
	3008	In Complé		
	No	Yes	Description	Rule
1 (10 M) 10 10 10 MI 10 10 10 10	and the six on the six of the six six.	the side and the services and the services and the con-	Notification raior to starting work	23.04
	Notice of the country of the	en est en en en en me me	Propred before drilling to provent waste	A0.25
	com man con copy and continuous copy con-	No. 64 (85) No. (48) 18 (80) 18 (19)	High pressure drilling	25,03
	MET AND THE MASS COT COT COST COST COST		Required remails at wellsite	10.01
		34-40-50 ye-50 00-44-44	Adequate Fresh Water Casins	Et, et
	- 9 - 107 - 12 - 12 - 12 - 12 - 12 - 12 - 12	ca or his or on the six as we are	Adequate Coal Casing	15.02
		en operaging op operaging the sea	Adequate Production Casing	10,61
	101, 30 No. 801 No. 107 No. 25 No. 108	The second considerate and and and	Adequate Cement Strength	15.04
	MR 500 (1 15 20 11 25 15 15 15	12 AN AND MAY NOT AND AN AND AN	Coment Twee	15.05
	the test of page of the site of the	THE RESERVE OF THE RESERVE WAS AND	Haintained Access Roads	23.02
	ten mer en de trouve en de de	and the same parties and the same parties	Necessary Equirment to Provent Waste	25,01
	## 240 SER SER SER SER SER SER SER	era con lan con ton any seal sale and	Reclaimed Drilling Pils	23,64
	(AP - MP - 1) - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	and the second second second	No Surface or Underground Pollution	23.03
	de care or or or at the second as	187 - 19 3-19 - 19 - 197 - 198 - 197 - 197	Requirements for Production & Gatherins Pirelines	23,67
	MIT NOT ANY ANY AND ANY AND ANY	gar tir sat fal file file tip all to	Well Records on Site	10.81
	on on the second or the teacher	or ex-	Well Records Filed	50,81
	No. 400 to 15 to 15 to 15 to		Identification Markinss -	
	RELEASED:	38 II TAHT	INSPECTED THE ABOVE CAPTIONED WELL AND RECONNEND	I HAVE

втемер. Д. самоте

Your well record was received and reclamation requirements approved. In accordance with Charter 22, Article 4: Section 2: the above well will remain under bond coverses for the life of the well.

Administrator

91s0

