



30		State		County	Permit
3)	API Well No.	47	-	013 -	3795
2)	Operator's Well No	Six	CID		FORM IV-2(B)
1)	Date: 28	Sept	;		_, 1984

OIL	& GAS	DIVISIO	NES		RTMENT	YIVO IRIT	VIRGINIA L AND GAS DIVIS LL WORK PERMIT		
	PE: A O	il W/ C	/ Ga				ormozoo (TV)	ZWOITAOIHIQ	OM THIMASIS —/ Shallow X /)
5) LOCATIO			8381			_ Watershed:	Steer Cr	eek L	K59
	Dis	trict: S	herma	n		County:		Quadrangle: _	Millstone 7.5
6) WELL OPERATOR IVY Von Yoak Address P.O.B. 149 7) DESIGNATED AGENT IVY Von Yoak Address Same							Von Yoak		
			svill		7 261	+7			
8) OIL & GA	Deo M	ace					9) DRILLING CO	ris Oil & (Gas Co. Inc.
Address	Sa	nd Ri	dge,	WV			Address	P.O.B. 26' Grantsvil	7 Le, WV 26147
10) PROPOSE			Other p	f old f hysical	change in		Redrill	/ Stimulate	(
12) Estima 13) Appro 14) Appro 15) CASING A	ited depth o ximate trat ximate coa	of complet a depths: l seam dep	Fresh,oths:	19 None	9201	feet; sa	t t, 1200	feet. e area? Yes	/ NoX
CASING OR TUBING TYPE	Size	SPEC Grade	Weight per ft.	New	Used	FOOTAGE For drilling	INTERVALS Left in well	OR SACKS (Cubic feet)	PACKERS
Conductor	16"	7 7 7 7			X	301	301		Kinds
Fresh water	103/1	+			X	275	275	CTS NE	AT
int.	811				X	900'	0	Shoe	Sizes
Intermediate	7"	J	17#		X	18001	0	Shoe	
Production	4.5	erw	10.5	X		1920	1920	to Salt Sa	Pepths set
Tubing						USE ONEY	OFFICE		
Liners									Perforations:
		emito	eazai gu	wolfe	3 vnc o	ne P e nerado.	lates of certain	us to record the	Top Bottom
	hate(I						90.6	1	
				(a)nc	inganani (OFFICE USE	ONLY		plication received

This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector, (Refer to No. 8) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

DRILLING PERMIT

The permitted work is as described in the Notice and Application, plat, and reclamation plan, subject to any modifications and conditions specified on the reverse hereof.

Permit expires ______October 10, 1986 ____unless well work is commenced prior to that date and prosecuted with due diligence.

Bond: Agent: Plat: Casing Fee

SB MH MH MH 191

47-013-3795

Permit number

Administrator, Office of Oil and Gas

October 10

Date


NOTE: Keep one copy of this permit posted at the drilling location.

19

FORM	IV-2(B)
D	

FILE COPY





		MARK PERMIT	CE USE ONL	1	177 191	KHIVI 3	DI	777
PERMIT MO	DIFICATIONS	AND CONDIT	IONS (IE AND	V) TO TI	IE DDODOG	ED WELL	Work	I work hard
	Z Deen	5.55 55.870	/ Underground st	() 10 1F	E PROPUSI	ED WELL	WORK	() DTRM
		ero reeta	Watershed: 1					ITAGOI
Millstone 7.	Quadrancie:		County: CO			IGbulk		
New York	CENT LAY	DESIGNATED A			Maghara	VYYI	ERATOR	RELL OF
	Sing		- 8-4-1		X+F.	c.V.		Addres
				F192F1		Crant.		
DOT OF DOT	TRACTOR	MODELLING CON			E NOTIFIED	CTOR TO B		NOW IN
Cas Co. Inc.					SVI. V.O. I	* G - 5 - 6		amsk
THING THE	Grantavil							Addres
		Rednil			X			
•		nonangol wan si					Lin Water	ISUPUR
					daareedg 2000			
		t ero.	tebne8 nu			ROET FORE	AT TADE	DO LONE
				1.086				
	fest.	905.4	168 1 1091		Company of the Party	ata depths:	ir aremino	erga A - (8
X on sy	rea? / 6s	l being mined in the ar			RION PR	oal seam done	onimate co	
					RAM - HE	HING PROC	ME CMA	DMISA
PACKERS	CLMENT PLLATE OR SACKS	ERYARET	WEST FOOT		RICATTONS &	Dark		80 av 3977 44
	(Cook: 1991)	tlew ni Yelf		osci)	W1501 - 11 100)	shar(b)	288	
		108	108	1 X				
ATA			- 375	- X		1	1103	
	9000		1000	4 41	NEW A	7.	11 G	
Sizes						The state of the s		
23316		0000	OPON.		4 5 6			
estic	Sixee	OFFIC	E USE ONLY		X 9.01	कारक है		
To the services	Stock of	OFFIC	E USE ONLY		X F.or	V13 (
on anti-Pott) is to record the			nd any fo	ollow-up insp	2.13		
See anti-Port		e dates of certain		nd any fo	ollow-up insp	2.13		
See anti-Port				nd any fo	ollow-up insp	2.13	Date(s)	
part of Form IV-2(b)		e dates of certain	occurrences a			2.13	Date(s)	
part of Form IV-2(b)		e dates of certain				2.13	Date(s)	
part of Form IV-2(b)		Date	Follow-uj	o inspecti	on(s)	2.13	Date(s)	
cation received		Date	occurrences a	o inspecti	on(s)	ections.		
part of Form IV-2(b) cation received		Date	Follow-uj	o inspecti	on(s)	2.13		
cation received work started	Octob Dan	Date Y 174	Follow-uj	o inspecti	on(s)	ections.		ระดีเกษก
cation received work started eletion of the drilling	OCTODA Dais co drill in accordan a to the District Off	Date Williams Register to the state of certain	Follow-up	o inspecti	on(s)	ections.	cring the	sodimun yen lintak
cation received work started eletion of the drilling	OCTODA Dais co drill in accordan a to the District Off	Date Wilder of certain Date Wilder of certain Parks Wilder of certain	Follow-up	o inspecti	on(s)	ections.	official	number suni sev
cation received work started eletion of the drilling	GCTD by Control of the District Oil operator for this seem	Date Vill Prays Asserts notes at the same at the sam	Follow-up of the sound to sound the sound to sound the s	d myora menor sugar	on(s) and well locate before aqual pe	ections.	ering the cet to the he consu-	sodimun von lintuo folia atmai of miassa pluja iro
part of Form IV-2(b) cation received work started	GCTD by Control of the District Oil operator for this seem	Date Vill Prays Asserts notes at the same at the sam	Follow-up of the sound to sound the sound to sound the s	d myora menor sugar	on(s) and well locate before aqual pe	ections.	ering the cet to the he consu-	munber Remeable Prior to From and
cation received work started bletion of the drilling ss Record received mation completed	CCTD by CCTD by Confile in accordant a to the District Off operation or his sense.	Date Viving the property of t	Follow-up of the property of t	d myoda na	on(s) and well locate before aqual pe	ections.	ering the cet to the he consu-	muniber sens subj Prior to constant constant berect
cation received work started eletion of the drilling second received mation completed	CCTD by CCTD by Confile in accordant a to the District Off operation or his sense.	Date Viving the property of t	Follow-up of the property of t	d myoda na	(a)no	ections.	ering the cet to the he consu-	contribution of the same of th
part of Form IV-2(b) cation received work started pletion of the drilling second received mation completed	CCTD by CCTD by Confile in accordant a to the District Off operation or his sense.	Date Viving the property of t	Follow-up of the property of t	d myoda ili adi no bin menori sho, no bin man, no bin	on(s) PARTOS and Well location and vications know the Nonce and Partos and	ections. 10-73 well england with a policy to policy of road and the policy of the po	ering the set to the live constructions as in speciment to the construction of the con	voc. tietres folia etriac (or rosed total to 1 v ús intro Tosad e apridas
cation received work started pletion of the drilling ss Record received	CCTD by CCTD by Confile in accordant a to the District Off operation or his sense.	Date Viving the property of t	Follow-up of the property of t	d myoda ili adi no bin menori sho, no bin man, no bin	(a)no	ections. 140-71 totage list to gradient and to gradient and totage to be hond to be hond	ering the set to the live constructions as in speciment to the construction of the con	sodinum) voe, harver folia aman col man plaga he b

see the reverse side of the AVPLICANI'S COPY for instructions to the well operator.

1)	Date:	28	Sep
-:			-

2) Operator's Well No.

Well No. Six
3) API Well No. 47 - 013 - 3785

State County Permit

,19 84

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

	NOTICE OF APPLICATION	FOR A WELL	WORK PERMIT	
) SURFACE OF	WNER(S) OF RECORD TO BE SERVED		COAL OPERATOR	
(i) Name		3(1)	Address	
	Edwin N. Bowe Stumptown, WV			
	Stamp town, WV	5(ii)	COAL OWNER(S) WIT	TH DECLARATION ON RECO
(ii) Name			Name None	DECEMBER ON ON REACC
Address	5		Address	
			and the state of t	
iii) Name			Name	F
Address			Address	- Additional
		E /::::\		4
		5(111)	COAL LESSEE WITH	DECLARATION ON RECORD
			Name	
			Address	
	TO THE PERSON(S) NAMED ABOVE: You should ! (1) The Application for a Well Work Pour to be plugged, which sets out the	have received thi	is Form and the following d	locuments:
	to be plugged, which sets out the and describes the well and its locementing program; (2) The plat (surveyor's map) showing (3) The Construction and Reclamation I plug a well), which sets out the preclamation for the site and access	the well location	on on Form IV-6; and	ing and
	reclamation for the site and access THE REASON YOU RECEIVED THESE DOCUMENT WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU ACTION AT ALL.	S IS THAT YOU HA	VE RIGHTS REGARDING THE APP	PLICATION
	for a Well Work Permit with the Administrat Department of Mines, with respect to a well and depicted on attached Form IV-6. Copies Construction and Reclamation Plan have been by hand to the person(s) named above (or by before the day of mailing or delivery to the EXTRACTION RIGHTS Check and provide one of the following: Included is the lease or leases or other in the provide one of the following: I hold the right to extract oil or	of this Notice, mailed by regist publication in c a Administrator.	described on attached Appl the Application, the plat, tered or certified mail or certain circumstances) on o	delivered GAS
	The requirement of Code 22-4-1-(c) (1) 7) ROYALTY PROVISIONS Is the right to extract, produce or marke or other contract or contracts providing for compensation to the owner of the contract.	through (4). (Se t the oil or gas for flat well ro	e reverse side for specific based upon a lease or leas yalty or any similar provis	SION A
	for compensation to the owner of the oil o to the volume of oil or gas so extracted,	r gas in place wi produced or mark	nich is not inherently relacted? Yes No X	ted
	If the answer above is No, nothing you may use Affidavit Form IV-60.	g additional is r	needed. If the answer is Yes	.0.
	See the reverse side for line item in the required copies of the Notice and Reclamation Plan.	structions, and Application, pl	for instructions concerning at, and Construction and	3
The truth of	the information on the	WELL		
NOTICE and Ar	pplication is verified	OPERAT	OR	Two War Wards
and sworn to	and the Notice is	~ ^	de h	Ivy Von Yoak
in my county	half of the Well Operator and The North	By	UMak Owner	Ivy Von Yoak
his gay of	E V number	Addr	CONTRACTOR OF THE PARTY OF THE	the state of the s
	sion expires 16 Jun, 1990.	Tolo:	Grantsville	WV 26147
(V) M	I Phase	rere	phone 354-6245	
Notary Pub State of	Slic, Callen County,			10/06/2023
	The second secon			

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-l2a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book Page
M.C. Yoak, et al	I.V. Yoak	1/8	57 146
H.B.&Grace Brown	I.V. Yoak	1/8	57 149
Ben Gittleman et al	I.V. Yoak	1/8	57 151

FORM IV-60 (6-82)



DATE: 28	September	19 84
OPERATOR'S	DOD O CHID OLI	
WELL NO .:	Six	

API NO: 47 - 013 -

State County Permit No.

State of Mest Nirginia

OFFICE OF OIL AND GAS DEPARTMENT OF MINES

AFFIDAVIT

State of West Virginia
County of Calhoun
(the designated owner or operator, or authorized representative thereof), after being duly sworn, do depose and say that the undersigned is authorized by the owner of the working interest in the well permit application to which this affidavit is attached do state that (he, she, or it) shall tender to the owner of the oil and gas in place not less than one-eighth of the total amount paid to or received by or allowed to the owner of the working interest at the wellhead for the oil or gas so extracted, produced, or marketed before deducting the amount to be paid or set aside for the owner of the oil or gas in place, or all such oil or gas to be extracted, produced, or marketed from the well. West Virginia Code 22-4-11(e) (1982).
Signed: Ivy Von Yoak Quyl Joak
Taken, Subscribed, and sworn to before me this28 day of Sept, 19 84 .
Notary: Bachard J. Morris
My Commission Expires: 16 June 1990

AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

STATE OF West Virginia COUNTY OF Calhoun :
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of— (1) Notice on Form IV-2(A)X / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B)X / Form IV-3(B) / Form IV-4(B) / (3) Plat showing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. Six located in Sherman District, Calhoun County, West Virginia, upon the person or organization named
Edwin N. Bowe
by delivering the same in Calhoun County, State of WV on the 25 day of September , 19 84 in the manner specified below.
[COMPLETE THE APPROPRIATE SECTION]
For an individual: [X] Handing it to him X / her / or, because he / she / refused to take it when I offered it, by leaving it in his / her / presence.
[] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to gi it to the person to be served as soon as possible.
For a partnership: [] Handing it to partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership: [] Handing it to the general partner, named
For a corporation: [] Handing it to the corporation's employee / officer / director attorney in fact / named
Ivy Von Yoak (Signature of person executing service)
Taken, subscribed and sworn before me this 25 day of September, 1984. My commission expires 16 June 1990 Richard J. Morris
Notary Public
ARTELY CLAS IT MOTADIZED IT DUTCHDE IMP CLASE)

IV-9 (Rev 8-81)

DATE 28 Sept 84 WELL NO. Six API NO. 047 - 013 -3795


DESIGNATED AGENT TUY VON YORK

Side of Mest Airginia Bepartment of Mines Bil and Gas Zivision


CONSTRUCTION AND RECLAMATION PLAN


Address POB 149 GRANTSville WV 26147 Address Same

Telephone 354 6245	Telephone Same
LANDOWNER Fdwia N. Bowe	SOIL CONS. DISTRICT LK
Revegetation to be carried out by Monris	The state of the s
This plan has been reviewed by Sittle	Kanouha SOD. All corrections
and additions become a part of this plan: 7	124/84
Wa.	wolfell hallinger
ACCESS ROAD	LOCATION
Structure Diversion Ditch (A)	Structure Diversion Ditch (1)
Spacing.	Material Carther
Page Ref. Manual Sr J Surl 2 P71:9	Page Ref. Manual S., I Switch 2, P71:9
Structure DECENVED (B)	Structure Division Ditch (2)
Spacing	Material Corther
Page Ref. Manual SEP 2 6 1984	Page Ref. Manual P. 2-12
Structure OIL & GAS DIVISION (C)	structure Pit Site (3)
Spacing DEPT. OF MINES	Material Carth
Page Ref. Manual	Page Ref. Manual A - 11
commercial timber is to be cut and stacked of cut and removed from the site before dirt we REVERTA	ork begins.
Treatment Area I	Treatment Area II
Lime Tons/acre	Lime Tons/acre or correct to pH (.5
or correct to pH 6,5 Fertilizer 500 lbs/acre	Fertilizer 500 lbs/acre
(10-20-20 or equivalent) Mulch / 5 Tons/acre	(10-20-20 or equivalent) Mulch /.5 Tons/acre
Mulch /.5 Tons/acre Seed* Occhard Grass 40 lbs/acre	Mulch 1.5 Tons/acre Seed* Orchard Grass 110 lbs/acre
- Annual Rye 20 lbs/acre	Annual Rive 20 lbs/acre
Tall Fescue 10 lbs/acre	Tall Fracus 10 lbs/acre
*Inoculate all legumes such as vetch, treformoulate with 3% recommended comount.	
ELAN CONTRACTOR OF THE PROPERTY OF THE PROPERT	PREPARED BY Richard T. MORGINO23
NOTES: Please request landounem'	ADDRESS POB 372
seedling for one growing season. Attach separate sheets as	GRantsville WV 26147
necessary for comments.	FHONE NO. 354 6120,6017, 7259



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.







1)	Date:	Sent		, 19
2)	Operator's Well No.	Six		
3)	API Well No.	47	013	
		State	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

	C	IL & GA	AS DIVIS	SION	A	PPLICA	TION FOR A WEI	L WORK PERMIT	,	
4)	DE	PE: A O	of M	INES	7					
		B (I	f "Gas",	Production	1		/ Underground	storage	/ Deep	_/ Shallow/)
5)	LOCATION	N: Ele	evation: _	8381			Watershed: _	Steer Cr	eek	
		Dis	strict:	larmar			County:	Lhoun	Quadrangle:	illstone 7.5
6)	WELL OPE	ERATOR	VY VC	m Yos	alc.			7) DESIGNATEI	AGENT TVV V	on Yoak
	Address		'aVaBa					Address	Bane	
		(irants	ville	e, WV	261	47			
8)	OIL & GAS			BE NOTIF	FIED			9) DRILLING CO		D- T
	Name	reo ma	(Ce		449			Name Mor	ris vil a G	as Co. Inc.
	Address	BAL	id hac	lge, b	Y V			Address	P.O.B. 267	- LUE OCALE
									Grantsvill	e, WV 26147
10)	PROPOSE	D WELL	WORK:	Drill	X	_/ Dril	l deeper	/ Redrill	/ Stimulate	/
				Plug of	f old	formatio	n/ Perfor	ate new formation		
11)	GEOLOGI	CAL TAR	GET FOR	MATION	<u>B1</u>		jun Sandst			
	12) Estima					A STREET WATER BOTTOM	feet			
	13) Approx	ximate trat	a depths:	Fresh, _	77		feet; salt	, 1200	feet.	
	14) Approx	kimate coa	l seam dep	ths:	ione		Is co	al being mined in the	e area? Yes	/ No/
15)	CASING A	ND TUBI	NG PRO	GRAM						
	SING OR BING TYPE		SPEC	IFICATIONS Weight			FOOTAGE I	NTERVALS	CEMENT FILL-UP OR SACKS	PACKERS
10	BING TIFE	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Cond	ductor	16"				X	30'	301		Kinds
Fresh	water	103/4				X	275	275	CTS	
Coal	Int.	8"				X	9001	0	Shoe	Sizes
Inter	mediate	7"	J	17#		X	18001	0	Shoe	
Prod	uction	4.5	erw	10.5	X		1920	1920	to Salt Sa	Depths set
Tubi	ng									
Line	rs									Perforations:
										Top Bottom

The law requires a comment period for surface owners. However, the permit can be issued in less than 15 days from the filing of the Application if the surface owner(s) of record sign(s) the following "Voluntary Statement of No Objection" on a facsimile of this surface owner's copy of the Application.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners on the reverse side of this Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on those materials.

(For execution by corporation, partnership, etc.)	(For execution by natural persons)	
NAME:	Jown h Dowl (Signature)	Date: 9-25-84
Ву		Date:
ItsDate	(Signature)	

INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Article 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil erosion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.

(Continue on reverse side)

IV-35 (Rev 8-81)





OIL & GAS DIVISION State of Mest Hirginia
DEPT. OF MINES Department of Mines

Gil und Gas Bivision

Date April 8, 1985
Operator's
Well No. 6
Farm O.C. Bennett
API No.47 - 013 - 3795

WELL OPERATOR'S REPORT
OF
DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE:	Oil /	Gas x /	Liquid	Injection	/ Waste	Disposal	/
	(If "Gas,	" Product	ion X /	Underground	Storage	/ Deep	/ Shallow X

LOCATION: Elevation: 8381 Watershed S			and the same of th	wha
District: Sherman County Cal				
COMPANY Yoak Gas Company				
ADDRESS P.O. Box 1/19. Grantsville.W.W.	Casing	Used in	Toft	Cement
DESIGNATED AGENT Ivy Von Yoak	Tubing	Drilling		fill up Cu. ft.
ADDRESS Box 149, Grantsville, W. Va 26147	Size		TII WELL	Cu. IL.
SURFACE OWNER Edwin N. Bowe	20-16	00	00	
ADDRESS Stumptown, W. Va 25280	Cond.	273	270	100 Sks
MINERAL RIGHTS OWNER F.F. McIntosh Hrs.	9 5/8	00	00	100 DAS
ADDRESS Spencer, W.Va 25276	8 5/8			
OIL AND GAS INSPECTOR FOR THIS WORK Deo	7	701	00	
Mace ADDRESS Sand Ridge, W. Va	5 1/2			
PERMIT ISSUED October 10, 1984	District on the Control of the Contr	1942	1942	80 Sks
DRILLING COMMENCED October 22, 1984	4 1/2	ada Thefran	1746	OU DAS
DRILLING COMPLETED February 4. 1985	2			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used			
GEOLOGICAL TARGET FORMATION Big Injun		Dept	h 1880-	1923 fee t
Depth of completed well 1947 feet				
Water strata depth: Fresh65;320' feet;			-	
Coal seam depths: None	Is coal	being mine	ed in the	area? No
OPEN FLOW DATA				
Producing formation Big Injun	Pas	z zone dent	h 1880	1807 foot
Gas: Initial open flow Show Mcf/d	the state of the s		The second second second	
Final open flow 57 Mcf/d				
Time of open flow between init				
Static rock pressure 100 psig(surface		_	The same of the sa	
(If applicable due to multiple completion		,		/06/2023
Second producing formation None		zone dept		
Gas: Initial open flow Mcf/d			Committee of the second	
Final open flow Mcf/d				
Time of open flow between init				
Static rock pressurepsig(surface				

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Four .39 Dia. holes 1893-1896 Six .39 Dia. holes 1913-1918 Used 30,000# 20-40 mesh sand, 450 Bbl Freshwater, 200 1000 gallons 28% Acid.

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Red Rock Soapstone Slate Sand Slate Sand Slate Sand Slate Red Rock Slate Slate & Shell Sand Slate Red Rock Slate Sand, lst Salt Slate Sand 2nd Salt Slate Sand 3rd Salt Slate Sand , 4th Salt Slate	0005255558002050620953815705075304 113568602050620953815705075304 112123333334445666789901123560 11235604	10052555558020506209538157050753048999538157050753040 1135686020506209538157050753048999538157050753040 112350040 112350040	Show of Gas 1530-40 Show Oil

(Attach separate sheets as necessary)

Well Operator	
	10/06/2023
y:	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Four .39 Dia. Holes 1893-1896 Six .39 Dia. Holes 1913-1918 Used 30,000# 20-40 mesh sand, 450 Bbl Fresh Water, 1000 Gallon 28% Acid

WELL LOG

TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
1630 1710 1727 1738 1748 1750 1845 1880	1710 1727 1738 1748 1750 1845 1880 1925 1947	Show Oil 1660-1675 1675-1685 1700-1710 Show Oil-Gas at 1880-97 Total Depth 1947
	1710 1727 1738 1748 1750 1845 1880	1710 1727 1727 1738 1738 1748 1748 1750 1750 1845 1845 1880

(Attach separate sheets as necessary)	
Yoak Gas Company	į.
Well Operator	1
By: July V. Yoak	10/06/2023
Date: 4-8-85	0

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including that, encountered in the drilling of a well."

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 13-3795	Markey was some	agair saine - Fri	Oil o	Gas Well	Strate.
Company Gray York	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACK	ERS
Address	Size		. 1 . 8 . 3 . 5 . 10 . 10		
Farm Bowe	16		oda waxa ila sa	Kind of Paci	cer
Well No.	13				
District Sherman County Cal	81/4			Size of	
Orilling commenced 15-19-84	6%	agenistas kodekt		Depth set	
Orilling completedTotal depth	5 3/16				
Date shotDepth of shot	2	Lead the control of the control of		Perf. top Perf. bottom	
nitial open flow/10ths Water inInch	Liners Used	and the second section	or the state of th	Perf. top	
pen flow after tubing/10ths Merc. in Inch				Perf. bottom.	A AM TO STATE
olumeCu. Ft.	CASING CEMEN	TED	_SIZE	No. FT.	Date
ock pressurelbshrs.	NAME OF SERV				
bbls., 1st 24 hrs.	COAL WAS ENC	OUNTERED	AT	FEET	INCHES
esh waterfeetfeet	FEET	INCHI	ES	FEET	_INCHES
lt waterfeetfeet	FEET_			FEET	
rillers' Names Monis 086	Spudd	ler			
marks:					
Spud today.					

10-19-84

Qu May 6/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS						
FARM	DISTRICTCOUNTY								
Filling Material Used	71 71 33 Y								
Liner Loc	cation	Amount	Packer	Location	ner Street				
PLUGS USED A	ND DEPTH PLACED		BRIDGES						
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	G AND T	T			
				RECOVERED	SIZE	LOST			
					gi gasang t	Commenter			
	, hammany ex ex ;		A second of the second	- January		en			
				A Print State of Party Committee	*				
naced was				1 1 to 1	· · · · · · · · · · · · · · · · · · ·				
				Les La La La					
	Section and and section assessment				ar ar .				
25 i. x 2									
rillers' Names				-					
emarks:						Andrew Comment			
inestago option district in their closes (" the dioposition") of separation of		W. A.							
a telephone and seems	property of			and the second of					
and the second s									
			e well on this date.						

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



1000 1 - 1304

OIL & GAS DIVISION

DEPT. OF MINES

INSPECTOR'S WELL REPORT

No. 13-3795	Oil or Gas Well			
My York	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
	Size		ma see el el el	
Bome	16		4 1 1 N 10 10 10 15 1	Kind of Packer
	13			
our County Cal	81/4			Size of
ed	65/8			Depth set
Total depth	5 3/16			
Depth of shot	3			Perf. top
/10ths Water inInch	Liners Used			Perf. bottom
g/10ths Merc. inInch			:	Perf. bottom
Cu. Ft.	CASING CEMEN	TED	0100	
lbshrs.	NAME OF SERV			No. FT.
bbls., 1st 24 hrs.	COAL WAS ENG	And the second	0 0 0 1 0 1 1 2 2 2 0 V	The State and State A. C.
65			and the field to the ser	FEETINCH
	FEET	INCHE	SI	EETINCH
feetfeet	FEET_	INCHE	SF	EETINCHI
Dich Monis-	Soudeles			
	vace			
60' today, working o	laces ent			

10.29.84

Des Mace 10/06/2023

A PERMITS JOHN MINTER

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No				W	ell No.		
COMPANY			ADDRESS	4, 52.	and the same of the same		
FARM	And the second second	DISTR	ICT	COUNTY			
Filling Material Used		4, 62	man and the second seco		A MAN AS THE STATE OF THE STATE OF		
			72.0°				
Liner Lo	ocation	Amou	nt Packer	Location			
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE LOST		
				Are the resource of the second	man a second of the		
See tog.							
and the second second second				er en			
and the second s					er applie		
g and an account of the first o							
	. Serena in turner or the confi						
	· Seeding Control of the Control of		and the second s				
rillers' Names							
			gaggia and a second		and the state of t		
emarks:		Agricultura de la Principal	and the part of th		The second secon		
					ാനായ ക്രയ്യാന് വർത്		
makes and the second se							
	*1						
DATE	i hereby certify I	visited the a	bove well on this date.				
				bla	Tr 10/06/2023		

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

INSPECTOR'S WELL REPORT DEPT. OF MINES

rmit No. 13-3795				Oil or Gas Well		
mpany Shuy Yeak	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS		
dress	Size				-	
m Bawe	16	STE		Kind of Packer_		
II No	13					
crice Shermen County Cal	81/4		44.90	Size of		
ling commenced	6%			Depth set		
ing completedTotal depth	5 3/16					
S. G. M. C. State S. M. M. State Sta	3			Perf. top		
shotDepth of shot	2			Perf. bottom	_	
open flow/10ths Water inInch	Liners Used			Pert. top	-	
flow after tubing/10ths Merc. in Inch				Perf. bottom	yo.	
Cu. Ft.	CASING CEMEN			No. FT.	Da	
bbls., 1st 24 hrs.	COAL WAS ENO	COUNTERED	AT	FEETINC	HE	
waterfeetfeet	FEET_	INCHE	cs	FEETINC	HE	
nterfeetfeet	FEET	INCHE	s	FEETINC	IE	
s' Names Morris OX f	Spudo	lu			* 1	
ks:			0	10 11 1		
270' of 10" casing, 10	OO SKS C	emut,	Dowel		8	

11.1.84

De Mar 106/2023

with the state of the state of

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY	ADDRESS						
FARMDISTRICT				COUNTY		to help the existing	
Filling Material Used	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				α,		
			And a second				
Liner Loca	ocation Amou		t Packer	Location			
PLUGS USED AN	AND DEPTH PLACED		BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST	
						eng men s	
in the second second						3000	
		3.500 100					
		and the second s					
	and the second						
				de Com-			
rillers' Names							
	. 5 1			1		an ago ago à '	
emarks:		The same of the sa					
	hereby certify I vi	sited the abov	ve well on this date.				
DATE			0.000				

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OFFICE OF OIL AND GAS
CHARLESTON 25305
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT



Company: YOAK, IVY V Farm: BOWE, EDWIN N.

Well: 6

Permit No. 47- 13-3795 County: CALHOUN

(10-10-84)

In Compliance JAN 1 4 1986

Mare	nescription	165	140
23.06	Notification prior to starting work	DIE 800 NOT BEE BEE FOR BOX 800 SEC FOR 800 S	100 the ten ma Mar 241 File den 5121 Sex 241 Tel 102 File des
	Prepred before drilling to prevent waste	*** *** *** *** *** *** ***	100 184 125 104 107 184 188 208
	High pressure drilling	And 100 000 the Con \$4. Cot 100 Pine	\$60 FO- 0-1 Per 214 Any 215 May 550
	Required permits at wellsite		
	Adequate Fresh Water Casins		100 100 -00 -00 -00 -00 May 100 000 000
15.02	Adequate Coal Casing	AUG SEED SEED SEED SEED SEED SEED SEED SEE	Dod 500 con 500 750 500 500 500 500
15.01	Adequate Production Casins		10.0 mm 14.0 10.0 10.0 10.0 mm 1000 1000
15.04	Adequate Cement Strensth		*** *** *** *** *** *** *** *** *** **
15.05	Cement Type		MAY 100 100 100 100 100 100 100 MAY
23.02	Maintained Access Roads		
25.01	Necessary Equipment to Prevent Waste	188 188 188 188 188 188 188 188 188 188	100 -00 100 100 -01 -02 -02 000 Mb
	Reclaimed Drillins Pits		DO 50 80 00 BA BU WA BO NO
	No Surface or Underground Pollution	*** *** *** *** *** *** *** *** ***	190 100 -81 150 107 703 108 800
23.07	Requirements for Production & Gathering Pirelines		*** *** *** *** *** *** *** ***
	Well Records on Site		194 -NE 184 154 164 164 166 566 556
10.02	Well Records Filed Identification Markinss		\$214 EVAN \$850 AFRE \$500 \$100 ARRA \$550 ARRA \$550
	Identification usikinss	1808 1819 1815 1818 1918 1818 1818 1818 181	100 -000 -000 -000 100 150 100 1000

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED:

SIGNED LIN Mare

DATE 1-10-86


Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above well will remain under bond

coverage for the life of the well.

Administrator

January 27, 1986

Date





Company: YBAK: IVY V Farm: BOME, EDWIN N. Well: &

Permit No. 47- 13-3795 CountylCALHOUN

In Compliance

Description 28,06 Notification prior to starting work 25.04 Propred before drilling to prevent waste 25:03 High pressure drilling 16.01 Required remmits at wellsite 15:03 Adequate Fresh Water Casing 15.02 Adoquate Coal Casing 15.01 Adequate Production Casins 15.04 Adequate Cement Strensth 15.05 Cement Ture 23.02 Maintained Access Roads 25.01 Necessary Equipment to Prevent Weste 23.04 Reclaimed Drilling Pits 23.05 No Surface or Underdround Pollution 23.07 Requirements for Production & Dathering Pirelines _____ 16.01 Well Records on Site 16.02 Well Records Filed | Identification Markings

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED:

Your well record was raceived and raclamation requirements arrroved. In accordance with Charter 22: Article 4: Section 2: the above well will remain under bond coverage for the life of the well.

Administrator

edefi

