FORM IV-2(A) 1) Date: September 18
2) Operator's
Well No. 1041 Obverse [8-83]3) API Well No. 47

__,1984

013 3817 State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

	DIM FACTORIAN OF FILLIES,	OFFICE OF OIL & GAS
	NOTICE OF APPLICATION F	OR A WELL WORK PERMIT
) SURFACE	OWNER(S) OF RECORD TO BE SERVED	
(i) Name		5(i) COAL OPERATOR UNOPERATED Address
Addre	Homer Wilson ess 2707 Lenore St.	Audress
·	Parkersburg, W.V. 26101	5(ii) COAL OWNER(S) WITH DECLARATION ON RECORD
(ii) Name		Name UNKNOWN
Addre	SS	Address
iii) Name		Name
Addre	SS	Address
		5(iii) COM I PROTECTION
		5(iii) COAL LESSEE WITH DECLARATION ON RECORD:
		Address
		That ess
	TO THE PERSON(S) NAMED ADDRESS. Was a 111	
	(1) The Application for a Well West P	we received this Form and the following documents:
	to be plugged, which sets out the p	mit on Form IV-2(B) (or Form IV-4 if the well is earties involved in the drilling or other work,
	cementing program:	and, if applicable, the proposed casing and
	(2) The plat (surveyor's man) shoring to	
	plug a well), which sets out the pl	an or form IV-9) unless the well work is only to
	access	LOGI.
	WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" OF	IS THAT YOU HAVE RIGHTS RECARDING THE APPLICATION N THE REVERSE SIDE OF THE COPY OF THE APPLICATION
	(FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU.	HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY
	Take notice that under Chanter 22 -5	
	for a Well Work Permit with the Administrator Department of Mines, with respect to a well a and depicted on attached Form M. (or of the Office of Oil and Gas, West Virginia at the location described on attached Application of this Notice, the Application, the plat, and the mailed by registered or certified mail or delivered
	6) EXTRACTION RIGHTS	cours stall
	Check and provide one of the fall-	
	Included is the lease or leases or other	78 000
	I hold the right to extract oil or go. The requirement of Code 22-4-1-(c)(1) +1	
	7) ROYALTY PROVISIONS	
	Is the right to extract produce and	the oil or gas based upon a lease or leases ZZ ZZ
	for compensation to the owner of the	well loyalty or any similar provision
	to the volume of oil or gas so extracted, p	produced or marketed? Yes No XX
	If the answer above is No, nothing	
	you may use Affidavit Form IV-60.	accitional is needed. If the answer is Yes,
	See the reverse side for line item inc	traction and a second
	the required copies of the Notice and Reclamation Plan.	Application, plat, and Construction and
The truth	of the information on the	
Notice and	Application is verified	WEIL
and sworn t	to and the Notice is	OPERATOR Sterling Drilling & Prod. Co., Inc.
signed on b	pehalf of the Well Operator	
in my Count	y and State by	By Harry & Seger
	Harry L. Berger, Jr.	Its Designated Agent /
his 18 day	of September , 1984.	Address 710 Virginia St., E.
My gammi	ssion expires May 10 , 1989 .	Telephone 342 - 0121
& auza	1) M. Globania	
Notary P	ublic, Kanawha County,	12/01/2023

County,

State of West Virginia

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20:
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.


Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc	Grantee, lessee, etc.	Royalty	Book Page
James E. Duskey 1326 Broadway Ave. Parkersburg, W.V. 26101	Sterling Drilling and Production Co., Inc.	1/8	14/466
Dollie Gillespy			
Jessie E. Husk			
Edna Kingsbury			
Ruby Parrish			
Mont Dusky			
Grace Elmore			
Tensie Dusky			
Faustine McCartney			
Elva Wilson			
			1010110



P 522 RECEIPT FOR CERTIFIED MAIL NO INSURANCE COVERAGE PROVIDED. 056 726 P 522

NO INSURANCE COVERAGE PROVIDED-ECEIPT FOR CERTIFIED MAIL

NOT FOR INTERNATIONAL MAIL

994

056 724

10.35 P **52**2

056 725

RECEIPT FOR CERTIFIED MAIL

RECEIPT FOR CERTIFIED MAIL 056

NO INSTIRANCE COVERAGE PROVIDED-NOT FOR INTERNATIONAL MAIL 727

> 984 P **52**2 RECEIPT FOR CERTIFIED MAIL 056 728

NO INSURANCE COVERAGE PROVIDED. NOT FOR INTERNATIONAL MAIL

PS Form 3800, Feb. 1982

OIL & GAS DIVISION

DEPT. OF MINES

1036 522 NSURANCE COVERAGE PROVIDED-NOT FOR INTERNATIONAL MAIL

(See Reverse)

	1000 100707	
	Sent to ERNEST MCCOS Street and No.	′
	P.O., State and ZIP Code MT. ZION, W.V.	2651
	Postage _	\$
	Certified Fee	
	Special Delivery Fee	
	Restricted Delivery Fee Return Receipt Showing	
,	to whom and Date Delivered Return Receipt Showing to whom,	
982	Date, and Add as HA	
eb. 1	TOTAL ostal and Family Posto VK or Date	5
PS Form 3800, Feb. 1982	TO TO CO	
orm 3	25301 11	
PS Fe	4 " "	

1041 056 722 RECEIPT FOR CERTIFIED MAIL

INSURANCE COVERAGE PROVIDED-

NUT FOR INTERNATIONAL	MAIL	
(See Reverse)		7
Sent to HOMER WILSON		4
Street and No. 2707 LENORE 5	7-	
PO., State and ZIP Gode PARKERS BURG, W.		
Postage	\$	
Certified Fee		
Special Delivery Fee		
Restricted Delivery Fee 12	01/202	3
Return Receipt Showing benevite Detailed bnt mode of		
Return Receipt Showing to whom, Date: 3 CHAR ery		
TO AL Postage and F	\$	
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
(3) * WO. 3		
12 2 W		

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Perforations:

1st Stage- 26 holes 4300'-5025'

2nd Stage- 20 holes 3546'-4148'

3rd Stage- 18 holes 2627'-3384'

Treatment:

1st Stage- 850 gals.15% HCl; 1,715 MSCF $\rm N_2$ 2nd Stage- 850 gals.15% HCl; 1,500 MSCF $\rm N_2$ 3rd Stage- 950 gals.15% HCl; 1,400 MSCF $\rm N_2$

WELL LOG #1041

FORMATION COLOR HARD	OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all freshand salt water, coal, oil and gas
Sandstone and Shale Salt Sand Shale Salt Sand Sandstone and Shale Little Lime Pencil Cave Big Lime Big Injun Silty Shale Sunbury Shale Berea Siltstone and Shale Shale Siltstone Shale Siltstone Shale Total Depth		0 1548 1613 1675 1757 1880 1913 1916 2058 2067 2395 2418 2421 2774 4848 4940 5061 5094 5135	1548 1613 1675 1757 1880 1913 1916 2058 2067 2395 2418 2421 2774 4848 4940 5061 5094 5135 5135	Top of Java Formation @ 4661' Top of Angola shale @ 4882'

(Attach separate sheets as necessary)

Sterling Drilling and Production Co., Inc. 1902
Well Operator 12/01/2023
By: Harry & Serger of
Date: 5-/22-89

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including cont. encountered in the drilling of a wall."

(Con

(Continue on revense side)

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. of MINES

DISTRICT WELL INSPECTOR

			(KII	ND)
Company Sterling	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address	Size			
Farm Duskey	16			Kind of Packer
Well No. 1041	13			
District Lee County Cal	81/4			Size of
Drilling commenced	6%			Depth set
Drilling completed 2-15-85 Total depth 5/25	5 3/16			
Date shotDepth of shot	32			Perf. top
Initial open flow/10ths Water inInch	Liners Used			Perf. bottom
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEMEN	TED	_SIZE	No. FTD
Rock pressurelbshrs.	NAME OF SERV			
Dilbbls., 1st 24 hrs.	COAL WAS END	OUNTERED A	T	FEETINCH
Fresh waterfeetfeet	1			FEETINCH
alt waterfeetfeet				EETINCHI
Prillers' Names Hunt	The second second	S manage as		A THE STREET STREET
emarks:			-	
322' 95/8" Colony, 115	SKS cemed,	Dow	, 2-1	10.85
2220' 7" " 175	(1- ×	0		3
5099' H'g" " - logging	hole To	en.		
2-13-85	THE LAW AND A	11	7	
RATE		11/	1. 11	7//12/11/2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

MOTERNA SAN A 10 INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS	The second second	Copper de la Company	1.46.31
FARM		DISTRICT	C	OUNTY	Z = 1 1 1 2	13%
illing Material Used					one of the second second	
iner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
				-		
						N. Series Services
						- 100
	1,		in all de		20 1 10 20 20 1 10 20	
			· · · · · · · · · · · · · · · · · · ·			16 (4.2)
rillers' Names				,	,	
			p			
Remarks:						
•						
	I handy wantifu I	visited the sho	ve well on this date.			

DISTRICT WELL INSPECTOR

IV-20 Obverse

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OFFICE OF OIL AND GAS CHARLESTON 25305 FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT



-Jun-85

Company: STERLING DRILLING Farm: WILSON, HOMER

Permit No. 47- 13-3817

In Compliance

County: CALHOUN

(11-1-84)

APR 2 3 1986

Rule	Description	Yes	No
23.06	Notification prior to starting work	ages and made solve solve man eight solve and	and the last calculate and place had been state and what who had the calculate and cal
25.04	Prepred before drilling to prevent waste	GON SANS SEET HERE STORT STORT SEED ACTOR	rden sints come parti Attis Sint rape Sinta Kalin
25.03	High pressure drilling		MAIN MAIN AND AND AND AND AND AND
16.01	Required permits at wellsite	Now have been been steel steel steel steel steel	and had then can can set that the set
15.03	Adequate Fresh Water Casins	000 007 108 the 800 601 100 the 600	dipo real tree also son milit site rises (FE)
15.02	Adequate Coal Casins	note that with this talk and you term don	can and and coas also refer to to you o'th
15.01	Adequate Production Casins	con ager and the sac and arbi but sho	son one one the sale out out; the tid
15.04	Adequate Cement Strength	THE LESS WAS THE REST LINE WAS LINE TOWN	come and note other and east were stre-
15.05	Cement Type	NOW HAVE WITH THE WITH WHICH WAS AND	there was about tarks while what wave trible
23.02	Maintained Access Roads	CON THE SAME AND ADD 1000 STO SEE	right mile of the last and who has may right
25.01	Necessary Equipment to Prevent Waste	May have seen door book out over time from	ALON JOHN PAIR STAY STAY WITH THE ABOU JOHN
23.04	Reclaimed Drilling Pits	SET SET THE SET SET SET SET SET SET	NAME AND THE OWN PARK AND THE PARK AND THE
23.05	No Surface or Underground Pollution	THE SERVICE STREET, THE STREET, THE STREET,	Make make cirts and that mail taken area virts
23.07	Requirements for Production & Gathering Pipelines		
16.01	Well Records on Site	With Mark 1977 2001 Add vices have filter acco.	and one and the circ art and are one
1	Well Records Filed	No. 100, 100, 100, 100, 100, 100, 100, 100	and the set the set we are the
7.05	Identification Markinss	other selfs have facilities units dead union when	
			CAME AND LANK LAND AND ADDR AND CAME LOSS

Well: DUSKEY 1041

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED:

SIGNED Des Mace

DATE 4-19-86

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above well will remain under bond

coverage for the life of the well.

Administrator

April 29, 1986

Date

CTATO DE MEST LEGGINIA DEPARTMENT DE MINES OFFICE DE DIL AND GAS ENAMALESTON 25305 L'UNAL INCESTION REFORT WENTITORS COMPTIANCE REFORT

PRINT HOME PRINT TO STARTING WORK.

10 Description Prior to Starting Work.

12 Description Prior to Starting Work.

13 Motification Prior to Starting Work.

14 Description Prior to Starting Work.

15 Description Prior Cash Waste Prior Prior Cash Waste Prior Cash Prior Prior Cash Prior Cash Prior P

and a do receive

100

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA)

	PRICE	UNDER	THE NATURA	L GAS POLICE	ACT (NGPA	1	
1.0	API well number: (If not assigned, leave blank, 14 digits.)	1	47	7 - 013 - 3	3817 -		
22	Type of cetermination being sought:						
	(Use the codes found on the front			107			
	of this form.)	i		Section of NGPA	Category Ca	ode	
10	Depth of the crepest completion						
	location: [Only needed if sections 103	1		51	135		
	or 107 in 2.0 above.)						
4.0	Name, address and code number of	i	1: - Duilli	ng and Produ	ction Co. In	C.	
	applicant: (35 letters per line	Ste	erling brilli	ng and Frodu	CC1011 CO. 21		018084
	meximum. If code number not	Name	vii-i- C+	East, Arcad	e Ruilding		Seller Coa
	aveilable, leeve blank.)			Last, Aread			
		Char	rleston,,WV 2	25301			
		Gry	1030011,	,	Stare	Zia Coo	
5.0	Location of this well: (Complete la)			1	0.014	20 000	
	or (b).1		Lee District				
	(a) For onshore wells	Field	Name	•	•		
	(35 letters meximum for field		Calhoun .		·		
	name.)	Count	γ .		State V!V		-
	(b) For OCS wells:						
		-				-	
		Year V	lame		. 13	Block Nume	oer .
	•	1 11					
•				Dete of Lame:			
		1	Mo	Day Yr.	0C5 Lesse	Number	
	Ici Name and identification number, .	i			00.00	Admos	
	of this wells. (35 letters and digits	Duske	y #1041				•
	Lmumixam)			•
	(d) If code 4 or 5 in 2.0 above, name	1					
	of the reservoir: (35 letters						
_	Lmumixam						
ا م	a) Name and code number of the purchaser. (35 letters and digits	1	d-1				
	meximum. If code number not	!	UNDED	CATED	7.		
	aveilable, leave blank,)	Name	ONDED	·			
(b) Care of the contract:	1	-				Buver Cade
				1 1 1	1 1 1 1		
		i		The state of the s	Cay Yr.		
(d Estimeted total annual production	!		10.5			
	from the well:	1		13.5		Million Cubic	Fret
				-	-		
					ाटा था		(d) Total of (a).
		i	(a) Bees Price	(b) Tax	1	Indicate .	(b) and (c)
1 0	entract price:	!			(+) or (-1.1	
	As of filing certs. Complete to 3	I S/MMBTU	5 9 8 2				
	earner craces	!					
. M	leximum lewrul rate:	1 .			i		
11	As of filing care. Complete to 3	SAMMETU	5 9 8 2		i	1	
CI	earnet claces		COLUMN T COLUMN				
1 2	erson responsible for this application:	i	12. 5	1			
			ry K. Berger.	Ur.		Designate	ed Agent
	Agency Use Only	Name	ture x	1 hours	& T	tie	
-	eceived by Juris. Agency	1 /	Tury X	130161	//		
ie F	MAY OO 100E	-	. /				
	MAY 2 3 1985	Senture	/	/	30/	1_120011	2023
	MAY 2 3 1985	May	21, 1985	/	-	1-12201/	2023

JUN 14 1985

DEPARTMENT OF MINES, OIL AND GAS DIVISION

COVER SHEET, STATE APPLICATION FOR WELL CLASSIFICATION
--

COVER SHEET, STATE APPLICATION FOR	R WELL CLASSIFICATION 47-013-3817
Date: May 21 .19 85 47550	AGENCY USE ONLY
Applicant's Name: Sterling Drilling & Production Co.	
Address: 710 Virginia Street, E. Arcade Bldg	
Charleston, WV 25301	850523 -1073-013 -3817
Gas Purchaser Contract No.	Use Above File Number on all
Date of Contract	Communications Relating to This W
(Month, day and year)	SDP #1041
First Purchaser:UNDEDICATED \$\textit{9}\$	Designated Agent: Harry L. Berger, J
Address:	Address: Sterling Drilling & Prod. Co
(Street or P.O. Box)	710 Virginia St., E. Arcade Charleston, WV 25301
(City) (State) (Zip Code)	
FERC Seller Code 018084 (Zip Code)	FERC Buyer Code
NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERN. BE ADDRESSED:	ING THIS APPLICATION SHALL
Name: Harry L. Berger, Jr.	Agent
Signature: Harry of Den	(Title)
Address: Sterling Drilling & Prod./ 710 Virginia St., E., Arca	Co., Inc.
(Street or P.O. Box)	
Charleston, WV (City) (State)	25301 (Zip Code)
(304) 342-0121	
· ·	
(Certificate of Proof of Service to Pyrcha	iser)
NGPA Catagory App	olied For
NGPA SECTION/SUBSECTION	
102 New Natural Gas 102-2 2.5 Mile Test	108 Stripper Well Natural Gas
102-3 1000 Foot Deeper Test	108- Stripper Well
102-4 New Onshore Reservoir	108-1 Seasonally Affected 108-2 Enhanced Recovery
103 New Onshore Production Well 103 New Onshore Production Well	108-3 Temporary Pressure Bui
107 High Cost Natural Gas	
107-0 Deep (more than 15,000 feet)	AGENCY USE ONLY
107-2 Coal Seams	Q
107-3 Devonian Shale 107-5 Production enhancement	
IU/-6 New Tight Formation	12/01/2023
107-7 Recompletion Tight Formation	

MAY 2 3 1985

OIL & GAS DIV. DEPT. OF MINES QUALIFIED

DEVONIAN SHALE CAMMA RAY LOG ANALYSIS APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT

	Operator: Sterling Drilling & Production Co. Agent; Harry L. Berger, Jr.
	Type Determination being sought - 107 (Days)
	API Well No.: 47-0/3-38/7 Well Name: #104/ Puskey
	West Virginia Office of Oil and Gas County: Calhoun References: SJA File No.
	Vol Page Line
	I. NOTE: A Gamma Ray Log has been marked with the (a) Shale Base Line, (b) a line representing 0.7 x (Shale Base Line), (c) intervals with Gamma Ray units less than 0.7 x (Shale Base Line) and that log is included with this analysis.
	II. Gamma Ray elevation indices:
	A. Shale Base Line (API Units)
	1. GR Value at Base Line = 160 * API Units 2. Remarks:
	B. Gamma Ray Log Value at 0.7 x Value at Base Line
	1. GR Value = $\frac{1/2}{2}$ * API Units 2. Calculation: 0.7 (GR Value at Base Line) 0.7 ($\frac{160}{2}$ *) = $\frac{1/2}{2}$ API Units
I	III. Intervals with GR index less than 0.7 x (Value at Base Line):
	Thickness Feet of less than* of Interval 0.7 (Shale Base Line Feet Feet
	2421' 5108 2687' 73
	Total Devonial Interval 2687
	otal Less Than 0.7 (Shale Base)
	Less Than 0.7 (Shale Base Line) = $0.027/ \times 100 = 2.7 \%$

^{*}Marked on log included with analysis.

**Top of Devonian Section Recorded on First Interval in this Column.

***Lesser of TD or Bottom of Devonian Section Recorded as last Interval in this Column.

Date May 21, 1985

DEPARTMENT OF MINES OIL AND GAS DIVISION Operator's

Well No. Duskey #1041


API Well No.

47 - 013 - 3817 State County Permit

WELL CLASSIFICATION FORM HIGH COST GAS WELL - DEVONIAN SHALE NGPA Section 107 .

	DESIGNATED AGENT Harry L. Berger, Jr.
	ADDRESS Arcade Building; 710 Virginia St., E.
•	Charleston, WV 25301
	LOCATION Elevation 978.01'
WELL OPERATOR Sterling Drilling & Production	
ADDRESS 710 Virginia Street, East	Dist. Lee County Calhoun Quad. Arnbh 7½'
Charleston, WV 25301	Gas Purchase Contract No.
.GAS PURCHASER UNDEDICATED	
ADDRESS	Meter Chart Code
	Date of Contract
* * * *	* * * *
Date surface drilling began: February	9, 1985
Indicate the bottom hole pressure of the w	well and explain how this was calculated.
Bottom Hole Pressure. PSIA Pf = Pwe XI	LGS
$t = 60 + (0.0075 \times 5/35) + 459.67 = 5$	$x = \frac{1}{53.34} \times \frac{558}{50000336} = \frac{.0000336}{.0000336}$
Pf = 8(0 x 2.7183 · 0000336 x 382	6 x .690 x 1.08 = 935 PSIA
AFF	FIDAVIT
described in subparagraph (3)(i) or (3)(ii) report described in subparagraph (3)(ii)(E of potentially disqualifying non-shale for percent of the gross Devonian age interval	ge of the producing interval which is not index of less than 0.7 if a Gamma Ray log (1)(A) has been filed, or as indicated by the (3); I have demonstrated that the percentage stage is equal to or less than five (5); and I have no knowledge of any information inconsistent with a conclusion that the well
STATE OF WEST VIRGINIA	
COUNTY OF Languha, TO-WIT:	
11 11 1	Public in and for the state and county
The state of the s	
the writing above, bearing date the 3/57	12/01/2023
acknowledged the same before me, in my cou	inty aforesaid.
Civen under my hand and official seal this	2/5 day of May, 1985.
My term of office expires on the 2774 day	of Octaber 1991.
OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGIN JOAnn K. Brook	VIA Stories

JoAnn K. Brooks





DATE 9. 15-84

State of Mest Mirginia API NO. 47

API NO. 47 - 013 - 38/7

OIL & GAS DIVISION
DEPT. OF MINES

Bepartment of Mines Gil and Gas Bivision

CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Sterling Drilling & Pr	od. CoD	ESIGNATED AG	ENT Sterling Drilling	& Pro
Address 360 Madison AveNY, NY				
Telephone (212) 682-0204			(304) 342-0121	
Revegetation to be carried out by St	erling		Prod. CoH.L. Berg Age	
This plan has been reviewed by			SCD. All corrections	
and additions become a part of this plan	1: 9/2			
	Kano	(SCD Agent	linsin_	
ACCESS ROAD			LOCATION	
Structure Colverts	(A)	Structure_	Diversion Ditch	(1)
Size 20 "		Material	Earthen	
Page Ref. Manual 2-8 Table 3		Page Ref. M	ianual 2-12	
Structure Drainage Ditches	(B)	Structure_	Rip-Rap	(2)
Location Roadside		Material_	Rock	
Page Ref. Manual 2-12		Page Ref. M	anual 2-9	
Structure Cross Drains - Roc	(C)	Structure		(3)
Spacing 200' for 11-15% 400' for 2-6%		Material		
Page Ref. Manual 2-8 Table 4		Page Ref. Ma		
All structures should be inspected r commercial timber is to be cut and sta cut and removed from the site before d	cked and	all brush ar	l if necessary. All nd small timber to be	
REVI	EGETATION			
Treatment Area I		Tr	eatment Area II	
Lime 2 Tons/acre		Lime	2 Tons/acr	е
or correct to pH 6.5 Fertilizer 500 lbs/acre	,	or correc Fertilizer		
(10-20-20 or equivalent)			500 lbs/acre ^o 0-20-20 or equivalent)	
Mulch Hay or Straw 2 Tons/acre	1	Mulch Hay or	Straw 2 Tons/acre	2
Seed* Ky-31 40 lbs/acre		Seed* Ky-31	#ø_lbs/acre	
La dino Claser 4 lbs/acre		Ladino	Clover 4 lbs/acre	
*Inoculate all legumes such as vetch, t Inoculate with 3X recommended amount.	refoil a	nd clovers w	lbs/acre 12/01/2023 ith the proper bacterium.	
	LAN PREPA	RED BY	R. L. X P 0.10	
NOTES: Please request landowners'			e 1, Box 30	
seedling for one growing season. Attach separate sheets as		Duck	, WV 25063	-
necessary for comments	DUON	E NO (304)	1 364 5780	

LEGEND INVOLVED TOTOGRAPHIC MAP IV-9 REVERSE Well Site QUADRANGLE 72 Arnoldsburg (REV 8-81) Access Road C-398-A 32H- 17568 # C 803 3"H-17124 300 C-165 C-1598 374-14769 2"H-178 186 G-2948 0-1636 H 12/01/2023 Barnes Run





, 19 84 September 18 James E. Duskey #1041 013 3817 013 47 3) AF Well No. Permit County State

STATE OF WEST VIRGINIA


						ent of mines, (DIL AND GAS DIVE	SION	
0	IL & GAS	DIVISI	ON		APPLIC	ATION FOR A W	ELL WORK PERMI	m	
4) WELL	FYPE: A	Oil	ON	Gas	X	,			
	" Bit	Oil Mil	Producti	on	X	Ma (I AA I) SM	OFFIGHOOD RV	and Decree and the second	
5) LOCAT	ION: E	levation:	978	.01'		Undergroun	d storage		_/ Shallow _X /)
	D	istrict:	Lee	35 M. B.		matcisiicu.	Dailles Kiin		RW 16
6) WELL C	PERATOR	Ster	ling D	rill.	ing &	Drod Co	Calhoun	Quadrangle:	7.5' Arnoldsburg y L. Berger, Jr.
Addre	ess 22	0 E	12nd S	+ '	33rd [7700. 60.,	I MC . DESIGNATE	DAGENT Harr	VI. Berger Jr
	Ne	w York	. New	Vorl	100	1001	Address	710 Virgin	ia St., E.
8) OIL & G	AS INSPEC	TOP TO	DE NOT	TOTA	100)1/		_ Charleston	, W.V. 25301
Name	Deo Mac	P	DE NOT	IFIED			9) DRILLING C	ONTRACTOR:	, Loodi
Addre		t. 1 B	ov 5	J 101 7	1000		NameU	NKNOWN AT THI	S TIMF
		andrid		V	15074		Address		
10) 5555				V	7. 64 75 7				
10) PROPOS	ED WELL	WORK:	Drill_		_/ Dril		/ Redrill	/ Stimulate	Y
			Plug o	ff old	formatio	n/ Perfo	rate new formation		~
			Other p	hysical	change i	n well (specify)	Tomation		
1) GEOLOC	GICAL TAR	GET FOR	MATION	, BR	OWN S	HALE			
12) Estim	nated depth o	of complet	ed well,	49	75	fee			
13) Appr	oximate trat	a depths:	Fresh,				t,	feet	
	oximate coal				0			e area? Yes	/ No X /
5) CASING						15 C	oar being inmed in the	alca: 1es	/ No/
CASING OR			IFICATION			FOOTACE	INTERVALS	N CEMENT PHEND	DA GWEDG
TUBING TYPE		SPEC	Weight	1			INIERVALS	OR SACKS	PACKERS
	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Conductor	0 5/0	1.0	00 "	· ·		2001	0001	T 0 0	Kinds
Fresh water	9 5/8	LS	33#	X		300'	300'	To Surface	NEHI
Coal							1 3 4 4 5		Sizes
Intermediate	7"	J-55	20#	X		2180'	2180'	100 sks	
Production	4 1/2	ERW	10.5#	X			4975'	250 sks	Depths set
Tubing			100			Taula Villa S	1770		
Liners									Perforations:
Emers									Top Bottom
		eller ma	ALL SER	7.44.2	YALL E	是 85分段和13人。	Harry IV Mark	1 P10 29% of 81 (6)	100 A 314 100 A 100 A 100 A
			4						
to the second second	erana i								
									A Company of the Comp
			1000	(e)c qt	pottant	OFFICE USE	ONLY	3000 000 000 000 000 000 000 000 000 00	- Panisap Esteria media
			1		San S	DRILLING P	ERMIT	Massambox	1 84
		1.7-0	013-38	17				November	19 047
						- 4		Dat	e e
Permit number							c	ted to drill in accordar	ace with the pertinent legal re-
	waring the v	vell opera	tor and w	ell locat	ion show	n below is evidence	e of permission grain	given to the District O	nce with the pertinent legal re- bil and Gas Inspector, (Refer to ttractor shall notify the proper
iramente su	hiect to the	Collattions	Communication			ittad w	in addition, the	well operator or his cor	il and Gas Inspector, (Refer to htractor shall notify the proper
No. 8) Prior	to the constr	uction of	roads, loc	ations a	na pits i	work has commen	ced.)		or I am the
district oil and	d gas inspect	or 24 nou	is before	actual	. "	ion plat and recla	mation plan, subject	to any modifications a	and conditions specified on the
The permitted	work is as	described	in the Not	ice and	Applicat	ion, plat, and rees			and conditions specified on the
reverse hereof	f.	ovembe	r 1. 1	1986		unless w	vell work is commence	ed prior to that date and	l prosecuted with due diligence
Permit expires	SN	Ovembe	1 -,	100					
							1000		1
Bond:	Age	ent:	Plat:	Ca	sing	Fee	7 1		Lengens.
11/0	100	11	15	1	5	2888	NIG	a spote	1 lasse
148	m	U	1	1		1000	// /w	gau.	211 1 C-2 1122 1132 1
						· · ·	A	ininistrator, Office of	
				nd at th	e drilling	location.			File
NOTE: Ke	ep one copy	of this pe	rmit poste	d at th	C di illing	THE PROPERTY OF		to the well operator.	
		5	ee the rev	erse sid	e of the	APPLICANT'S CO	DPY for instructions	to the well operator.	12/01/2023

FORM	IV-2(B)
Reverse	

0

Reason:

FILE COPY



OIL & GAS DIVISION

OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

OFFICE USE ONLY

This part of Form IV-2(b) is to record the dates of certain occurrences and any follow-up inspections.

Da	
Application received	Follow-up inspection(s)
Well work started I rednevot	THE PERMIT
Completion of the drilling process	A7-013-3317 " on matter a section to well of ander not well access on angels below a section on permission as a continuous method backs on an the reserve hereof and on the reserve hereof and on the continuous and the section of th
di no suma di	f. beau aritimes and a superior and a reflection of the superior and the s
eclamation completed	
THER INSPECTIONS	new meet november 1, 1986 unless eller 1 scotter
Reason:	R & Colon Land Land