



Company Creed Banker
 Address Grantville, W. Va.
 Farm Hornet + Dice Robinson
 Tract _____ Acres 150 Lease No. _____
 Well (Farm) No. 1-2-3 Serial No. _____
 Elevation (Spirit Level) 990-995-905
 Quadrangle Annoldsbung
 County Calhoun District Sherman
 Engineer Halley Dexter
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date 6-3-48 Scale 1" = 30' holes

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. CAL-242-A-#1
~~CAL-243-A-#2~~
CAL-246-A-#3

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



412

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 946 A

Oil or Gas Well Gas (KIND)

Company Creed Barker
Address Grantsville, W. Va.
Farm Homer & Dice Robinson Acres 150
Location (waters) Big Run
Well No. 1255X 3 Elev. 925
District Sherman County Calhoun
The surface of tract is owned in fee by Homer & D. Robinson
Address Staten, W. Va.
Mineral rights are owned by Homer & Dice Robinson
Address Staten, W. Va.
Drilling commenced _____
Drilling completed May 1, 1921
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ ? _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10	227		Size of
8 1/2	938		
6%	1966	1966	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
No record			0	1030			
Sand	Dark	Soft	1030	1100			
Slate	Dark	Soft	1100	1170			
Sand	Light	Hard	1170	1292			
Slate	Dark	Hard	1292	1300			
D. Slate	Dark	Hard	1300	1320			
Sand	Light	Hard	1320	1350			
Slate	Dark	Soft	1350	1450			
Sand	Light	Hard	1450	1490			
Slate	Dark	Soft	1490	1695			
Sand	Light	Hard	1695	1760			
Slate	Dark	Soft	1760	1810			
Slate	Dark						
Sand	Dark	Hard	1810	1905			
Slate	Dark	Soft	1905	1912			
Lime	Light	Hard	1912	1954			
P. Cave	Dark	Soft	1954	1966			
B. Lime	Light	Hard	1966	2044			
Sand	Gray	Hard	2044	2064			
Injun Sand	Light	Soft	2064	2100	Gas	2082	
Slate	Dark	Soft	2100	2113			
			Gas in Keener sand at 2069				
			Keener shot 2069				
			Injun shot 2082				



