

New Location..   
 Drill Deeper.....   
 Abandonment.....

Company Oneed Banker  
 Address Oranthsville, W. Va.  
 Farm Eva D. Hathaway  
 Tract \_\_\_\_\_ Acres 2 1/2 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 859'  
 Quadrangle Arnoldsburg  
 County Calhoun District Sherman  
 surveyed by Holly Nespett  
 Engineer Donald W. Morris  
 Engineer's Registration No. 1653  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 2/13/56 Scale 1" = 100'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. CAL-332-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



489

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Arnoldsburg

WELL RECORD

Permit No. 23274 Oil or Gas Well Oil  
(KIND)


Company Creed Barker  
Address Grantsville, W. Va.  
Farm Eva D. Hathaway Acres 2 1/2  
Location (waters) Sycamore  
Well No. 1 Elev. 859  
District Sherman County Calhoun  
The surface of tract is owned in fee by Eva D. Hathaway  
Address Grantsville, W. Va.  
Mineral rights are owned by Eva D. Hathaway  
Address Grantsville, W. Va.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/2			
6 1/2	1830	1830	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced 1925  
Drilling completed 1925  
Date Shot 1925 From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil	Light	Soft	0	16			
Sand	Light	Hard	16	55			
Slate	Gray	Soft	55	82			
Sand	Light	Hard	82	130			
Slate	Gray	Soft	130	135			
Red Rock	Red	Soft	135	145			
Slate	Black	Soft	145	167			
Sand	Light	Hard	167	189			
Slate-Shells	Gray	Soft	189	310			
Sand	Light	Hard	310	333			
Slate	Gray	Soft	333	344			
Red Rock	Red	Soft	344	395			
Slate	Black	Soft	395	405			
Sand	Light	Hard	405	415			
Red Rock	Red	Soft	415	480			
Slate	Gray	Soft	480	525			
Red Rock	Red	Soft	525	544			
Slate-Shells	Gray	Soft	544	600			
Red Rock	Red	Soft	600	650			
Slate-Shells	Gray	Soft	650	695			
Sand	Light	Hard	695	708			
Slate-Shells	Gray	Soft	708	830			
Sand	Light	Hard	830	846			
Slate	Black	Soft	846	854			
Sand	Light	Hard	854	930			
Slate	Gray	Soft	930	975			
Salt Sand	Light	Hard	975	1110			
Slate	Black	Soft	1110	1135			
Sand	Light	Hard	1135	1150			
Slate-Shells	Gray	Soft	1150	1325			
Lime	White	Hard	1325	1355			
Slate-Shells	Gray	Soft	1355	1380			
Sand	Light	Hard	1380	1425			
Slate	Gray	Soft	1425	1429			
Sand	Light	Hard	1429	1438			
Slate	Gray	Soft	1438	1490			



JUNE 21 1955

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	Light	Hard	1490	1562			
Slate Break	Gray	Soft	1562	1567			
Sand	Light	Hard	1567	1642			
Slate	Gray	Soft	1642	1647			
Maxon Sand	Gray	Hard	1647	1745			
Slate	Black	Soft	1745	1750			
Lime	Light	Hard	1750	1815			
Pencil Cave	Dark	Soft	1815	1820			
Big Lime	White	Hard	1820	1910			
Slate	Blue	Soft	1910	1912			
Sand <i>B.I.?</i>	Light	Hard	1912	1949	Gas	1915-1920	
Slate	Dark	Soft	1949	1992	Oil	1940-1945	

Date \_\_\_\_\_, 19\_\_\_\_

APPROVED \_\_\_\_\_, Owner

By Greedy Barker  
(Title)