

New Location...
 Drill Deeper.....
 Abandonment.....

Company Creed Banker
 Address Grantsville, W. Va.
 Farm Carl Stancher
 Tract _____ Acres 38 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) 1200'
 Quadrangle Arnoldsburg
 County Calhoun District Sherman
 Surveyed by Holly Nesten
 Engineer Donald W. Morris
 Engineer's Registration No. 1653
 File No. _____ Drawing No. _____
 Date 3/12/56 Scale 1" = 300 ft

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. CAL-333-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



491

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Arnoldsburg

WELL RECORD

Permit No. 21374

Oil or Gas Well Oil

(KIND)

Company Creed Barker
Address Grantsville, W. Va.
Farm Carl Starcher Acres 38
Location (waters) Sycamore
Well No. 2 Elev. 1200
District Sherman County Calhoun
The surface of tract is owned in fee by Carl Starcher
Address Millstone, W. Va.
Mineral rights are owned by Proudfoot Heirs
Address Grantsville, W. Va.


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 1/2	2100	2100	Depth set
5 3/16			
3			Perf. top
2		2250	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced 1925
Drilling completed 1925
Date Shot 1925 From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil	Yellow	Soft	1	1 1/2			
Sand	Light	Hard	1 1/2	40			
Slate & Shells	Gray	Soft	40	60			
Lime	White	Hard	60	70			
Slate	Gray	Soft	70	100			
Lime	White	Hard	100	110			
Red Rock	Red	Soft	110	150			
Lime	White	Hard	150	175			
Red Rock	Red	Soft	175	200			
Slate-Shells	Gray	Soft	200	310			
Red Rock	Red	Soft	310	325			
Slate & Lime Shells	Gray	Hard	325	420			
Sand	Light	Hard	420	540			
Slate-Shells	Gray	Soft	540	645			
Red Rock	Red	Soft	645	690			
Lime	White	Hard	690	710			
Red Rock	Red	Soft	710	780			
Slate-Shells	Gray	Soft	780	805			
Sand	Light	Hard	805	840			
Slate-Shells	Gray	Soft	840	855			
Sand	Light	Hard	855	905			
Slate-Shells	Gray	Soft	905	955			
Red Rock	Red	Soft	955	975			
Slate & Shells	Gray	Soft	975	1050			
Slate	Black	Soft	1050	1062			
Slate	White	Soft	1062	1070			
Red Rock	Red	Soft	1070	1080			
Slate-Shells	Gray	Soft	1080	1125			
Sand	Light	Hard	1125	1140			
Slate-Shells	Gray	Soft	1140	1170			
Sand	Light	Hard	1170	1120			
Slate	Gray	Soft	1120	1140			
Sand	Light	Hard	1140	1160			
Slate-Shells	Gray	Soft	1160	1520			
Sand	Light	Hard	1520	1550			



JUNE 21 1956

(Over)

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Shale	Dark	Soft	1550	1590			
Sand	Light	Hard	1590	1625			
Slate-Shells	Gray	Soft	1625	1700			
1st Salt Sand	Light	Hard	1700	1750			
Slate-Shells	Gray	Soft	1750	1830			
2nd Salt Sand	Light	Hard	1830	1875			
Slate-Shells	Gray	Soft	1875	1920			
3rd Salt Sand	Light	Hard	1920	1973			
Slate	Black	Soft	1973	2000			
Maxon Sand	Gray	Hard	2000	2065			
Slate	Black	Soft	2065	2070			
Little Lime	White	Hard	2070	2100			
Pencil Cave	Black	Soft	2100	2109			
Big Lime	White	Hard	2109	2180	Gas	2200	
Injun Sand	Gray	Hard	2180	2256	Oil	2250	
Slate	Dark	Soft	2256	2270			

Date March 13, 19 56

APPROVED Creed Barker, Owner

By _____ (Title)