

New Location ..   
 Drill Deeper .....   
 Abandonment.....

Formerly Hope Natural Gas Co. Well No 6386

Company LURAY LAND, INC.  
 Address POINT PLEASANT, W. VA.  
 Farm WALTER T. SCOTT  
 Tract \_\_\_\_\_ Acres 68 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1018'  
 Quadrangle ARNOLDSBURG  
 County CALHOUN District CENTER  
 Engineer H. P. SUTER  
 Engineer's Registration No. 1805  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 13 APRIL, 1959 Scale 1" = 30 POLES

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. CAL-356-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WALTER T. SCOTT No. 1 (Hope) - LURAY LAND, INC. - CAL-356-A



508

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Amelsburg

Permit No. 256-A

WELL RECORD

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Hope Natural Gas Company  
Address Clarksburg, West Virginia  
Farm Walter T. Scott Acres 68

Location (waters) \_\_\_\_\_  
Well No. 6386 Elev. 1015  
District Center County Calhoun

The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_

Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced Aug. 10, 1923

Drilling completed Nov. 30, 1923

Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch

Volume \_\_\_\_\_ Cu. Ft.

Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.

Oil \_\_\_\_\_ bbls., 1st 24 hrs.

WELL ACIDIZED \_\_\_\_\_

WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	163'10"	163'10"	Size of
8 1/4	900'9"		6x2 anchors
6 5/8	1838'	1838'	Depth set 1860'
5 3/16			
3			Perf. top
2	2015'11"	2015'11"	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_


COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_


ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_

Fresh Water \_\_\_\_\_ Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
L Dunkard Sand			690	720	Gas at 1877-79 Gas at 1930-35 1950-63		
B Dunkard Sand			890	930			
1st Salt Sand			1220	1288			
2nd Salt Sand			1335	1425			
Maxon Sand			1725	1755			
Big Lime			1810	1915			
Injun Sand			1915	1963			
Total Depth				1993			



JUL 23 1959



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date March 5, 19 59

APPROVED LuRay Land, Inc., Owner

By Byron M. Finch  
Byron M. Finch (Title) Consultant