

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 08, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-1500478, issued to RANGE RESOURCES - PINE MOUNTAIN, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 8129

Farm Name: ELK RIVER COAL

API Well Number: 47-1500478

Permit Type: Plugging Date Issued: 12/08/2014

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Dat	Date October 15				20 14	
2) Ope	_					
Wel	1 No.	ERC&L	8129			
3) API	Well	No.	47-015		- 00478	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	ocation:	Ele	vation 1087'		Watershed Buffalo Creek
		Dis	trict Buffalo	V	County Clay Quadrangle Swandale 7.5' (22'
5) W	ell Opera	tor	Range Resource - Pine	Mountain Inc.	
	Addr	ess	P.O. Box 2136		Address 158 Big Sandy Rd
			Abingdon, VA 2421	2	Newton, WV 25266
3) 0	oil and Ga Name Ed		spector to be no er	tified	9) Plugging Contractor Name To be determined upon permit approval
	Address	P.O.	Box 821		Address
		Sper	ncer, WV 25276		
Ca	asing: TD-			Relea	ease packer & POH w/ 6 5/8" or free point & cut
	asing: TD- 5" 22	154		Released Set p	
Ca 16	asing: TD- 5" 22 0" 544 1/4" 122	154 4 (26	4' CTS	Released Set p Plug Free	plug with tubing & tag No. 1 TD - 1420 point, cut & pull 8 1/4" casing, est 1000'
16 10 8	asing: TD- 5" 22 0" 544 1/4" 122	154 4 (26	2TS 195 sks, ost T To 600',	Released Set possible Plug Free OC@100	ease packer & POH w/ 6 5/8" or free point & cut plug with tubing & tag g No. 1 TD - 1420 e point, cut & pull 8 1/4" casing, est 1000' OO' Plug No. 2 1050-950
16 10 8	asing: TD- 5" 22 0" 54- 1/4" 122 5/8" 15	154 4 (26 538,	195 sks, ost T To 600',	Released Set possible Plug Free OC@100	plug with tubing & tag No. 1 TD - 1420
16 10 8	asing: TD- 5" 22 0" 54- 1/4" 122 5/8" 15 Rec Office of	4 (26 538,	195 sks, est T To Goo', ed Gas	Released Set possible Plug Free OC@100 Plug Plug Free	ease packer & POH w/ 6 5/8" or free point & cut Hole TO Above 187 Pluc Plug with tubing & tag g No. 1 TD - 1420 e point, cut & pull 8 1/4" casing, est 1000' e point, cut & pull 8 1/4" casing, est 1000' e point, cut & pull 8 1/4" casing, est 1000' from 600' - 500'. g No. 2 1050-950
16 10 8	asing: TD- 5" 22 0" 54- 1/4" 122 5/8" 15	4 (26 538,	195 sks, est T To Goo', ed Gas	Released Set possible Plug Free OC@100 Plug Plug Free	ease packer & POH w/ 6 5/8" or free point & cut HOLE TO ABOVE 187 PLUC PLUC PLUC PLUC PLUC PLUC PLUC PLUC

(1)

Work order approved by inspector

Date 10 23 14



S00478



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well

ermit No. CLA-478	_				Oil or G	as Well (KIND)
Address Clarksburg,			Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters)	al & Lumber Co. Acres Proville N/W. 2-4	10021 T	Size	22	22	Kind of Packer
Well No Buffalo District Buffalo The surface of tract is own	County	Coal & L. C	o-Cemented	544¹ 1226¹	5441 12261	Size of 8-1/4" X
Mineral rights are owned b	Elk River Coal &	Lumber Co.	8¼ 6% 53/16	15381	1538'	Depth set 1487
rilling commenced May	5th, 1947 3 16th, 1947		3			Perf. top Perf. bottom Perf. top
With	From To		Liners Used			Perf. bottom
	(erc. in 3"		CASING CEME 125 Bags C			No. Ft. 5-17-1947 Dat
Rock Pressure 743	lbs. 72	ls., 1st 24 hrs.	COAL WAS EN			FEET 72 INCHE
Fresh water Salt water		feet	FEET FEET	D. Janes		FEET INCHES
	Hard or	Ton	Bettom	Oil, Gas	Depth	Remarks

Pormation Color Soft 100 Soft So	Salt water.		feet	feet	FEET_	INCHES	FEI	ETINCHES
According Coal Black coal Black coal burk coal coal burk coal	Formation	Color		Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Late	nerm1	Recure	Saft	0	28	Water	281	Hole full.
Dealburg Coal Black late Deark 551 68 lime "Hard 68 165 200 lime "Hard 68 165 200 lime White Hard 200 270 late Black Hard 200 270 late Black Soft 312 345 rowntoun Sand White Hard 345 360 lime Dark 360 505 505 impercent John 505 555 500 lime Dark 360 505 555 lime Broken 360 505 555 lime White Hard 505 555 lime Black Soft 660 690 5h. Gas 591' liate Black Soft 800 805 871 920 liate, Salt Sand Inite Broken 945 963			The second secon					100000000000000000000000000000000000000
Image	the state of the s	and the second s	D		51	1		
Image		A CONTRACTOR OF THE PARTY OF TH	Soft	51	68	1		
Iate	COURT AND THE RESIDENCE OF THE PERSON OF THE	The state of the s	Control of the Contro	68	165			
Ims	Committee of the Commit	Black	The state of the s			1		
Soft		Company of the Compan	Control of the Contro					
Red Red		The second secon				1		
Towntown Sand White Hard 345 360	AND DESCRIPTION OF THE PERSON		900					
Dark Broken 360 505 360								
agle Sand White Hard 505 555 590 Makota Sand White Hard 590 660 Sh. Gas 591' Sh. Gas Sh. Gas </td <td></td> <td></td> <td></td> <td>360</td> <td></td> <td></td> <td></td> <td>1</td>				360				1
Dark	The same of the sa	The art deep of the extent				1		
Sakota Sand White Hard S90 660 Sh. Gas 591 Itate Hard Soft 660 690 Itate White Hard S90 751 Itate Soft S00 S05 Itate Hard S05 S71 Itate Hard S05 S71 Itate Dark Broken 945 963 Itate Dark Broken 945 963 Itate Dark Soft 1036 1167 Itate Soft Soft 1183 Itate Soft Soft 1183 Itate Soft Soft Soft Itate Soft Soft Soft Itate Soft Soft Soft Itate Soft Itate Soft Soft Itate Soft Itate Soft Soft Itate Soft		A SECTION ASSESSMENT OF PERSONS ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT A						
Black Black Soft 660 690 751 800 751 800 805 871 920 945 963 963 963 964 965		The second secon			660	Sh. Gas	5911	
Ministrate Hard 690 751 800 Water 765 1 Bailer				660				
St.Salt Sand						1		
Social Solid Sol						Water	7651	1 Bailer Hr.
Hard Soft S71 920			Caft					2.2
Soft S71 920 945 945 963 1036								
Ind. Salt Sand White Hard 920 945 963 1036 10								
Dark Broken 945 963 1036 Water 1012 2 Bailer	And the second s	and the same of						
Losedale Gas Sd. Wh. Hard 963 1036 Water 1012 2 Bailer	Secretary of Printed and Street, St.	The state of the s	Control of the Contro					
Solution Solution						Water	10121	2 Bailers Hr
tosedale Salt Sd. Wh. Hard 1167 1183 led Rock Red Soft 1185 1196 led Rock Red Soft 1196 1206 led Rock Red Soft 1206 1218 lime Dark Broken 1206 1218 led Rock Red Soft 1306 1320 led Rock Red Soft 1306 1320 led Rock Red Soft 1306 1320 led Rock Red Soft 1320 1350						2000		
led Rock Red Soft 1183 1185 1196 led Rock Red Soft 1196 1206 1206 1218 1306 1218 1306 1306 1320 1363 1362								
Lime White Hard 1185 1196 led Rock Red Soft 1206 1218 Lime Dark Broken 1206 1218 Rosedale Salt Sd. Wh. Hard 1218 1306 Water 1263* Red Soft 1306 1320 1350 1350 1382 Slate(Shells White Hard 1382 1416 1416 Maxton Sand 1382 1416 1416 1416 1416								
led Rock Red Dark Soft Broken 1206 1218 1218 1306 1218 1306 1263* <t< td=""><td></td><td></td><td></td><td></td><td>1196</td><td></td><td></td><td></td></t<>					1196			
Lime Rosedale Salt Rosedale Salt Red Red Soft Slate(Shells Broken Hard Soft 1206 1218 1306 1320 1320 1350 1350 1362 1362 1362 1363 1363 1364 1365 1366 1370 1382 1416		The second secon						
Red Soft 1306 1320 1350 Sart Lime White Hard 1382 1382 1416		The second secon	The second secon		1218		2000	40/40/44
led Rock Slate(Shells Dark Hard(Soft 1320 1350 1362 1362 1362 1362 1362 1362 1362 1362		The second second second second	The state of the s	1218	1306	Water	12631	Held Wills.
Slate(Shells Dark Hard(Soft 1320 1350 1382 1316 Hard 1382 1382 1382	The second secon			1306	1320			
Britty Lime White Hard 1350 1382 1416					1350			1
Maxton Sand n 1382 1416	the first of the second	the state of the s				1		
7174		the state of the s		1382				
	Red Rock	Red	Soft	1416	1418			14
Dark Hard 1418 1436	TOGEL	Total Control Control	A STATE OF THE PARTY AND A STATE OF THE PARTY					
Sand White Hard 1436 1451	hand	The Thursday of the last						
Black Soft 1451 1474	SHIRE	The second secon						

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
e Monday	Dark Sand Wh.	Hard	1474 1508	1508	Gas	1528-15441	16/10 Mer. 3 Opng.
al Depth.		0020000000	1350	73			
d lock sterfinell	100	Soft.	7350	1990			
gedala la	1	National Control	13	100			
	PROFE	and car.	1305	T3/1			
0 005	10 × 100	5055	1100	1196			
e jean	160	Soft	1740				
ecesio le	S. L.	1972/2	11/1	3000			
Addition in	04	Tof.	TEAS.	DAI	1364		
	274	John or	1 100				
Auto Ser	-119	NG.					
		100	100				
	1,310	2017	- 20				
and the	1		4.3			7.1	
	PALLS.	Tags.	120				
DE BAN	1917/10	menty	40.00				
	THE	10000	300				
o lead	There's	Hyper C	30				
17 H 20		EAST.	ATT .				
	Tredy.	Jeff.	03%				
	W.	TANK.	200				1
	I Map	54,22	165				
	11	1000	124	165			
Destrict loss	Linox Uses	Note	15				
	Stark	140	38				
vel	Sports	2017	. 0			344	1981 0.5
	Art .	200				1 7	
	Lynn, on			- 100 ALE 4	O Section		
页		132					-1 -1
			-				
	- 10	THE TIME					
	10 Tes	Tara					
day, May	Le.	164	4.5				
		Jake Sent	- The second		25.00	0.00	
	Control of	2020	and the same of th		Tipat A	The -	1,4
1077.51	10	- 430 940	or Berrie Co.	e, election	ALT.	(C) (-1
80.29		-	E SERVICE			1	File 3e
			-				
TATK AS	DE COUT ?	DESTRUCTION	77,198				
	pust? os	- 14.					
27/20	male y a s	10 AT 10 CE	- ·				
	at .						12/12/14
	100	-					
		1			I.	1	1

(Title)

By W. McMasters

The same of

REPAIRS T	O WF'	LS	Pgh. &	W. Va. G	as Co.	·
***				Jul	y 17	19 47
report of F	TEPAIRS	TO WELL	NO. 612	9 - Elk R	iver C&L	
Bufi	Palo			TWP.	Cley	COUNTY
NORK COMPLI		fuly	15	947 WORK DON	Compan	y Employee al Machine
CASED WITH	544		FEET OF_	10 INCH.	1226 _F	r. 81 IN
риносити_ Виносити_	153	<u>\$</u>	PEET OF	6-5/8 INCH	AND 82X6-5	/8 S. PACKER
set at	1491					
)epth before	OBSER	DAIX.	15	<u>44</u> p	r. IN Blue	MOTT BY SAND
u AFTER	4	46	15	44	. u <u>st</u>	
.AST PREVIOUS	PRESSUF	ie taken_	June	16 1947 IN	6-5/8	
! E HINUTS	23		LBS.	6 MINUTE	183	L85
- 1 44	41		"	10 4 _	338	LBS
2	79		85	20 4	546	
9 44	118			30 4	639	46
4 4	150			ROCK PRESSU	. 24 up	743
T " —				_ 5		- AM
TRST PRESSURE		TER BEING	REPAIRED IN	BIN. HOLE _	July 1	5 ₁₉ <u>47</u>
MINUTE	32		LBS.	5 MINUTE _	\$8	LBS
I 44	23		4	10 44 _	170	&6
2 "	40		"	20 44 _	318	46
3 "	85		4	30 u _	445	
\$ 44 <u> </u>	80		44	ROCK PRESSUI	RE 24 HRS	735
Lause for R	EPAIRS_	eoke:	· blew	out after	r shut in	24 days.
IPMADVQ+	Pulle	d 15:	18 of	6-5/8° 0	ising & 1	8% X 6+5/
				3° of 6-5		•-
				-		(4) love
than pr				ACASE T 80	A PAST	. / A. TONG
ATMENT PE	AA TOL	ns har	100 X 1 4		<u> </u>	
				}	30-	•
					N SUPERINTEND	RNT

00478

WW-4A Revised 6-07

CK 600319

Received Office of Oil & Gas

NOV 07 2014

1)	Date:	October 13, 2014	
2)	Operator	r's Well Number	
	&L 8129		
-			

015

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

	ner(s) to be served:	5) (a) Coal Operator	
(a) Name	Allegheny Rural NMTC Forestlands, LLC	Name	
Address	3001 Emerson Avenue	Address	
3.3	Parkersburg, WV 26104		
(b) Name		(b) Coal Owner(s) with Declaration	
Address		Name CNX Land Resources	
		Address 1000 Consol Energy Drive	
		Cannonsburg, PA 15317	
(c) Name		Name	
Address		Address	
6) Inspector	Ed Gainer	(c) Coal Lessee with Declaration	
Address	PO Box 821	Name	
	Spencer, WV 25276	Address	
Telephone			
Take notic accompany Protection the Applic	you are not required to take any action at all that under Chapter 22-6 of the West Virg ying documents for a permit to plug and aba with respect to the well at the location des	a Code, the undersigned well operator proposes to file or has filed this Notice is lon a well with the Chief of the Office of Oil and Gas, West Virginia Departme ibed on the attached Application and depicted on the attached Form WW-6. Costered or certified mail or delivered by hand to the person(s) named above (edelivery to the Chief.	and Application and ent of Environmental opies of this Notice,
III'ERI	EY ALLISON Well Ope	ator Range Resources - Pine Mountain, Inc.	
3. 70	NOTARY By:	lan Landon Ia Land	
- 4. pr	PUBLIC : S Its:	Agent	
= * : NE	G. #7040059 : ★ = Address	P.O. Box 2136	
=6:"	EXPIRES : X =	Abingdon, VA 24212	
3	Telephon	(276) 628-9001	
Subscribed	EALTH OF WELLEN	day of OCTOBER 2014	

Oil and Gas Privacy Notice

My Commission Expires

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier&wv.gov.

Notary Public

REG # 7040059

WW-4A Revised 6-07

Received Office of Oil & Gas

OCT 3 1 2014

1) Date:	October 13, 2014	
2) Operator	s Well Number	
ERC&L 8129		

3) API Well No.: 47 -

015 - 00478

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

		(a) Coal Operator
(a) Name	Allegheny Rural NMTC Forestlands, LLC	Name
Address	3001 Emerson Avenue	Address
	Parkersburg, WV 26104	
(b) Name		(b) Coal Owner(s) with Declaration
Address		Name CNX Land Resources
		Address 1000 Consol Energy Drive
2242		Cannonsburg, PA 15317
(c) Name	<u> </u>	Name
Address		Address
3) Inspector	Ed Gainer	(c) Coal Lessee with Declaration
Address	PO Box 821	Name
Address	O. R. STOLERY	Address
Talanhana	Spencer, WV 25276	Address
Telephone		-
accompany Protection, the Applic certain circ	ying documents for a permit to plug and abandon a , with respect to the well at the location described o action, and the plat have been mailed by registered cumstances) on or before the day of mailing or delive	ode, the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, d or certified mail or delivered by hand to the person(s) named above (or by publication in very to the Chief.
IIIII	EY ALLISON Well Operator	P Range Resources - Pine Mountain, Inc.
3. Br.	NOTARY By:	lan Landon
: 2.	PUBLIC Its:	Agent
E ★ : RE(G. #7040059 Address	P.O. Box 2136
= 9: MY	COMMISSION : X = Address	Abingdon, VA 24212
= 3.3	MAY 2018 Telephone	(276) 628-9001
THE NAME OF THE PARTY OF THE PA	FALTH OF WROAT	day of OCTOBER 2014
oubscribed and	sworn before me this 28 th	Notary Public
My Commission	VINOCULY HUDEN CUL-	RES # 7640059
My Commission		nca - 10-1003 /
Oil and Gas Priv	acy Notice	

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.



The following information was included in the certified mailing to Allegheny Rural NMTC Forestlands:

Well Nos. ERC&L 8129

ERC&L 7977 ERC&L 8130

ERC&L 7976

PMOG 32

PMOG 23A CBM 7

CBM 2

Received Office of Oil & Gas

OCT 3 1 2014

- -Notice of Application to Plug and Abandon a Well (WW-4A)
- -Application for a Permit to Plug and Abandon (WW-4B)
- -Construction and Reclamation Plan and Site Registration Application Form General Permit for Oil and Gas Pit Waste Discharge (WW-9)
- -Legend (WW-9)
- -Surface Owner Waiver
- -WVDEP Office of Oil and Gas Well Location Form: GPS (WW-7)
- -Location Map



The following information was included in the certified mailing to CNX Land Resources:

Well Nos. ERC&L 8129

ERC&L 7977 ERC&L 8130 ERC&L 7976

PMOG 32 PMOG 23A CBM 7 CBM 2 Received Office of Oil & Gas

OCT 3 1 2014

- -Notice of Application to Plug and Abandon a Well (WW-4A)
- -Application for a Permit to Plug and Abandon (WW-4B)
- -Construction and Reclamation Plan and Site Registration Application Form General Permit for Oil and Gas Pit Waste Discharge (WW-9)
- -Legend (WW-9)
- -Coal Operators Owners and Lessee Waiver (WW-4B)
- -WVDEP Office of Oil and Gas Well Location Form: GPS (WW-7)
- -Location Map
- -Well Record/Well Report

WW-9 Rev. 5/08

	Page		of	
API Number 47	- 015		00478	
Operator's Well 1	No. ERCEL	8129		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM
GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Range	GENERAL PERMIT FOR (Resources - Pine Mountai		OP Code 307499	
Watershed Buffalo Cre	eek	Quadrangle	Swandale 7.5'	
Elevation 1087'	County Clay		District Buffalo	
Description of anticipate	ed Pit Waste: Fluids encount	ered while plu	gging subject well	
Will a synthetic liner be	used in the pit? Yes ZOML			
Proposed Disposal Meth	od For Treated Pit Wastes:			
^	Land Application	emit Number		
	Underground Injection (UIC Po Reuse (at API Number	rinit Number		
_	Off Site Dispposal (Supply form	n WW-9 for disnos	al location)	
-	Other (Explain	ii ii ii -> ioi dispos	ar rocation)	Received
				Office of Oil & Ga
Proposed Work For Wh	ich Pit Will Be Used:			Office of Off & Ga
	_ Drilling	Swat	bing	OCT 3 1 2014
200	Workover	X Plug	ging	00. 01 2011
	Other (Explain			
on August 1, 2005, by the provisions of the permit law or regulation can lear application form and a obtaining the information penalties for submitting	anderstand and agree to the terms are Office of Oil and Gas of the Wester are enforceable by law. Violation of the enforcement action. It penalty of law that I have personally attachments thereto and that, it con, I believe that the information false information, including the positure lan Landon Agent	st Virginia Departn ns of any term or of nally examined an based on my inqu is true, accurate,	ent of Environmental Proto condition of the general per d am familiar with the inf iry of those individuals in and complete. I am awar	ection. I understand that the mit and/or other applicable formation submitted on this mediately responsible for
Subscribed and sworn b	leg Allison Elle	or October NEG #	, 20_/4	NOTARY PUBLIC REG. #7040059 MY COMMISSION EXPIRES

Operator's Well No. ERC&L 8129

	LEGEND	
Property Boundary	Diversion (CACCOLLATION)	
Road = = = = = = = = = = = = = = = = = = =	Spring O	
Existing Fence — X — X — X —	Wet Spot	
Planned Fence///	Drain Pipe with size in inches	•
Stream	Waterway \longleftrightarrow	→ ← →
Open Ditch	Cross Drain	
Rock 685886	Artificial Filter Strip	***************
North N	Pit: cut walls	u.
Buildings	Pit: compacted fill walls	meet
Water wells	Area for Land Application of Pit W	学生会
Drill site	<u> </u>	
	Acres Brayagetation nH	
Proposed Revegetation Treatment: Acres Disturbed	Fievegetation pri	
Lime2 Tons/acre or to correct to pl	_H	
	os/acre (500 lbs minimum)	
Strong 2		
Mulch Straw 2 Tons	/acre	
Se	ed Mixtures	
Area I	Area II	
Seed Type Ibs/acre	Seed Type	lbs/acre
Tall Fescue 40	Tall Fescue	40
Ladino Clover 5	Ladino Clover	5
		Received
Attach:	onlication Offic	ce of Oil & Gas
Drawing(s) of road, location,pit and proposed area for land a	opineation.	OCT 3 1 2014
Photocopied section of involved 7.5' topographic sheet.		001 01 23.7
Plan Approved by:		
Comments:		
Townstan	Date: 10/2/14	
Title: haspecter		
Field Reviewed? () Yes (∠)No	

Topo Quad: Swandale 7.5' 1 " = 2000" Scale: Clay County: Date: June 26, 2014 Buffalo District: Project No: 170-04-B-14 Торо API # 47-015-00478 (ERC&L 8129) B 47-015-00478 ERC&L 8129 | Creek Tailings Taylor Received. NAD 27, WV South Zone Office of Oil & Gas N: 531,031.48 E: 2,034,203.67 OCT 3 1 2014 ELEV: 1,086.53 WGS 84 LAT: 38.458399 LONG: -80.880377 PREPARED FOR: ALLEGHENY SURVEYS, INC. Range Resources - Pine Mountain, Inc. 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608 406 West Main Street Abingdon, VA 24210

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-015-00478 WELL NO.: ERC&L 8129
FARM NAME:Elk River Coal
RESPONSIBLE PARTY NAME: Range Resources - Pine Mountain, Inc.
COUNTY: Clay, DISTRICT:
QUADRANGLE: Swandale 7.5'
SURFACE OWNER: Allegheny Rural NMTC Forestlands, LLC
ROYALTY OWNER: Range Resources-Pine Mountain, Inc.
UTM GPS NORTHING: 4256684 .
UTM GPS EASTING: 510437 . GPS ELEVATION: 331 m (1087 ft) .
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters Received
3. Data Collection Method: Survey grade GPS: Post Processed Differential
Real-Time Differential OCT 3 1 2014 Mapping Grade GPS X : Post Processed Differential X Real-Time Differential
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.
Signature P5 # 2180 7/16/14 Signature Title Date