

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, October 3, 2022
WELL WORK PLUGGING PERMIT
Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 11 47-015-00805-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number:

Farm Name: OTTO, BODO

U.S. WELL NUMBER: 47-015-00805-00-00

Vertical Plugging
Date Issued: 10/3/2022

PERMIT CONDITIONS 4701500805

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

1) Date % 7	8,0 '	15	0,0820	5
2)Operator				
Well No.	Bodo C	Otto 11		
3)API Well	No.	47-0	15 - 00805	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERI	MIT TO PLUG AND ABANDON
4) Well Type: Oil X / Gas / Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5) Location: Elevation 661' District Union	Watershed Laurel Creek, Elk River County Clay Quadrangle Elkhurst
6) Well Operator Address Operator Operator Address Charleston, WV 25304	7) Designated Agent Henry J. Harmon Address 601 57th Street SE Charleston, WV 25304
8) Oil and Gas Inspector to be notified Name Bryan Harris Address P.O.Box 157 Volga, WV 26238	9) Plugging Contractor Name Unknown at this time Address
Notify Inspector Specialist, Bryan Harris Move in rig up to existing 5 1/2" casing. Records show 1590 1481' of 2" tubing. Pull rods and Tubing. TIH with tubing to TD/ Run Bond Log. Any uncemented casing bel TIH with tubing to 1500'. Pump 20sx 6% 0 WOC, tag plug, add cement if need WOC, tag plug, add cement if neede	mer of plugging this well is as follows: @ 304-553-6087 prior to commencing work. "of 5 1/2" casing cemented to surface. 50' of 8 5/8" surface casing. approved depth from Inspector. Fill hole with water for bond log. TOH. low 200' will be pulled or perfed for cement plug. Gel. Set 200' cement plug from 1500' to 1300'. ded. Set cement plug from 760' to 550'. ed. Set cement plug from 200' to surface. ss any perfs. 6%Gel spacer between plugs.
Notification must be given to the district of work can commence.	il and gas inspector 24 hours before permitted
Work order approved by inspector Bryan Harris	Date Sep 8, 2022

WELL PLUGGING PROJECT 4701500805 Bodo Otto 11

Well detail:

The Office of Oil and Gas has a drillers log for this well (47-015-00805). The well was spudded in 1965 and completed in 1966. The drillers log shows well TD at 1566'. The producing formation is the Big Injun at 1498'-1505'. The well record shows 50' of 8 5/8" surface casing. 1590' of 5 1/2" casing cemented to surface. 1481' of 2" tubing. No packers listed. Fresh water at 15'. No coal reported. Elevation is 661' according to my GPS. A 2" production line is connected to the well head but has been severed about 50' from the well. There is 250 BBL storage tank on hill above well site.

Site-based considerations:

The well is located 500' down Montana Drive, on the right across Laurel Creek. The access road across the creek is in decent shape. will need to be stoned at ingress and egress. Well sets 30' from creek in a sandy bottom. May need to be matted. A silt fence will need to be installed between well site and Laurel Creek. Efforts will be made to limit stream disturbance.



Select County	(015) Clay	~	Select datatypes: (Check All)	
Enter Permit #	00805		Location	Production	Plugging
Cal Data	Deset		Owner/Completion	Stratigraphy	Sample
Get Data	Reset		Pay/Show/Water	Logs	Btm Hole Loc

Contact Information

WV Geological & Economic Survey

Well: County = 15 Permit = 00805

Report Time: Friday, September 09, 2022 7:51:30 AM

| County | PERMIT TAX_DISTRICT | QUAD_75 | QUAD_15 | LAT_DD | LON_DD | UTME | UTMN | 4701509805 | Clay | 805 | Union | Elkhurst | Clay | 38.463923 | -81.185678 | 483801.2 | 4257306.6 Clay

There is no Bottom Hole Location data for this well

Owner Information:

API CMP_DT SUFFIX STATUS SURFACE_OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN
King McCrady & OPERATOR_AT_COMPLETION PROP_VD PROP_TRGT_FM TFM_EST_PR 4701500805 1/9/1966 Original Loc Completed C F Otto, Bodo Otto King, McCrady & Walker Dominion Oil and Gas Co.

Completion Information

DEEPEST_FMT INITIAL_CLASS FINAL_CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT squaw Development Well Development Well Oil and Gas Rotary Acid+Frac 1600 1600 0 133 API CMP_DT_SPUD_DT_ELEV_DATUM__FIELD_DEEPEST_FM__DEEPE

Pay/Show/Water Information

API CMP_DT_ACTIVITY_PRODUCT_SECTION_DEPTH_TOP_FM_TOP_DEPTH_BOT_FM_BOT_4701500805_1/9/1966_Water_Fresh_Water_Vertical______15 G_BEF G_AFT O_BEF O_AFT WATER_QNTY Oil & Gas Vertical 1505 Big Injun (Price&eq) 4701500805 1/9/1966 Pay

Production Gas Information: (Volumes in Mcf)

API	PRODUCING OPERATOR	PRD_YEAR	ANN GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4701500805	JCR Petroleum Inc.	1996	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum, Inc.	1997	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum, Inc.	1998	0	D	0	D	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	1999	0	D	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum, Inc.	2000	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum, Inc.	2001	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2003	0	0	0	0	0	- 0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2004	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2005	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2006	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum, Inc.	2007	0	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2008	0	0	0	0	0	0	0	0	0	. 0	0	0	0
4701500805	JCR Petroleum Inc.	2009	9	0	0	0	0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2010	- 0	0	: 0	0	.0	0	0	0	0	0	0	0	0
4701500805	JCR Petroleum Inc.	2011	0	0	0	0	0	0	0	0	D	0	0	0	0
4701500805	JCR Petroleum, Inc.	2013	0	0	0	0	. 0	0	0	0	0	0	- 0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4701500805	JCR Petroleum, Inc.	1996	36	3	3	- 3	3	3	3	3	3	3	3	3	3
4701500805	JCR Petroleum Inc.	1997	48	- 4	- 4	4	- 4	4	- 4	4	4	4	4	4	4
4701500805	JCR Petroleum, Inc.	1998	36	3	3	3	3	3	3	3	3	3	3	3	3
4701500805	JCR Petroleum Inc.	1999	48	- 4	4	4	- 4	4	4	4	4	4	4	4	4
4701500805	JCR Petroleum, Inc.	2000	48	4	4	4	4	4	- 4	4	4	4	4	4	4
4701500805	JCR Petroleum Inc.	2001	36	3	3	3	3	3	3	3	3	3	3	3	3
4701500805	JCR Petroleum Inc.	2003	3	0	0	0	Đ	0	0	0	0	0	- 1	1	1
4701500805	JCR Petroleum, Inc.	2004	16	1	1	2	1	1	1	2	1	1	1	2	2
4701500805	JCR Petroleum Inc.	2005	16	1	1	1	1	1	1	1	1	2	2	2	2
4701500805	JCR Petroleum Inc.	2006	17	1	1	1	2	2	- 2	- 2	2	1	1	1	- 1
4701500805	JCR Petroleum, Inc.	2007	49	- 4	4	4	- 4	4	4	4	4	4	4	4	5
4701500805	JCR Petroleum Inc.	2008	14	2	1	1	1	1	1	1	1	2	1	1	1
4701500805	JCR Petroleum, Inc.	2009	1.7	1	2	2	- 2	. 2	2	1	1	1	1	1	1
4701500805	JCR Petroleum, Inc.	2010	17	1	2	1	2	1	1	2		2	- 1	2	- 1
4701500805	JCR Petroleum, Inc.	2011	0	0	0	0	0	0	G	0	0	. 0	0	0	0
4701500805	JCR Petroleum, Inc.	2013	17	1	1	2	1	1	2	1	2	- 2	2	1	1

 Production NGL Information: (Volumes in Bbl)
 ** some operators may have reported NGL under Oil

 API
 PRODUCING_OPERATOR
 PRD_YEAR
 ANN_NGL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM AV01500000
 OCT NOV DCM OIL AV01500000

 4701500805
 JCR Petroleum, Inc.
 2013
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0

There is no Production Water data for this well

Stratigraphy Information

API	SUFFIX	FM	FM_QUALITY	DEPTH TOP	DEPTH_QUALITY	THICKNESS	THICKNESS	QUALITY	ELEV	DATUM
4701500805	Original Loc	Salt Sands (undiff)	Past WVGES Staff Geologst	704	Reasonable		Reasonable			Ground Level
4701500805	Original Loc	Blue Monday	Well Record	1258	Reasonable	25	Reasonable		756	Ground Level
4701500805	Original Loc	Pencil Cave	Well Record	1283	Reasonable	6	Reasonable		756	Ground Level
		Greenbrier Group	Well Record	1289	Reasonable	219	Ostrible Pick		756	Ground Level
	Original Loc		Well Record	1289	Reasonable	164	Ostnble Pick		756	Ground Level
4701500805	Original Loc	Big Injun (Price&eq)	Well Record	1464	Reasonable	44	Reasonable		756	Ground Level
4701500805	Original Loc	Maccrady	Well Record	1508	Reasonable	46	Reasonable		756	Ground Level
4701500805	Original Loc	Squaw	Past WVGES Staff Geologst	1554	Reasonable	12	Reasonable		756	Ground Level

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

.015-805



DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	
	Dominion Dil & Gas Co.
King, McCready & Walker	_
Mark C. King, Agent	222 Washington Blvd., PO Box 8
ADDRESS	Celpre, Ohio
Clay, West Virginia	September 1 1965
COAL OPERATOR OR COAL OWNER	Propused Location
•	District
King, McCready & Walker Mark C. King, Agent	ClayCounty
OWNER OF MINERAL RIGHTS	Well No. 11
Clay,West Virginia	. 1
ASDRESS	Basto Otto Farm
GENTLEMEN:	Elevation 756.09 Acres 480
The undersigned well operator is entitled to d	rill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case	may be) under grant or lesse dated
November 16, 1925 madel	·
James Reed and E. R. Reed	
of December, 1925	n the office of the County Clerk for said County in
Book 13 page 406	
to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and land marks. The undersigned well operator is informed and	courses and distances from two permanent points, or believes there are no coal operators operating beds
of coal beneath said farm or tract of land on which a aries of the same, who have mapped their workings coal operators or coal owners (if any) above named a	and filed their maps as required by law, excepting the
The above named coal operators or coal owners (desire to make to such proposed location, or which the the drilling of a well at said proposed location will cau coal mines, must be received by, or filed with the Depar a copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth a grounds on which such objections are based and indicate be moved to overcome same.	use a dangerous condition in or about their respective timent of Mines within tent days from the receipt of Department. Said coal operators are further notified furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or
(The next paragraph is to be completed only	in Department's copy.)
Copies of this notice and the enclosed plat were	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above or on the same day with the mailing or delivery of West Virginia.	
Very t	By: Robert B. Stallworth J. WELL OPERATOR
Address of	222 Washington Rivd, PO Box H
Well Operator)	Belpre
SEP 1162 EN	CITY OR TOWN
RECEIVED 3	Chio
Section Dan II. no such objections be filed or be ten days from the receipt of said notice and plat by the de	found by the department of mines, within said maded as
with proof 17 Mark 1826 of the Att operati with the	permit of mines, to said proposed location, the depart- permit reciting the filing of such plat, that no objections found thereto by the department, and that the same is

limestone limestone shale sand shale sand shale	tan-brr tan-wht 'c grn wht red gry gry-tan	h h s s h s h	1289 1353 1453 1464 1508 1554 1566	1353 1453 1464 1508 1554 1566	4	70150	0805
LTD RTD			· .	1591 1600			
		·.		;			
							·
						,	
							t

Approved: Dominion Oil & Gas Co.

Approved

Approved

Owne



STATE OF WEST VIRGINIA DEPARTMENT OF MINES CIL AND GAS DIVISION 6

41	U	Rotary (ν u &	UU	F

Spudder

Cable Tools

Capie	LOCIE	1
Storage	20	,

Storage

Quadrangle	Clay
Permit No.	805

WELL RECORD

Permit No. 805	WELL	RECORD		Oil or G	as Well Gas & Oil
Company Dominion Oil & Go Address 222 Washington Blv	as Co. d.Belpre, Ohio	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Bodo Otto	Acres 480	Size			
Location (waters) Laurel Cree	k	16			Kind of Packer
Well No. 11	Elev 756.09	13			
District Union Count	y Clay	10			Size of
The surface of tract is owned in fee by.C.	harles F. Otto,	84_5/8	50	50	
et al. Address	Clay, West Va.				
Mineral rights are owned byKing. M	ccready & Walker			1.590	
Address	Clay, West Va.				1/.001
Drilling commenced 12/21/65		3		11.81	Perf. top. 14981
Drilling completed 1/9/66				1 1	Perf. bottom 15051
Date Shot	To	Liners Used		Non-Mail Company of the Company of t	Perf. top
With					Perf. bottom
Open Flow N.A. /Ilkhs Water in		Attach copy of			1/10/66
/10ths Merc. in					No. Ft. 1/10/66 Date
Volume N.A.	Cu. Ft.	Amount of cem	ent used (bags)	iburton	O cu.ft.circ 33s
Rock Pressure N.A.	bshrs.	Name of Service			
oil_N.A.					.FEETINCHES
WELL ACIDIZED (DETAILS) 200 600 gal, to ball out,	gal. spearnedu &				FEETINCHES
WELL FRACTURED (DETAILS) 1/					
25,000# 20-48 & 10,000	# 10-20 sand - 85	0 bbl. ba	sic frac.		
RESULT AFTER TREATMENT (Initial					
ROCK PRESSURE AFTER TREATME					
Fresh Water 15	: (1) - (1) : (1)				
Producing Sand Big injun					

Formation	Color	Hard or Soft	Тор	Battom	Oll, Gas or Water	Depth	Remarks
d & grave	1 tan	5	surface	38	fresh wat	er 15'	prolific
and	tan	h	38	67			
hale	gry		67	90 163			
and	tan	\$ \$	90	163	•		
d & sh	tn-gry	brkn	163	200	}		
and	tan	h	200	238	1		
hale	gry	s	238	247			
and	tan	h	247	295	1		}
hale	gry		295	301	Nuclear	Log Tops	
and	white	s h	301	309			
hale	brn	S	309	322	1	f	
and	gry	5	322	346		Ĭ	}
d & sh	tan-gry	brkn	346	417		1	
and		h	417	449			
hale	gry 61k	h	449	454		(
and	white	h	454	473		FEB 110 RECEIV West Virg Dept. of M	
hale	gry	5	473	494		231417	1770
and	white	h	494	497		Wir W	6
hale	gry	5	497	503		CCD 11 C	k (S)
and	gry	h	503	586	1	20	[<u> </u> <u> </u>
t le	brn	5	503 586	610	{ }	RECEIV	ED S
and	white	s h	610	659	1	West Virg	nia 🔊
h-sá	gry-brn	5	659	704		Dept of N	ines N
and	tan-wht	h	704	1051		Je. 7.	179/10
h & sd	brn-tan	brkn	1051	1109		FEB 11.0 RECEIV West Virg Dept. of M	A Land
and	tan	h	1109	1168		-	
h & sd	gry-tan	brkn	1168	1258))
and	gry-wht	h	1258	1283		1	l
hale	brn	S	1283	1289		(1

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. Cla - 805			Oil or	Gas Well
Company Donlession Oil & Sur Co	CABING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Belose, Ofin	Size			
Farm Borlo Otto	13			Kind of Pucker
Well No.	10			Size of
District Union County Colay	84 5 4	1/5'		
Drilling commenced 12-23-165	6% 53/16			Depth set
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/16ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	ENTED 8 5	SIZE	No. FTDate
Rock pressurelbshrs.		1. Min	ton	
bbls, 1st 21 lirs.	CCAL WAS E	NCOUNTERED	AT	FEETINCHES
Fresh waterfeetfeet	FEET	INCI	IES	FEETINCHES
Salt waterfeetfeet	FEET	INC	ies	FEETINCHES
Drillers' Names John Hanks		Carles .	Sylo	~ ~
Lorgle Willi	in Co.l.	Stalling	ubsth 4	Sexton)
Trying to Get Ita	/	1		
0'			£03	123456
			17871 P	JAH . CG
12- 2.7-65 BATE		7	anto N	LEIVED :
WAIS				DISTRICTION

09-11

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit Ho. Cola - 805			Oil or	Gas Well
Company Dominion Oil Gas Co	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Belpre, Ohin	Size			
Farm Bods Otto	16			Kind of Packer
Well No. //	13			Size of
Dist Quint County Tolay	834	100	1213141515	
Drilling commenced	6%	S PA	MAHILLE	epth set
Drilling completedTotal depth	5 3/16	A Dept	CEIVED Virginia	Perf. top
Date shotDepth of shot	2	C.	Virginia of Mines	Perf. bottom
Initial open flow/10ths Water inInch	Liners Used	- COL	585153738	Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	NTED	U SIZE PRI	NG FTDate
Rock pressurelbshrs.	NAME OF SEE	VICE COMP	ANY LE	
Oilbbls., 1st 21 hrs.	COAL WAS A	COUNTERED	AT	FEETINCHES
Fresh waterfeetfeet	FEET.	INC	HES	FRETINCHES
Salt waterfeetfeet	FEET.	INC	HES	FEETINCHES
Drillers' Names				
		·		
Far as of Can Se	e This	Nelf	OK.	Far Release.
			_	
3-8-66		71	any	Sterre WELL INSPECTOR



State of West Airginia Department of Mines Oil und Gas Pivision

Churleston 5

W. F. EIGENBROD

March 31, 1966

EURMER WAMOCKBLPUTY DIRECTOR

Dominion Oil & Gas Co. 222 Washington Blvd. P. O. * Belpre, Ohio

In Re:

Att: Mr Robert Stallworth, Jr.

Permit ^{.Cl}	LA-805	
Farm B	odo Otto	
Well No.		 ''
District	Union	
County_	Clay	

Gentlemen:

The final inspection report for your well which is described above has been received in our office.

Please be advised that the well, which is covered by the above permit number, has been released under your Bond, posted to cover same.

Please return the enclosed, cancelled Bond to the Surety and/or Bonding Company that executed said Bond in your behalf in order that they may give you credit on their records.

Yours very truly,

Gurmer Wamock Deputy Director OIL AND GAS DIVISION

ona Enclosure

00805

WW-4A Revised 6-07

1) Date:	Sep 8, 2022	
2) Operator	's Well Number	
Bodo Ott		

015

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

		110110101			
4)	Surface Own	er(s) to be served:	5) (a) Coal Operator	
,	(a) Name	Gary King		Name	NA
	Address	P.O. Box 370		Address	
		Clay, WV. 35043			
	(b) Name			(b) Coal Ow	vner(s) with Declaration
	Address			Name	NA
				Address	
	(c) Name			Name	
	Address			Address	
a) I		5 11		_ () (11	id D. L. dia
	nspector	Bryan Harris			ssee with Declaration
9	Address	P.O.Box 157		_ Name Address	NA
3	TV - 1	Volga, WV 26238 304-553-6087		_ Address	
	Telephone	304-353-6067		 -	
	Take notice taccompanyir Protection, w	u are not required to take an that under Chapter 22-6 of ag documents for a permit to vith respect to the well at th	the West Virginia Code of plug and abandon a vectoration described on mailed by registered	e, the undersigned well well with the Chief of the the attached Application certified mail or del	operator proposes to file or has filed this Notice and Application and e Office of Oil and Gas, West Virginia Department of Environmental on and depicted on the attached Form WW-6. Copies of this Notice, livered by hand to the person(s) named above (or by publication in
	STATE RENA	DFFICIAL SEAL IOTARY PUBLIC : OF WEST VIRGINIA E DAWN WHITLOCK	Well Operator By: Its: Address	Henry J. Harmon	Well Plugging Program
3/		eet, SE, Charleston, WV 25304 sission Expires April 06, 2027		Charleston, WV. 25	5304
کہ		······································	Telephone	304-926-0499 ext.	41102
	oscribed and s	worn before me thi Expires	s 9th de	ay of Septe	Motary Public

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deepprivacyoffier@wv.gov.

USPS Tracking®

47 0 1 5 0 0=AB =0>5 P

Track Another Package +

Tracking Number: 9489009000276402589514

Remove X

Your item was picked up at the post office at 11:52 am on September 14, 2022 in CLAY, WV 25043.

USPS Tracking Plus[®] Available ✓

⊘ Delivered, Individual Picked Up at Post Office

September 14, 2022 at 11:52 am CLAY, WV 25043

reedbac

Get Updates ✓

Text & Email Updates	~
Return Receipt Electronic	~
Tracking History	^

September 14, 2022, 11:52 am

Delivered, Individual Picked Up at Post Office

CLAY, WV 25043

Your item was picked up at the post office at 11:52 am on September 14, 2022 in CLAY, WV 25043.

September 14, 2022, 8:13 am Available for Pickup CLAY, WV 25043 September 14, 2022, 8:03 am Arrived at Post Office CLAY, WV 25043

4701500805

September 13, 2022, 4:15 pm
Departed USPS Regional Facility

CHARLESTON WV PROCESSING CENTER

September 12, 2022, 8:57 pm
Arrived at USPS Regional Facility

CHARLESTON WV PROCESSING CENTER

September 12, 2022, 7:42 pm

Accepted at USPS Origin Facility CHARLESTON, WV 25305

USPS Tracking Plus®	> >
Product Information	× ^

See Less ∧

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.

FAQs



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 Phone: (304) 926-0450 Fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

September 9, 2022

Gary King P.O. Box 370 Clay, WV 25043

9489 0090 0027 6402 5895 14

RE: Well API 47-015-00805 (Bodo Otto #11)

Mr. King,

As you are aware, the Office of Oil and Gas is currently preparing a solicitation to permanently plug well API# 47-015-03507 (aka King #1). Recently, representatives of the Abandoned Well Plugging Program identified an additional leaking, abandoned well on your property (Clay County, Union District, Parcel ID: 08-06-0010-0043-0000) which qualifies for state-funded plugging.

Please sign and return the enclosed WW-4D to allow our program staff to bring well plugging vendors to the well site for the purposes of permanently plugging this well alongside the King #1. Additionally, you will find a copy of the enclosed plugging permit application, which you are entitled to receive under W. Va. Code § 22-6-9.

If you have any questions or concerns, you may contact me at (304) 926-0499 ext. 41102.

Respectfully,

Jason Harmon Deputy Chief

SURFACE OWNER WAIVER

Operator's Well Number

API # 4701500805 4701500805 Bodo Otto 11

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on the FOR EXECUTION BY A NATURAL PETC.	se materials.	planned wor		naterials, and I have no
Signature	Date	Name By		
S.B.I.I.		Its		Date
			Signature	Date

API No.	4701500805
Farm Name	Gary King
Well No.	Bodo Otto 11

INSTRUCTIONS TO COAL OPERATORS **OWNERS AND LESSEE**

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging v	/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to by vell operator has complied with all applicable requirements of the West ations.
Date: Sep 8, 2022	NA
	By:
	Its

4701500805

API Number 47 - 015 - 00805 Operator's Well No. Bodo Otto 11

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_UNKNOWN - DEP PAID PLUGGING CONTRACT	OP Code
Watershed (HUC 10) Elk River	Quadrangle Elkhurst
Do you anticipate using more than 5,000 bbls of water to complete the	ne proposed well work? Yes No
Will a pit be used? Yes No	
If so, please describe anticipated pit waste: NA	
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a co Underground Injection (UIC Permit Num Reuse (at API Number Off Site Disposal (Supply form WW-9 for Other (Explain	nber unknown at this time
Will closed loop systembe used? If so, describe: NA	
Drilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc. NA
-If oil based, what type? Synthetic, petroleum, etc. NA	
Additives to be used in drilling medium?NA	
Drill cuttings disposal method? Leave in pit, landfill, removed offsit	e, etc
-If left in pit and plan to solidify what medium will be used	? (cement, lime, sawdust)
-Landfill or offsite name/permit number? Unknown at this	time
Permittee shall provide written notice to the Office of Oil and Gas o West Virginia solid waste facility. The notice shall be provided with where it was properly disposed.	
on April 1, 2016, by the Office of Oil and Gas of the West Virginia provisions of the permit are enforceable by law. Violations of any te or regulation can lead to enforcement action. I certify under penalty of law that I have personally examplication form and all attachments thereto and that, based on my ir the information, I believe that the information is true, accurate, an submitting false information, including the possibility of fine or important of the company Official Signature Company Official Signature Company Official Title Deputy Chief	mined and am familiar with the information submitted on this aquiry of those individuals immediately responsible for obtaining d complete. I am aware that there are significant penalties for risonment. OFFIGIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA RENAE DAWN WHITLOCK 601 STATE OF WEST VIRGINIA My Commission Expires April 06, 2027
Subscribed and swom before me this day of	dember, 20 22
Kiena avallettock	Notary Public
My commission expires Capril 6, 2027	


roposed Revegetation Trea	ntment: Acres Disturbed .5 acre	Preveg etation pH _		
Lime 2-3	Tons/acre or to correct to pH 6.	5		
Fertilizer type 10	-10-20			
Fertilizer amount_4	400lbs/ac	ere		
Mulch 2	Tons/acre			
	Seed Mi	xtures		
T	Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre	
NA	NA	Fescue	40	
		Contractor Mix	20	
		Landino Clover	10	
rovided). If water from the , W), and area in acres, or	oit and proposed area for land application to pit will be land applied, provide water of the land application area.			
laps(s) of road, location, provided). If water from the , W), and area in acres, on the three th	e pit will be land applied, provide water f the land application area.			
laps(s) of road, location, provided). If water from the , W), and area in acres, on the three th	e pit will be land applied, provide water f the land application area.			
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		
Iaps(s) of road, location, provided). If water from the water from	e pit will be land applied, provide water f the land application area. Solved 7.5' topographic sheet.	volume, include dimensions (L, W,		



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

_{API:} 4701500805	WELL NO.:_B	odo Otto 11		
FARM NAME: Gary King				
RESPONSIBLE PARTY NAME:	JNKNOWN - DEP PAID PLUG	GING CONTRACT		
COUNTY: Clay	bistrict: Un	ion		
QUADRANGLE: Elkhurst				
SURFACE OWNER: Gary R	King			
ROYALTY OWNER: Bodo Otto lease				
UTM GPS NORTHING: 42 57				
UTM GPS EASTING: 04 83 8		_{ION:} 661'		
The Responsible Party named above I preparing a new well location plat for above well. The Office of Oil and Gasthe following requirements: 1. Datum: NAD 1983, Zone: height above mean sea lev Accuracy to Datum – 3.05 3. Data Collection Method: Survey grade GPS: Post Pro	a plugging permit or assigned As will not accept GPS coordinate 17 North, Coordinate Units: me el (MSL) – meters.	API number on the es that do not meet		
Real-Tir	me Differential			
Mapping Grade GPS X: Post I				
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.				
Byon How	Inspector Specialist	Sep 8, 2022		
Signature	Title	Date		



11/10/2016

PLUGGING PERMIT CHECKLIST

Pluggi	ng Permit
✓ ✓	WW-4B WW-4B signed by inspector WW-4A
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
✓	WW-9 PAGE 1 (NOTARIZED)
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	RECENT MYLAR PLAT OR WW-7
✓	WELL RECORDS/COMPLETION REPORT
7	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED



Kennedy, James P < james.p.kennedy@wv.gov>

Plugging permit issued for 4701500805

1 message

Kennedy, James P <james.p.kennedy@wv.gov>

Mon, Oct 3, 2022 at 2:33 PM

To: Henry J Harmon henry.j.harmon@wv.gov, Allen D Flowers henry.j.harmon@wv.go <bryan.o.harris@wv.gov>, Jeremy E James <jeremy.e.james@wv.gov>, tdavis@wvassessor.com

To whom it may concern, a plugging permit has been issued for 4701500805.

James Kennedy

WVDEP OOG

2 attachments



4701500805.pdf 2977K



IR-8 Blank.pdf 237K