

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

April 28, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-1501306, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 173

Farm Name: STOCKLEY, O. D.

API Well Number: 47-1501306

Permit Type: Plugging
Date Issued: 04/28/2015

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

05/01/2015

WW-4B Rev. 2/01

1) Date January 20 ,	20 15
2) Operator's	
Well No. O.D. Stockley # 173	
3) API Well No. 47-015	- 1306

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

ADDITION FOR A F	PERMIT TO PLUG AND ABANDON
	uid injection X / Waste disposal/
(II "Gas, Production or	Underground storage Deep / Shallow
5) Location: Elevation 1034'GL	Watershed Granny's Creek
	County Clay Quadrangle Newton 512
6) Well Operator Triad Hunter, LLC	7) Designated Agent Kim Arnold
Address 125 Putnam Street	Address P.O. Box 154
Marietta, Ohio 45750	Waverly, WV 26184
8) Oil and Gas Inspector to be notified	
Name Ed Gainer Address P.O. Box 821	Trulino .
Spencer, WV 25276	Address
· 200' Bottom hole plug in 4 1/100' - Cut plug (4.5" csg.) Estimated 100' - Elevation plug @ 1050'. 100' - Surface casing plug @ 250'. 150' - Surface plug in 8 5/8" casing Note! 1. All cement plugs - Class A 2. Gel spacers between all c 3. No coal seams reported.	cement top @ 1516'. 222' PLUG FROM SJRFACE TO 282'. I cement. ement plugs.
	Office Of CEIVE
Notification must be given to the district work can commence. Work order approved by inspector	oil and gas inspector with North before permitting of the permitti



STATE OF WEST VIRGINIA DEPARTMENT OF MINES


Oil and Gas Division

WELL RECORD

	WELL	RECORD			Oil
Quadrangle Otter 15				Cable Recycling	
Permit No. <u>Cla-13</u> 06				Water Floo	d X Storage
				Disposal	(Kind)
Company Pennzoil Company					
Address P. O. Box 1588, Parker	sburg, WV	26101 _{Tubing}	Used in	Left	Cement fill up
Farm O. D. Stockly A	cres 4000	Tubing	Drilling	in Well	Cu. ft. (Sks.)
Location (waters) Granny's Creek		Size			i
Well No. 173 E	lev. 1033.81	20-16			
District Henry County	Clay	Cond.			
The surface of tract is owned in fee by		13-10"			Ī
Pennzoil Company		9 5/8			
Address Parkersburg, WV		8 5/8	232	232	125 sks.
Mineral rights are owned by Mr. Wm. Ha		7			
Address_City Bank, N.A.,		ve 5 1/2			
Drilling Commenced 5-10-78 New	York, N.Y.	4 1/2	2018	2018	
Drilling Completed 5-14-78		3			
Initial open flowcu. ft		2			
Final productioncu. ft. per day _		Liners Used			
Well openhrs. before test_	RP.				
Well treatment details:		Attach copy of	cementing reco	ord.	
Fractured 11-10-78 w/174 B	W, 1000# 2				
II-4 T II II II					
Coal was encountered at					
Fresh waterFe	et	Salt	Water		_ Feet
Producing Sand Squaw	2	Dept	h		
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Water	* Remarks
Sand & Shale		0 425	-		
Shale	42		1		
Sand	46			•	
Shaley Sand	530	200000000000000000000000000000000000000			
Sand	580		1		
Shaley Sand	60:		47		q
Shale	800			der	11
Sand Shalon Sand	82	520 8	1	L	£'. 1
Shaley Sand Sand	870		1	2	
Shaley Sand	1360 1588			0/1) NO
Shale	1660	75 (Control of the Control of the Co		14 7	M
Sand	1710		1 1	. A	
Little Lime	1764	0.000.000	MIN	D*(
Blue Monday	1780		1 / 10		
Pencil Cave	1794		1	RECEIV	FD
Big Lime	1812		Offic	e of Oil a	n 0 5/01/2015
Loyalhanna Big Injun	1855		li .		
Shale	1934			MAR 162	2015
Squaw	1954		1		
Shale	2010	2010	WV	Departm	nent of
Plug Back	1998		Enviror	mental F	Protection
Total Depth	138 700 700	1998			OROCHOIT

(over)

^{*} Indicates Electric Log tops in the remarks section.



WW-4A	
Revised	6-07

1)	Date:	1/20/2015	
2)	Operator's	s Well Number	
O.D.	Stockley # 173	3	

3) API Well No.: 47 -

015

1306

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Own	ner(s) to be served:	5) (a) Coal Operator		
(a) Name	Triad Hunter, LLC		Name	N/A	
Address	125 Putnam Street		Address		
	Marietta, Ohio 45750		_0		
(b) Name				ner(s) with Declaration	1
Address			_ Name	N/A	
	-		Address		
(c) Name			Name		
Address	-		Address		
6) Inspector	Ed Gainer		(c) Coal Less	ee with Declaration	
Address	P.O. Box 821		Name	N/A	
	Spencer, WV 25276		Address		
Telephone	(304) 389-7582		_		
The reason y However, yo Take notice accompanyin Protection, y the Applicat	that under Chapter 22-6 of the ng documents for a permit to with respect to the well at the	s is that you have right action at all. he West Virginia Code plug and abandon a we location described on mailed by registered	e, the undersigned well of well with the Chief of the the attached Application or certified mail or deliv	perator proposes to file or has fi Office of Oil and Gas, West Vi a and depicted on the attached I	iled this Notice and Application and rginia Department of Environmental Form WW-6. Copies of this Notice, named above (or by publication in
		Well Operator	Triad Hunter, LLC	> 7 08	e An
		By:	Rocky Roberts	hong hong"	Co CC
		Its:	Senior V.P. Appalachian	Operations	ONVEN
		Address	125 Putnam Street	1,	40 20
		m , ,	Marietta, Ohio 45750	Enw	6 6
		Telephone	(740) 374-2940	VIron Oc	- CO15 95
Subscribed and	sworn before me this Expires	22nd da	2-29-16 x	Environment Notary Public	Pariment TSRAY
Oil and Gas Privac	av Natica	p. 1000		Wille 1 / "	MySumussion Expires
on and Gas Privac	cy Notice			0	DESTINED
regulatory duties. business or as nee office will appropr	Your personal inform ded to comply with sta	ation may be disc tutory or regulat sonal information	closed to other State ory requirements, i n. If you have any qu	uestions about our use o	es in the normal course of formation Act requests. Our

WV Departm<mark>05/₁01/2015</mark> Environmental Protection

กร/ี่ก็ใ/2015

SURFACE OWNER WAIVER

Operator's Well Number

O.D. Stockley # 173

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective:
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>VOLUN'</u> I hereby state that I have read t	FARY ST	FATEMENT OF NO OBJEC	that I have received correspond a Notice
and Application For A Permit To Plug Ar	nd Aband	on on Forms WW-4A and W	W-4B, and a survey place.
I further state that I have no objection to a permit being issued on the FOR EXECUTION BY A NATURAL PEETC.	se materi	to the planned work describ als. FOR	EXECUTION AND A CORPORATION,
Signature	Date _		"lental protection
Signature		By Its	Date

Signature

WW-4B

API No.	47-015-1306
Farm Name	O.D. Stockley
Well No.	173

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging work done at this location, provided, the well of Virginia Code and the governing regulation	order. The undersigned operator has complied with	• • •
Date:	By:	
	lts	

RECEIVED
Office of Oil and Gas

MAR 1 6 2015

WV Department of Environmental Protection WW-9 Rev. 5/08

	Page	1	of	2
API Number 47 -	015	-	1306	
Operator's Well N	O. O.D.	Stockley #	173	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM

			D GAS PIT WASTE DISCHARGE	TON TORUM
Operator N	ame_Triad Hunter,	LLC	OP Code 49444948	33
Watershed	Granny's Creek		Quadrangle Newton	
Elevation	1034' GL	County_ Clay	District_ Henry	
Description	of anticipated Pit Was	te: oil, saltwater, and fre	eshwater	
	hetic liner be used in th		ANY WELL EFFE BE CONTAINE	D IN TANKS D OF PROPERTY,
Proposed I	Reuse Off Site	pplication round Injection (UIC Permit N (at API Number_ e Dispposal (Supply form WW-	umber	9-14 m
Proposed V	Vork For Which Pit Wi Drilling Workov Other (Swabbing Plugging	
on August provisions law or regular application obtaining to penalties for Company (Company Company Co	1, 2005, by the Office of the permit are enforulation can lead to enforcertify under penalty of form and all attachmente information, I believe submitting false information of the information of submitting false information. Official Signature Official (Typed Name) Official Title	of Oil and Gas of the West Virgiceable by law. Violations of a cement action. If law that I have personally elements thereto and that, based over that the information is true mation including the possibility. Rocky Roberts Or V.P. Appalachian	n Operations	tion. I understand that the nit and/or other applicable mation submitted on this mediately responsible for that there are significant
	Elizabet	his 22nd day of _	Notory Public My	amanssion expires
My commi	ssion expires	2-29-16	Elivironm	ental Protection

1501306P

	LEGEND
Property Boundary	Diversion (1211111111111111111111111111111111111
Rond = = = = = = = = = = = = = = = = = = =	Spring
Existing Fence — X — X — X —	Wet Spot
Planned Fence / / /	Drain Pipe with size in inches
Stream	Waterway \longleftrightarrow \longleftrightarrow \longleftrightarrow
Open Ditch	Cross Drain
Rock 535 885	Artificial Filter Strip
North N	Pit: cut walls
Buildings	Pit: compacted fill walls
Water wells	Area for Land Application of Pit Waste
Drill site	
Proposed Revegetation Treatment: Acres Disturbed One	(1) Prevegetation pH 5.5
Troposed Revegenation Treatment: Tieres Distanced	Trevegenmen pri
	H
Fertilizer (10-20-20 or equivalent) 500	os/acre (500 lbs minimum)
Mulch (50 bales) 2.5	/acre
Se	ed Mixtures
Area I	Area II
Seed Type lbs/acre	Seed Type lbs/acre
Orchard Grass 30%	
Rye (Annual & BT) 35%	
Timothy (Climax) 25%	
Clover (Med. Red) 10%	
Attach: Drawing(s) of road, location,pit and proposed area for land ap Photocopied section of involved 7.5' topographic sheet.	pplication.
	7
Plan Approved by:	
Comments:	
Title: Inspector	Date: 3/9/15
Field Reviewed? () Yes (X) No

DELORME XMap® 7 PIRELINE Data use subject to license. MN (8.0°W) © DeLorme. XMap® 7. www.delorme.com 1" = 1,466.7 ft

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS		
_{API:} 47-015-01306	WELL NO.:_1	73
FARM NAME: O.D. Stockley		
RESPONSIBLE PARTY NAME: Triad Hunter, LLC		
	bistrict: Her	ıry
QUADRANGLE: Newton		
SURFACE OWNER: Triad Hunter, LLC		
ROYALTY OWNER: Black Stone Minerals LLP		
UTM GPS NORTHING: 4267198		
UTM GPS EASTING: 487003	GPS ELEVATION	ON: 1063
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential		
Real-Time Differential		
Mapping Grade GPS X: Post Processed Differential X		
Real-Time Differential		
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.		
Bon bnotte	Geologist	3/17/15
Signature //	Title	Date