

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

July 18, 2014

### WELL WORK PLUGGING PERMIT

### Plugging

This permit, API Well Number: 47-1501377, issued to RAVEN RIDGE ENERGY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 1

Farm Name: STEPHENSON, D. H.

API Well Number: 47-1501377

Permit Type: Plugging
Date Issued: 07/18/2014

### **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

07/18/2014

WW-4B Rev. 2/01

1) Date APRIL 15	, 2014
2) Operator's	
Well No. D.H. STEPHE	NSON #1
3) API Well No. 47-0	

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4)				
	Well Type: Oil X / Gas X / Liqui	d injection/ Waste disposal/		
	(II das, Floddecton of un	derground storage) Deep/ Shallow X		
5)	Location: Elevation1140.72	Watershed TRIBUTARY OF WADE FORK		
	District UNION	County CLAY Quadrangle ELKHURST 7.5'		
5)	Well Operator RAVEN RIDGE ENERY, LLC	7) Designated Agent RYAN E. M. CUNNINGHAM		
	Address 3230 PENNSYLVANIA AVENUE	Address 1212 STAUNTION ROAD		
	CHARLESTON, WV 25302	CHARLESTON, WV 25302		
01	Oil and Car Tanasana to Law 1850	**************************************		
01	Oil and Gas Inspector to be notified Name ED GAINER	9) Plugging Contractor Name CUNNINGHAM ENERGY, LLC Address 3230 PENNSYLVANIA AVENUE		
	Address P.O. BOX 821			
	SPENCER, WV 25276	CHARLESTON, WV 25302		
		2		
	ore made to a	spector before any charges		

D.H. Stephenson #1 API #: 47-0151377

- 1. With tubing at 2,050' pump 10bb. Of 6% gel; set Cement plug from 2,050' 1,825' (Approx. 40 sacks); pull all tubing; verify plug holds.
- Attempt to pull 5 3/16" casing; pull 5 3/16" casing; run tubing to 1,690' pump 10 bbl of 6% gel, set 100' cement plug from 1690' 1590' (Approx. 20 sacks); pull all tubing. If unable to pull 5 3/16 cut at about 1,690' and pull. Run tubing to 1,825 pump 10 bb. 6% gel. Set 235' cement plug from 1,825' 1,590' approx. 30 sacks; pull all tubing.
- Attempt to cut 6 5/8 casing at 1285' If not free attempt to cut at 1040' if still not free run tubing to 1335'; pump 6bbl of 6% gel; set 345' cement plug from 1335' – 990' (approx. 63 sacks); pull tubing.
- 4. Attempt to cut 6 5/8 casing at 738' (coal); pull 6 5/8" casing; run tubing to 788' pump 10 bbl. 6% gel; be sure hole is filling up with gel add more 6% if needed; set a 100' cement plug (25 sacks) from 788'-688' (coal); pull tubing to 377'; mix 6bbl. of 6% gel.
- 5. Set a 100' cement plug (30 sacks) from 377' 277'; pull tubing to 195'; set a 195' cement plug to surface (62 sacks); top off as needed.

Note: 6% Gel will be used between each plug.

6. Set monument to state regulations.


A TENNESS TO THE TOTAL TO THE TENNESS TO THE TENNE	Should be seen	The second second
* Table 192	1 4 (3)	3774
A STATE OF THE PERSON NAMED IN	Committee of	
A STATE OF THE PARTY OF THE PAR	RECOMMEND A 1 4 BOOK	A PERSONAL PROPERTY.
A PERSON NAMED IN COLUMN TO A PARTY OF THE P	HOSPITAL VICTOR	3 20M/M/M/W/W/W

	Water State of State		Anthus distriction	17 212
Company Ohio Fuel Oil Company Addres N/A	Casing and	Used in	Left	Cement fill up
Farm D. H. Stephenson Acres 133 Location (waters) Little Sycamore	Tubing	Drilling	in Well	Cu. ft. (Skr.)
Well No. 1 51 1140 72	Size	4.7		
District Union County Clay	20-16 . Cond.			
The surface of tract is owned in fee by  D. H. Stephenson	be-10"	291	291	
Address Clenderin, WestVirginia	9 5/8 8 <b>\$#8 %</b> "	505		
Mineral rights are owned by Same Address	X 6 5/8"	1640	716401	
Drilling Commenced March 25, 1913	· <u>5 蛟 3/16"</u> 4 1/2	18181	1818'	
Drilling Completed May 9, 1913	3			**
Initial open flow cu. ft bbls.	2 Tubing		20501	
Final productioncu. ft. per daybbis.  Well openhrs. before testRP.	Liners Used	or Street at a		
Well trastroat details:	Attach copy of c	ementing reco	77d)	
9/10ths Merc, thru 2" - 527 MCF - 24 1/1919 Shot - 60 Qts, - 21 Ft. 2010	hours.			
0/1920 Shot = 100 Qts = 1949 -2024		The state of the s		
-1/1923 300t - 80 qts 1948 -2027 Bo	ttom Sand 203	21		
6/30/55 Shot 2 50 qts. 20 Ft. 2012			Nº WEEK	
AFTER SHOT: Rock Pressure 530# -  Coal was encountered at 142!-145! 325!-327! Fee		In the second		AND THE SECOND
resh water 1040! 1220! 1285!Feet	Salt W	Inches		Feet
Producing Sand Kenner-Injun	Dếpth	1948	1	
A CONTRACT OF THE PROPERTY OF THE PARTY OF T	The second second second second	Accept to the	リル (中) 日本	

		(C) The last of th	No. of the last of	AND DESCRIPTION OF THE PARTY OF
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water	• Remarks
Loose Land Sand and Slate Slate Coal Slate Sand Coal Sand Slate & Lime Sand Slate & Lime Sand Slate & Lime Sand Slate & Lime Coal Sand Slate & Lime Coal Sand Slate & Lime Sand Slate & Lime Sant Slate & Lime Salt Sand Slate & Lime	00 27 125 142 145 147 325 327 390 425 545 610 690 738 775 960 1400 1405 1529 1648 1529 1648 1664 1699-1787	27 125 142 145 147 325 327 390 425 545 610 690 735 738 775 960 1400 1405 1504 1504 1504 1529 1648 1664 1699	Water 1040 1220 12851	

(over)

A. 1.25 ...



## CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING

<u>8.80</u> .		
1 FERC-121	Items not completed - Line No	
2 IV-1 - A	sent Helen V. Stonle	
3 1V-2 - K	ell Permit	
4 · IV-6 - W	cll Plat	
5 1V-35- W	ell Record / Drilling /	Deepening
6 IV-36- C	as-Oil Test: /Cas OnlyWas Oil Produ	ced2 Ratio
7 IV-39- A	nnual Production 2 years	
8 IV-40- 9	0 day Production 92 Days off	Line;
9 IV-48- A	pplication for Certification. Complete?	Affidavit
THE WAY I SANGE AS A STREET WAY	orm #51 - 52 - 53 - 54 - 55 - 66- 57 - 5	8. Complete / Signed /
	r: Survey Logs Geological Ch	
Doug 5) Date	1:4000 Map Well Tabulations commenced: 3-25-73 Completed: 5-9-/3 Deeper	Gas Analyses
5) Pro	Juction Depth: 1948-2020 1	
5) Pro	Juction Formation Feener 3 InJun:	
5)	al open flow: 497 m	cfd
5) Att	ER.P. ESTEIN: 530#	
c) Och	er Cas Test:	
7) Avg	Daily Gas from Annual Production: 2045	365 = 56 mcCd+ /3353.2 Bb1
B) Avg	Daily Gas from 90-day ending w/1-120 da	ys 41/90 = 5.3 mef;   Bbl
(8) <u>14</u> n	The state of the s	PSIG from Daily Repor
(5) 011	Production: Ula From Completion Report	2019
	s lease inventory indicate enhanced recov	
-17) 1s	affidavit signed? Notar	ized?
es official	well record with the Department confirm	the submitted information? year
ditional In	formationboes computer	program confirmi
s Determin	tion Objected tolBy Whom?	07/18/2014

WW-4A Revised 6-07


1) Date:	APRIL 15, 2	014		
<ol><li>Operator</li><li>D.H. STEPHEN</li></ol>	r's Well Numb ISON#1	oer		
3) API Wal	No : 47	015	01277	

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

		ner(s) to be served:	5) (	(a) Coal Operator	
100	) Name	THOMAS RICKMERS		Name	
A	ddress	1484 SHELTON ROAD		Address	
(h	) Name	BOMONT, WV 25030		(b) Coal Owner(s) with Declaration	
	ddress			Name	
.,	uuress			Address	
(c	) Name			Name	
	ddress			Address	
6) Ins	spector	ED GAINER		(c) Coal Lessee with Declaration	
	ldress	P.O. BOX 821		Name	
		SPENCER, WV 25276		Address	
Te	lephone	304-389-7582			
	Protection, the Applica	ing documents for a permit with respect to the well at t	to plug and abandon a v he location described or in mailed by registered	e, the undersigned well operator proposes to file or has file well with the Chief of the Office of Oil and Gas, West Virg in the attached Application and depicted on the attached Fo or certified mail or delivered by hand to the person(s) narry to the Chief.	inia Department of Environmental orm WW-6. Copies of this Notice.
			Well Operator	RAVEN RIDGE ENERGY, LLC	
m	mm	mmmy	By:	RYAN E. M. CUNNINGHAM	
SIEST D	NOT	FRICIAL SEAL (ARY PUBLIC	Its:	OFFICER	
	DAN	OF WEST VIRGINIA ELLE N. BAYS	Address	3230 PENNSYLVANIA AVENUE	
	Cunnit 3230 Pennsylvania	Avenue, Charleston, WV 25302		CHARLESTON, WV 25302	
~~~	My Commission	Avenue, Charleston, WV 25302 n Expires February 10, 2018	Telephone	304-344-9291	
	ribed and	sworn before me the		ay of APRIL, 2014 Notary Public	Office of Oil and Ga
My C	ommission	Expires FEBRUARI	10, 2019		Other
					and a service.

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests, Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier www.gov.





WW-9 Rev. 5/08

	150	13776 276
Page _	of	CKAGE
API Number 47 - 015	_ 01377	- 00
Operator's Well No. D.H. Ste	phenson #1	_ 10

Cunningham Energy, LLC


#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name RAVEN RII	OGE ENERGY, LLC		OP Code 26-0620	509	
Watershed_TRIBUTARY OF	WADE FORK	Quadrangle	ELKHURST 7.5'		
Elevation 1140.72'	County CLAY		District_UNIO	V	
Description of anticipated Pit Wa	ste: CEMENT & GEL				
Will a synthetic liner be used in t	he pit? YES 20 MIL				
Proposed Disposal Method For T  × Land					
	ground Injection ( UIC Permit )	Number			3
	(at API Number				)
	e Dispposal (Supply form WW	-9 for disposa	location)		_
	(Explain				
Proposed Work For Which Pit W	ill Be Used:				
Drillin	_	Swabl			
Workd		X Pluggi	ng		
Other	(Explain				_
application form and all attach obtaining the information, I bel penalties for submitting false information (Company Official Signature Company Official (Typed Name	orceable by law. Violations of orcement action.  of law that I have personally ments thereto and that, based leve that the information is true to mation, including the possibility.  RYANE. M. CUNN	examined and on my inquirate, accurate, a ty of fine or in	am familiar with the inf y of those individuals in nd complete. I am awar aprisonment.	ormation submitte inmediately response that there are s	applicable  ed on this  nsible for  ignificant
Company Official Title Of 1				Ollice Ol	2 9 2014
Subscribed and sworn before me	this day of day	APRIL	, 20_14	WAY D	anariment of nental Protection
Daly 1	Ben		Notory Public	Eurlyani	USING
My commission expires FEE	RUARY 10, 20	15			OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA DANIELLE N. BAYS

		LEGEND	
Property Boundary		Diversion (1221212111111111111111111111111111111	MILLIAN TO THE
Road = = = = =		Spring	
Existing Fence — 🗴 -		Wei Spot	
Planned Fence / _	-/-/-	Drain Pipe with size in inches	and the second second second
Stream			$\rightarrow$ $\leftarrow$ $\leftarrow$
Open Ditch		→ Cross Drain 7/1/1/	1111111
Rock 685885		Artificial Filter Strip XXXX	XXXXXXXXXX
North N		Pit: cut walls Euro	MILL
Buildings		Pit: compacted fill walls	Trunch.
Water wells (W)		Area for Land Application of Pi	t Waste
Drill site		6==	
roposed Revegetation Treats	ment: Acres Disturbed	1 Prevegetation pH	
Lime 3	Tons/acre or to correct to	<sub>pH</sub> 6.5	
Effile			
Fertilizer (10-20-20		_lbs/acre (500 lbs minimum)	
Mulch HAY - 2	2 <sub>To</sub>	ns/acre	
		Seed Mixtures	
Are		Area	a II
Seed Type	lbs/acre	Seed Type	lbs/acre
Y - 31	40	ORCHARD GRASS	15
LSIKE CLOVER	5	ALSIKE CLOVER	5
NNUAL RYE	15		
1,111,540,120,120,120,120	7027		
ttach:			
rawing(s) of road, location,	pit and proposed area for land	application.	
notocopied section of involv	ved 7.5' topographic sheet.		
AND STREET STREET, IN BUTTLE			
(1)	1		
an Approved by:			
The same of the sa			RECEIVED
omments:		7	Office of Oil and
			Jillus Di Gilleria
1	4.	ale de	APR 2 9 2014
tle: Inspect.	01	Date: 4/24/14	
,		~	WV Departmen
eld Reviewed? (_	) Yes (	) No	wirnnmental Pro

XMap® 7



WW-7 8-30-06



# West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: CRS

WELL LUCATION FORM: GPS		
<sub>API:</sub> 47-0151377	WELL NO	D.H. STEPHENSON #1
FARM NAME: THOMAS RICKMERS		
RESPONSIBLE PARTY NAME:	RAVEN RIDGE E	NERGY, LLC
COUNTY: CLAY	DISTRICT: _	NOINL
QUADRANGLE: ELKHURST 7.5'		
SURFACE OWNER: THOMAS RICKMERS		
ROYALTY OWNER: HELEN V. STANLEY, et al		
UTM GPS NORTHING: 4253		
UTM GPS EASTING: 48091	2.1 GPS ELEV	ATION: 1140'
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements:  1. Datum: NAD 1983, Zone height above mean sea level above mean sea level 2. Accuracy to Datum – 3.03 3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assignus will not accept GPS coordinate: 17 North, Coordinate Units: vel (MSL) – meters.	ed API number on the inates that do not meet
Real-Time Differential		
Mapping Grade GPS: Post Processed Differential		
4. Letter size copy of the topography map showing the well location.  I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.		
	OFFICER	5/12/2014
Signature	Title	Date