



---

**west virginia** department of environmental protection

---

Office of Oil and Gas  
601 57th Street SE  
Charleston, WV 25304  
(304) 926-0450  
(304) 926-0452 fax

Earl Ray Tomblin, Governor  
Randy C. Huffman, Cabinet Secretary  
www.dep.wv.gov

February 28, 2014

**WELL WORK PLUGGING PERMIT**

**Plugging**

This permit, API Well Number: 47-1501653, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalties being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin  
Chief

Operator's Well No: O.D. STOCKLY #212  
Farm Name: O'DELL, DOUGLAS  
**API Well Number: 47-1501653**  
**Permit Type: Plugging**  
Date Issued: 02/28/2014

Promoting a healthy environment.

02/28/2014

## PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

---

### CONDITIONS

---

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.

1) Date January 30, 2014  
2) Operator's  
Well No. O.D. Stockly # 212  
3) API Well No. 47-015 - 01653

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil \_\_\_ / Gas \_\_\_ / Liquid injection X / Waste disposal \_\_\_ /  
(If "Gas, Production \_\_\_ or Underground storage \_\_\_) Deep \_\_\_ / Shallow X

5) Location: Elevation 1333' GPS Watershed Grannys Creek and Right Fork of Camp Run  
District Henry 02 County Clay 15 Quadrangle Newton 512

6) Well Operator Triad Hunter, LLC 7) Designated Agent Kim Arnold  
Address 125 Putnam Street Address P.O. Box 154  
Marietta, Ohio 45750 Waverly, W.V. 26184

8) Oil and Gas Inspector to be notified Name Ed Gainer 9) Plugging Contractor Name N/A  
Address P.O. Box 821 Address \_\_\_\_\_  
Spencer, W.V. 25276

10) Work Order: The work order for the manner of plugging this well is as follows:

(SEE ATTACHED SHEET)

See changes!

6" gel between all plugs

Notification must be given to the district oil and gas inspector 24 hours before the permitted work can commence.

Work order approved by inspector



RECEIVED  
Office of Oil and Gas  
FEB 20 2014  
2/4/14  
WV Department of  
Environmental Protection

02/28/2014

( 2014 )

Plugging Procedure Attachment ( Wells with 8 5/8" Casing )

Well Name : O.D. Stockly # 212

Permit Number: 47-015-01653

District: Henry

County: Clay

MIIRU service rig and flowback tank; blow well down.

1. Pull tubing and rods OOH.
2. Check total depth with sandpump; clean out hole below bottom perforation.
3. Run 2 3/8" tubing below bottom perforation.
4. ( Bottom Hole Plug ) Mix/Pump 20 sacks Class A cement,( 23.6 cu. ft.), ¼ lb.flocele/sk., no CaCl.
5. Displace cement through tubing with gel water.
6. Pull 2 3/8" tubing OOH.
7. RIH with casing cutter tool, check depth of 1<sup>st</sup> plug and find 4 ½" cement top ( free pipe ).
8. Cut-off 4 ½" casing just above the cement top, break circulation, and pull one jt. of casing OOH.
9. ( Cut Plug ) Mix/Pump 30 sacks Class A cement, (35.4 cu. ft.), ¼ lb. flocele/sk.,no CaCl.
10. Displace cement through casing with gel water.
11. Pull 4 ½" casing up to the subsea elevation depth.
12. ( Elevation Plug ) Mix/Pump 30 sacks of Class A cement,( 35.4 cu. ft.), ¼ lb. flocele/sk., no CaCl.
13. Displace cement through casing with gel water.
14. Pull 4 ½" casing to 100 feet below surface. *Set 100 ft plug across bottom of casing rig - 580 - 480*
15. ( Surface Plug ) Mix/Pump 30 sacks of Class A cement,( 35.4 cu. ft.), ¼ lb. flocele/sk., no CaCl.
16. Circulate cement to surface.
17. Pull remaining joints of 4 ½" casing OOH. Top load annulus with Class A cement to surface.
18. Weld a three foot monument pipe on to the existing casing. Fill monument pipe with cement and attach identification plate to monument pipe.
19. RDMO service rig and supporting equipment.
20. Reclaim well site and lease road.

Plug Summary

( Plug Name )	( Thickness )	( Cement Type )	( Sacks )	( Cubic Feet )
1. Bottom Hole	250 ft.	Class A	20	23.6 (2330'-2130')
2. Cut Plug	100 ft.	Class A	30	35.4
3. Elevation Plug	100 ft.	Class A	30	35.4 (1390'-1290')
4. Surface Plug	100 ft.	Class A	30	35.4 (580'-480')
5. Totals:			110 sacks 140	129.8 cu. ft.

13a →

RECEIVED  
Office of Oil and Gas

FEB 20 2014

WV Department of  
Environmental Protection  
02/28/2014

Static rock pressure, \_\_\_\_\_ psi (barometric measurement) \_\_\_\_\_

Time of open flow between initial and final open flow, \_\_\_\_\_

Final open flow, \_\_\_\_\_

Initial open flow, \_\_\_\_\_

Second producing formation, \_\_\_\_\_

Static rock pressure, \_\_\_\_\_

Time of open flow between initial and final open flow, \_\_\_\_\_

Final open flow, \_\_\_\_\_

Initial open flow, \_\_\_\_\_

Producing formation, \_\_\_\_\_

Water Injection Well

RECEIVED  
Office of Oil and Gas  
FEB 20 2014  
WV Department of Environmental Protection

OPEN FLOW DATA

TESTING OR CASING TYPE	SPECIFICATIONS	Weight Made per ft. New	Depth for Drilling Data in Well	PERFORMING KINDS	PACKERS
Coal	8-5/8	530	2324	335 sks	
Intermediate	4-1/2	2324	2324	75 sks	
Production					
Tubing					
Lines					
Perforations:					
Top					
Bottom					

CASING AND TUBING PROGRAM

Work was commenced \_\_\_\_\_ September 25, 1979, and completed \_\_\_\_\_ December 4, 1979.

Coal seam depths: \_\_\_\_\_

Water strata depths: Fresh, \_\_\_\_\_ feet; \_\_\_\_\_

Depth of completed well, \_\_\_\_\_ 2330 feet

Geological Target Formation: \_\_\_\_\_

DEPT. OF MINES  
OIL & GAS DIVISION

(IF APPLICABLE) PERMITTING OF DRY HOLE OR CONTINUOUS PROGRESSION FROM DRILLING OR REMORNING: VERBAL PERMISSION OBTAINED

PERMIT ISSUED ON August 2, 1979

MARTIN NICHOLS  
SUPERVISOR FOR THIS WORK

PERMITTED WORK:  Drill deeper  Convert  Plug off old formation  Perforate new formation  Fracture or stimulate

Other physical change in well \_\_\_\_\_

WELL OPERATOR: Pennzoil Company  
Address: P. O. Box 1588, Parkersburg, WV 26101

Mr. James A. Crews  
P. O. Box 1588, Parkersburg, WV 26101

LOCATION: 1339.48  
DISTRICT: Henry  
COUNTY: Clay  
WATERWAY: Granny's Creek  
NEWTON: 7.5'

02/28/2014

OFFICE COPY

Stockly 212  
47-015-1653-11

APR 28 1980  
150653 P  
March 25, 1980

FORM IV-37  
(Reverse)

[08-78]

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Fractured: 12-4-79 w/250 gal. 15% HCL, 145BW, 1000#20/40 sd.

WELL LOG

FORMATION	Color	Hard or Soft	10 Top Feet	Bottom Feet	Remarks Including indication of all free and salt water, coal, oil and -
Sand & Shale			0	320	
Shaley Sand			320	400	
Sand & Shale			400	1570	
Salt Sand			1570	1960	
Shale			1960	2050	
Little Lime			2050	2078	
Blue Monday			2078	2122	
Big Lime			2122	2192	
Loyalhanna			2192	2236	
Big Injun			2236	2271	
Shale			2271	2296	
Squaw			2296	2308	
Shale			2308	2330	
Total Depth				2330	

(Attach separate sheets to complete as necessary.)

Pennzoil Company  
Well Operator

By Curtis A. Lucas 02/28/2014

xxx Civil Engineering Dept.

RECEIVED  
Office of Oil and Gas

FEB 20 2014

WV Department of  
Environmental Protection

**NOTE:** Regulation 5.03-61 provides as follows:

"The term 'log' or 'well log' shall mean a systematic, detailed geological record of all formations, including coal, encountered in the drilling of a well."

1501653P

# NL McCullough

BOND CEMENT AND/OR SONIC SEISMOGRAM LOG

GAMMA RAY

FILING NO.  
HBC-GR-SS-100097

**PENNZOIL CO.**  
**PETROLEUM ENGR. DEPT.**  
**FILE COPY**

COMPANY PENNZOIL COMPANY

WELL STOCKLY #212

FIELD HENRY DISTRICT

COUNTY CLAY STATE WEST VIRGINIA


LOCATION  
QUAD: NEWTON

OTHER SERVICES:

PERMANENT DATUM	GL	ELEV.	1339'	ELEVATIONS: KB. 1347' DF. 1340' GL. 1339'
LOG MEASURED FROM	KB			
DRILLING MEASURED FROM	KB			
DATE	10-5-79			
RUN NO.	ONE			
TYPE LOG	BOND CEMENT-GAMMA RAY-SONIC SEISMOGRAM			
DEPTH-DRILLER	2324'			
DEPTH-LOGGER	2308'			
BOTTOM LOGGED INTERVAL	2304'			
TOP LOGGED INTERVAL	100'			
TYPE FLUID IN HOLE	WATER			
SALINITY PPM CL.				
DENSITY LB./GAL.				
LEVEL	FULL			
MAX. REC. TEMP. DEG. F.				
OPR. RIG TIME				
RECORDED BY	WRUCK			
WITNESSED BY	MR. HELDMAN			

RUN NO.	BORE HOLE RECORD			CASING RECORD			
	BIT	FROM	TO	SIZE	WGT.	FROM	TO
1				8-5/8"		0	520'
	7-7/8"	520'	1595'	4-1/2"		0	TD
	6-3/4"	1595'	TD				

THIS HEADING AND LOG CONFORMS TO API RECOMMENDED STANDARD PRACTICE RP-33 (P)



2150

2200

2250

3-1/8" OMEGA JET  
1 HPF

0 84 168

API UNITS

210

2149+

2182+


2211-

2245

90 70 50 30 10


200

02/28/2014





1501653P



*Noted 7-31-79*

PENNZOIL COMPANY  
 RECEIVED  
 JUL 30 1979  
 LAND DEPARTMENT  
 PARKERSBURG  
 WEST VIRGINIA

Surface-  
 O.T. White  
 Ovapa, W.Va.

Minimum Error of Closure 1 in 200  
 Source of Elevation O.D. STOCKLY 4, ELEV. 1078'

Fracture   
 New Location  Water Injection  
 Drill Deeper   
 Abandonment

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Signed: *Curtis A. Lucas*

Map No. 83 Squares: N S 62 E W 31

Company	PENNZOIL COMPANY		
Address	P. O. Box 1588, Parkersburg, W. Va. 26101		
Farm	O. D. STOCKLY		
Tract	Acreage	Lease No.	60643-50
Well (Farm) No.	212	Serial No.	
Elevation (Spirit Level)	1339.48'		
Quadrangle	NEWTON 7.5'		
County	CLAY	District	HENRY
Surveyor	CURTIS A. LUCAS		
Surveyor's Registration No.	375		
File No.	540	Drawing No.	
Date	7/30/79	Scale	1" = 800'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. 02/28/2014

+ Denotes location of United States Topographic Office to 62,500, latitude and longitude lines being represented by border lines as shown

- Denotes one inch spaces on border line of original tracing

RECEIVED  
 FEB 20 2014  
 WV Department of Environmental Protection

BRUNING 44.131 27198

1501653P

WW-4A  
Revised 6-07

1) Date: January 30, 2014  
2) Operator's Well Number  
O.D. Stockly # 212  
3) API Well No.: 47 - 015 - 01653

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL**

4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name <u>Douglas O'dell</u>	Name <u>N/A</u>
Address <u>3781 Ovapa Road</u>	Address _____
<u>Prociuous, W.V. 25164</u>	_____
(b) Name _____	(b) Coal Owner(s) with Declaration
Address _____	Name <u>N/A</u>
_____	Address _____
(c) Name _____	Name _____
Address _____	Address _____
_____	_____
6) Inspector <u>Ed Gainer</u>	(c) Coal Lessee with Declaration
Address <u>P.O. Box 821</u>	Name <u>N/A</u>
<u>Spencer, W.V. 25276</u>	Address _____
Telephone <u>(304) 389-7582</u>	_____

**TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:**

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator Triad Hunter, LLC

By: Rocky Roberts *Rocky Roberts*

Its: Senior V.P. Appalachian Operations

Address 125 Putnam Street

Marietta, Ohio 45750

Telephone (740) 374-2940

Subscribed and sworn before me this 30<sup>th</sup> day of January, 2014

Elizabeth R. Seby Notary Public

My Commission Expires 2-29-16



**Oil and Gas Privacy Notice**

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

02/28/2014

U.S. Postal Service  
**CERTIFIED MAIL RECEIPT**  
*(Domestic Mail Only, No Insurance Coverage Provided)*

For delivery information visit our website at [www.usps.com](http://www.usps.com)

7009 1410 0002 0831 6903

OFFICIAL USE

MARIETTA OH 45760

Postage \$ \_\_\_\_\_  
 Certified Fee \_\_\_\_\_  
 Return Receipt Fee (Endorsement Required) \_\_\_\_\_  
 Restricted Delivery Fee (Endorsement Required) \_\_\_\_\_  
 Total Postage & Fees \$ \_\_\_\_\_

Sent To  
 Street, P.O. Box, or PO B.  
 City, Sta. \_\_\_\_\_

Douglas O'dell  
 3781 Ovapa Rd  
 Procious, WV 25164

FEB 14 2014  
 Postmark Here

PS Form 3800

9

✓

- O.D. Stockly # 208 47-015-1626
- " # 209 47-015-1641
- " # 210 47-015-1642
- " # 212 47-015-1653
- " # 216 47-015-1820
- " # 217 47-015-1819
- " # 218 47-015-1818
- " # 211 47-015-1643
- " # 219 47-015-1817

RECEIVED  
 Office of Oil and Gas  
 FEB 20 2014  
 WV Department of  
 Environmental Protection  
 02/28/2014

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM  
GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Triad Hunter, LLC OP Code \_\_\_\_\_  
Watershed Grannys Creek and Right Fork of Camp Run Quadrangle Newton  
Elevation 1333' GPS County Clay District Henry

Description of anticipated Pit Waste: \* No Pit \*; fluids will be separated at Ovapa Facility; oil stored and salt water re-injected.

Will a synthetic liner be used in the pit? \* No Pit \*

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection ( UIC Permit Number \_\_\_\_\_ )
- Reuse (at API Number \_\_\_\_\_ )
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain \_\_\_\_\_ )

Proposed Work For Which Pit Will Be Used:

- Drilling
- Workover
- Other (Explain \_\_\_\_\_ )
- Swabbing
- Plugging

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine or imprisonment.


Company Official Signature *Rocky Roberts*

Company Official (Typed Name) Rocky Roberts

Company Official Title Senior V.P. Appalachian Operations

Subscribed and sworn before me this 30 day of January, 2014

*Elizabeth R. Seby*





My commission expires 2-29-16

RECEIVED  
Office of Oil and Gas

FEB 27 2014

WV Department of Environmental Protection



Proposed Revegetation Treatment: Acres Disturbed One (1) Prevegetation pH 5.5

Lime Two (2) Tons/acre or to correct to pH 6.5

Fertilizer (10-20-20 or equivalent) 600 lbs/acre (500 lbs minimum)


Mulch 90-100 bales/acre Tons/acre

Seed Mixtures

Seed Type	Area I	lbs/acre	Seed Type	Area II	lbs/acre
Orchard Grass		30%			
Rye ( Annual & BT )		35%			
Timothy ( Climax )		25%			
Clover ( Med. Red )		10%			

Attach:  
Drawing(s) of road, location, pit and proposed area for land application.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: 


Comments: \_\_\_\_\_

Title: Inspector Date: 2/4/14

Field Reviewed? ( ) Yes ( X ) No



Data use subject to license.  
 © DeLorme. XMap® 7.  
 www.delorme.com



Scale: 1" = 2,343.8 ft  
 0 200 400  
**RECEIVED**  
**Environmental Protection**  
 02/28/2014

1501653A

WW-7  
8-30-06



West Virginia Department of Environmental Protection  
Office of Oil and Gas

**WELL LOCATION FORM: GPS**

API: 47-015-01653 WELL NO.: 212

FARM NAME: O.D. Stockly

RESPONSIBLE PARTY NAME: Triad Hunter, LLC

COUNTY: Clay DISTRICT: Henry

QUADRANGLE: Newton

SURFACE OWNER: Douglas O'dell

ROYALTY OWNER: Black Stone Minerals LLP et al

UTM GPS NORTHING: 4265587

UTM GPS EASTING: 0487540 GPS ELEVATION: 1333'

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
2. Accuracy to Datum – 3.05 meters
3. Data Collection Method:

Survey grade GPS  : Post Processed Differential   
Real-Time Differential

Mapping Grade GPS  : Post Processed Differential   
Real-Time Differential

4. Letter size copy of the topography map showing the well location.

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

*Ben Smeltzer*  
Signature

Geologist  
Title

RECEIVED  
Office of Oil and Gas  
1/17/14  
FEB 20 2014  
Date  
WV Department of Environmental Protection  
02/28/2014



# Chuck Taylor Toolbox

## Geographic/UTM Coordinate Converter

You can convert between geographic coordinates and Universal Transverse Mercator (UTM) coordinates using this form.

**Note:** This is a JavaScript-powered form. If you have difficulties using this form, check your browser's settings to make sure you have enabled JavaScript.

Programmers: The JavaScript source code in this document may be copied and reused without restriction.

If you have a Java 1.1-compliant browser, and especially if you need to use an ellipsoid model other than WGS84, you may want to try the [Coordinate and Datum Transformations tool](#).

Geographic <i>(degrees decimal)</i>	To/From	UTM	
lon <input type="text" value="-81.142969706200"/>	[ >> ]	x (easting) <input type="text" value="0487540"/>	O.D. Stockly # 212
lat <input type="text" value="38.538606826589"/>	[ << ]	y (northing) <input type="text" value="4265587"/>	
		zone <input type="text" value="17"/>	
		hemisphere <input checked="" type="radio"/> N <input type="radio"/> S	

*Geographic coordinates are entered and displayed in decimal degrees. Negative numbers indicate West longitudes and South latitudes. UTM coordinates are entered and displayed in meters. The ellipsoid model used for computations is WGS84.*

Chuck Taylor -- ([Copyright](#)) -- ([Contact](#))

RECEIVED  
Office of Oil and Gas  
FEB 20 2014  
WV Department of  
Environmental Protection  
02/28/2014  
1/15/2014