FORM 1V-2 (Obverse) (12-81)

TELEPHONE: (304) 348-3092



Date:	2/18	, 19 82/
Operator's	8	

State

API Well No. 47

015-2116

Permit

County

STATE OF WEST VIRGINIA DEPARTMENT OF MINES. OIL AND GAS DIVISION OIL AND GAS WELL PERMIT APPLICATION

WELL TYPE:	Oil Gas V				
	(If "Gas", Production	/ Undergroun	d storage/	Deep/ SI	nallow/)
LOCATION:	Elevation: 1018	Watershed:	Branchof	WEK Branch	
	District: Pleasant	County:	Clay	Quadrangle: Bo	entree 7/2
WELL OPERAT	OR Hardee Pe	troloum Co.	DESIGNATED AGE	NT Walter	L. Diddle
Address	107 Dutch L	ane	Address 10	7 Dutch L	sane.
	Beckley, Wila	,2580/	F	eckley, W.	Va 25801
OIL & GAS	1-			• • • • • • • • • • • • • • • • • • • •	
	NER FIX Piver Lu.	mber Co			
Address	21 / /	1	Address		
T. 14 1-169 1	Charleston, Kl. V.	12.	-		
Acreage			COAL OWNER(S)	WITH DECLARATIO	N ON RECORD:
SURFACE OWN	NER Polaris Coa	1 Co.	Name Polari	s Coal Con	
Address	(See Cox 1 Da	ner.)		versity Bldg.	
	ALLO			16th St. Denu	01
Acreage		ad Wire	Name		
FIELD SALE (IF MADE) TO: FEB 1	9 1982			
Address	OIL AND G	1382			
	OIL AND G WYDEFARTM	ENT OF MINEN	COAL LESSEE WIT	TH DECLARATION (ON RECORD:
OIL & GAS IN	SPECTOR TO BE NOTIFIED	The Name of Street		d Hining C	0
Name Mar	tin Nichols			outh E. St.	1
	Box 554		1/1	ginia City	New much
	Clendenin W. Va	25045	7	ma city,	1VEV, 84770
The undersion	Ph. 548 6993 ed well operator is entitled to oper	-A-6			
ather sentent	ed wen operator is entitled to oper	rate for on or gas purpo	ses at the above location	on under a deed	/ lease
other contract	/ dated/	, 19 <u>#/</u> , to th	ne undersigned well of	perator from	
	ease, or other contract has been				
Recorded on	0, 19 47 , in the	e office of the Clerk of	the County Commissi	ion of Clay	County, West
Va., in	Book 24 at	page_465 . A p	ermit is requested as	follows:	
	ORK: Drill/ Drill deep				THIS PERMIT MU
n i	Plug off old formation		AHO I I'M TOTAL	IS BEING, IN ACCOR	ALL PROVISION
	Other physical change in		H SI MOUTA LOT A	TURLOUND TH	
		201 to 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	AUSC LINDAL SELL		ADJ GIVONSTV
	-planned as shown on t	he work order on the	reverse side hereof.	HAVE NOT COMM	SHOPERATED IT
The above nam	ed coal operator, coal owner(s), a	nd coal lessee are hereb	y notified that any obj	ection they wish to mal	Ce or are required to
make by Code \$2	22-4-3 must be filed with the Dep	partment of Mines with	in fifteen (15) days a	fter the receipt of this	Application by the
Department.					of the
Copies of this P	ermit Application and the enclose	d plat and reclamation	plan have been mailed	by registered mail or o	lelivered by hand to
the above named	coal operator, coal owner(s), and	coal lessee on or befor	e the day of the mailir	ng or delivery of this Pe	ermit Application to
the Department	of Mines at Charleston, West V	irginia.			
PLEASE SUBMIT	COPIES OF ALL			08	5/17/2024
TO:	LOGS DIRECTLY		Hardee	Petroleun	n Co.
WEST VIRGINIA	A OIL AND GAS	MKr.		Well Operator	,
CONSERVAT	TION COMMIS-	MKET BUND	By Ta		eddle
	ON STREET EAST	4861	Its See	V. Mor.	

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION


DRILLING CO	NTRACT	OR (IF	KNOWN	1)		Inknow	7			
				Add	lress _					
					_					
GEOLOGICAL	TARGE	T FORM	ATION,		Inj	un 50.				
Estimated	d depth o	of compl	eted wel	1,	20	oo_fee	t Rotary	/ Cabl	e tools	_/
							salt, Unio			
Approxim	nate coal	seam de	pths: 4	nKN	ow	n Is coal	being mined i	n the area? Yes	/ No _	
CASING AND	TUBINO	PROGI	RAM							
CASING OR TUBING TYPE	SPE	CIFICATI Grade	ONS Weight per ft	New	Used	FOOTAGE	Left in well	CEMENT FILL-UP OR SACKS (Cubic feet)	PACKERS	
Canduator									Kinds	
Conductor										
Fresh Water									Sizes	
Intermediate	05%	11 .10	the second	1			300	Tosurface		
	8-18	H-40					2000	3008KS	Depths set	
Production	4/2	K-55	1		-					
Tubing	23/8	1	4.5	-			2000		Perforations:	
Liners				+					Тор	Bottom
				+					Тор	Bottom
		-	-	-	-					
pres ''Re prev Cod	cribed by clamation riously pa e \$22-4-8	Regulate Plan'', id on the 8a from	ion 12, applicables same we the owner	or in le to the ll, the er of a	he rec	lamation required by Code ter well or dwo	red by Code \$ \$22-4-12a, and elling within 20	allation 11, (ii) a bond owed by Code § 22-4-22-4-12b and Regular (v) if applicable, the 600 feet of the proposed well where fracturing a Form IV-2 filed in code	tion 23, (iv) unle consent required ed well.	ess by
THIS PERMI							22			
						TH CHAPTER				
ARTICLE 4	OF THE	w. va. drill	ing	THE LA	IS PE	ON IS HEREB	XPIRE			
APPROVED	IONS HA	VE NO	COM	AENTE	D BY	11-18-82				
BY A		la la	16							
		•••••	•••••	• • • • •	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			
Ti	he following	ng waiver under C	must be	compl 2-4-20,	eted b	y the coal opera permit is to l	ator and by any one issued within	coal owner or coal less n fifteen (15) days of	ee who has recorf receipt thereof.	ded a
						w	AIVER			
proposed w	ell location	on. If a m	ction to	exists the wo	which ork pro	covers the area	of the Well loca	of the coal under thintion, the well location tion, provided, the wellions.	nas occii added	to the mine map

Date:		1 × 1	,	19_	7000		Ву			
	41						Its			

	Harduffet Co OFFICE OF O	
550		Designated Agent WALTER DIDDLE
	Revegetation to be carried out by BO	X ENERGY (Agent)
	This plan has been reveiwed by and additions become a part of this plan	n. 2-23-42 (SCD Agent)
	Access Road Structure SEF Commen 75 (A)	Structure SEE Comman(s1)
	Spacing Page Ref. Manual	Material Page Ref. Manual
	Structure(B) Spacing Page Ref. Manual	Structure (2) Material Page Ref. Manual
	Structure(C) Spacing	Structure (3) Material
	Page Ref. Manual All structures should be inspected regu	Page Ref. Manuallarly and repaired if necessary.
	Reveget.	Treatment Area II
	Lime Tons/acre	Lime Tons/Acre
		Fertilizer 450 lbs/acro (10-20-20 or equivalent)
	Mulch 57RAW 1/Z Tons/Acre Seed* KY 31 FF CUE 30 lbs/acre PERFNAIAL DYELPAS \$6/acre ACSIKE COULD lbs/acre	Seed* (1) 30 FESTIE 30 lbs/acre PERENIAL PROPERTY Stacre ACSILECTOVER lbs/acre
	*Inoculate all legumes such as vetch, tre bacterium. Inoculate with 3X recommended	foil and clovers with the proper amount.
	Attach or photocopy section of involved	Topographic map. Quadrangle BENTREE 7/2
	Legend:	
	O PROPOSED SITE	anci Occo Occo Occo Occo Occo Occo Occo Oc
		05/17/2024

Diversion
Spring O
Wet Spot O
Building Drain Pipe O
Waterway C

Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



SECKLEY, W. U.A. 2580/ to protect new seeding for one growing season.



IV-35 (Rev 8-81)

State of Mest Wirginia

Department of Mines Gil and Gas Division

Date 9/15/82
Operator's
Well No. 8
Farm Payley
APT NO 47 - 1015 - 2111

Bbl/d

hours

(Continue on reverse side)

hours shut in

	WELL OPERATOR OF				
	DRILLING, FRACTURING AND/OR STIM	ULATING, C	OR PHYSICA	L CHANGE	
	TYPE: Oil // Gas // Liquid Injection (If "Gas," Production / Undergro	und Storag	ge/ Dee	p/ Sha	llow/)
LOC	ATION: Elevation: 1018 Watershed /	donijh	a Fork		
	District: Pleasant County Cl.	ay	_Quadrangl	e Bent.	ree 1/2
	PANY Hardee Petroleum Company				
	RESS 109 Dutch Lane Bookley W. Va.	[a :	I		Cement
	IGNATED AGENT Walter L. Diddle	Casing	Used in	Left	fill up
	RESS Same as above	Tubing	Drilling	in Well	Cu. ft.
	FACE OWNER FIX River Lumber Co	Size 20-16			
	RESS Charleston, W.Va	Cond.	-		
	ERAL RIGHTS OWNER EIX Riev Lumber Co	13-10"	-		
	RESS Charleston, W. Va	9 5/8			
	AND GAS INSPECTOR FOR THIS WORK Martin	8 5/8	300	300	Surface
	schok ADDRESS Clandonin Wila.	7			
	MIT ISSUED Feb 1987	5 1/2			
	LLING COMMENCED 8/3/82/	4 1/2	-	3088	1.600
	LLING COMPLETED \$/8/87	3	-		
	APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CON	TINUOUS PROGRESSION FROM DRILLING OR	Liners			
REW	ORKING. VERBAL PERMISSION OBTAINED	used			
_	COTON TOPOTO TOPOTON		_		
GEL	LOGICAL TARGET FORMATION Injun				
	Depth of completed well 2104 feet	Annual Continues and		TOOLS_	
	Water strata depth: Fresh 92 feet;				- (
	Coal seam depths:	Is coal	being mine	ed in the	area? No
OPE	N FLOW DATA				
	Producing formation Injun	Pay	zone dept	h 1958-	1000 feet
	Gas: Initial open flow 6 Mcf/d	Oil: Ini	tial open	flow_	Bbl/d
	Final open flow 3,000 Mcf/d	Fin	al open fl	.ow	Bb1/d
	Time of open flow between init	ial and fi	nal tests	hou	irs
	Static rock pressure // 10 psig(surface			48 hour	s shut in
	(If applicable due to multiple completion				7/2024
	Second producing formation				
	Gas: Initial open flowMcf/d	Oil: Ini	tial open	flow	Bbl/d

Final open flow Mcf/d Oil: Final open flow

Static rock pressure ____psig(surface measurement) after__

Time of open flow between initial and final tests___

FORM IV-35 (REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Perf- 1960-1990 2 shot/4

Foam Frac, -

WELL LOG

	rı.		
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Sand a Shale	0	925	
Sand	925	1530	
Shale	1530	1785	
Lime	1785	1948	. *
Injun Sd	1948	2002	
Injun 5d Shale	2000	2104.	
	er og en		and the extra control of the control
	1	1	1

(Attach separate sheets as necessary)

Hardee Petroleum Co Well Operator	
Well Operator	
By: It & Diette	05/17/2024
Date: 9/15/82	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including anal, encountered in the drilling of a well."

STATE OF WEST VIRGINIA

NES RECEIVE

DEPARTMENT OF MINES
OIL AND GAS WELLS DIVISION

- AUG - 9 1982

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

Permit No. 015-2116			Oil or	Gas Well CAS
Company HARDEE PETROLEUM CO.	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address BECKLEY, W. VA.	Size			
FARM POLARIS COAL CO.	16			Kind of Packer
Well No.	13			And the second s
District PLEASANT County CLAY	81/4			Size of
Drilling commenced 8/2/82	65%			Depth set
Drilling completedTotal depth	5 3/16 3			Perf. top
Date shot Depth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEMEN	NTED 85/8	SIZE 310	No. FT. 8/4/8 Date
lock pressure lbs. hrs.	NAME OF SER			/
Dilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
Fresh waterfeetfeet	FEET_	INCH	ES	FEETINCHES
Salt waterfeetfeet	FEET_	INCH	ES	FEETINCHES
Orillers' Names HAUGHT ORILLING	s Rici	7		
Remarks: RAN 310' OF 85/8 CEME	NTED TO	SURFA	CE W	TH 150 SKS

Craig Muckworth

8/4/82

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS			
equipment of the control of the first the control of the control o						
FARM		DISTRICT_		COUNTY		
Filling Material Used						Distriction of the second continues and second
Liner Loe	ation	Amount	Packer	Location		
PLUGS USED AND DEPTH PLACE			BRIDGES	CASIN	G AND T	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED SIZE		LOST
# Abdigm to the control of the contr					1000 - 100 STA	100000000000000000000000000000000000000
				. 5 o T		
						+
Andreas Constitution of the Constitution of th				A 1/2		(a)
A MARTINE CONTRACTOR C				A STREET COLLEGE		site e
	A Maria					
	L. L.J. DARWIN					
20 EDF 39 ED						
rillers' Names						
ETHOME.			the same of the sa			
Remarks:			Marian de la companya del companya del companya de la companya de			

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

APR 1 8 1983

OIL & GAS DIVISION DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 115 - 2116	and the second of the second o		Oil or	Gas Well GAS
Company HARDEE PETROLEUM CO.	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address BECKLEY, W. VA.	Size			
FARM ELK RIVER LUMBER CO.	16		3 39 1	Kind of Packer
Well No. 8	13	1.70		
District PLEASANT County Chay	81/4			Size of
Drilling commenced 8/2/82	6%			Depth set
Drilling completed 8/8/82 Total depth	5 3/16			
	3			Perf. top
Date shotDepth of shot	_ 2			Perf. bottom
Initial open flow/10ths Water inIn	ach Liners Used			Perf. top
Open flow after tubing/10ths Merc. inIn	ch			Perf. bottom
VolumeCu. I	t. CASING CEMEN	TED	_SIZE	No. FTDate
Rock pressurelbsh				Date
bbls., 1st 24 hr	rs. COAL WAS ENC	COUNTERED A	ΛТ	FEETINCHES
resh waterfeetfe	8.57			FEETINCHES
alt water feet fee	1			FEETINCHES
rillers' Names	· post time of a state of the great	and the second second		
emarks: RECLAIMED & SEEDED				
NO I.D. TAG				

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

MPANY			ADDRESS		e pining na hailipa pananan manan	And the second of the second o	
RM	Service and the service and th	DISTRIC		UNTY	p. 8	9 1.131	
ling Material Used			1407		2		
er Loc	ation	Amoun	t Packer	Location	ı ·		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND T	UBING	
CEMENT-THICKNESS WOOD-SIZE		LEAD	CONSTRUCTION-LUCATION	RECOVERED	RECOVERED SIZE LOS		
						-	
72.10.202							
						10 m	
	the words the state of	27		Post Compression	2.16	1967	
x					ca . Toward		
			en (BAN)		4 5 (0) 4 (0° , 4°	Pat (+ a) re (per	
		any arin'i	gar gas a' as in sakadi		***	and the second second	
					and the state of t	W. 1895	
lers' Names				493			
			Commence of the second	, o creeze a constanta de 18		de la companya de la	
narks:			LINE SAME THE RESIDENCE AND TH			SMC+ C's	

I hereby certify I visited the above well on this date.

DATE

TMS/nw





Ptate of West Virginia
Department of Mines
Oil and Gas Division
Charleston 25305

OIL & GAS DIVISION
DEPT. OF MINES

December 20, 198405/17/2024

DATE

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT December 21, 1983

COMPANY Hardee Petroleum Company	PERMIT NO 015-2116
107 Dutch Lane	FARM & WELL NO Pauley #8
Beckley, West Virginia 25801	DIST. & COUNTY Pleasant/Clay
	2101. 4 600,411
RULE DESCRIPTION	IN COMPLIANCE YES NO
Notification Prior to Start Prepared before Drilling to High-Pressure Drilling Required Permits at Wellsit Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prevent Reclaimed Drilling Pits No Surface or Underground Pot Requirements for Production Well Records on Site Well Records Filed Identification Markings	ent Waste collution & Gathering Pipelines
HAVE INSPECTED THE ABOVE CAPTIONED	WELL AND RECOMMEND THAT IT BE RELEASED:
	SIGNED Craig Duckworth
	DATE 2/1/84
our well record was received and receit Chapter 22, Article 4, Section 2 overage for the life of the well.	lamation requirements approved. In accordance , the above well will remain under bond
	Administrator-Oil & Gas Division

	PI well number: f not available, leave blank. 14 digits.)		47.	-015-2	116	
(L	pe of determination being sought: lse the codes found on the front this form.)		Section of		Category Coo	de
lo	pth of the deepest completion ation: (Only needed if sections 103 107 in 2.0 above.)		HACAT AMBAT			
ap ma	me, address and code number of plicant: (35 letters per line iximum. If code number not ailable, leave blank.)	Name Street City	Hardee F	Petroleus Lane	Vila 258c State Zip Code	4
or	cation of this well: [Complete (a) (b).] For onshore wells (35 letters maximum for field name.)	Field Na		Pest.	W. Ve	- - <u>-</u>
(P)	For OCS wells:	Area Na	Date of Le		Block Number	
(c)	Name and identification number of this well: (35 letters and digits maximum.)		Pauley #	18	OCS Lease Number	
(d)	If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)		BIGI	njun		_
1.74	Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Ca. Name	bot Corp	poration		00 2733 Buver Code
(b)	Date of the contract:			01612151 Mo. Day	419 1 ∀r.	
(c)	Estimated annual production:					
			(a) Base Price (\$/MMBTU)	(b) Tax	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)
(As	tract price: of filing date. Complete to 3 mal places.)		2.624	0.348		3022
(As	mum lawful rate: of filing date. Complete to 3 mal places.)		2.624	0.3 48		3.022
Date Reco	pency Use Only eived by Juris. Agency SEP 201982	Name Signature	ler L. D.	delle Disse	Gen M Title	lgr

U.S. DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission Washington, D.C. 20426

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA)

(Sections 102, 103, 107 and 108)

PLEASE READ BEFORE COMPLETING THIS FORM:

General Instructions:

Complete this form if you are applying for price classification under sections 102, 103, 107 or 108 of the NGPA. A separate application is required for each well. If any reservoir qualifies for a category which differs from the category applicable to the producing well, separate applications must be made for the producing well and the reservoir. Complete each appropriate item on the reverse side of this page. The code numbers used in items 4.0 and 6.0 can be obtained from the Buyer/Seller Code Book. If there is more than one purchaser or contract, identify the additional information in the space below. Enter any additional remarks in the space below.

Submit the completed application to the appropriate Jurisdictional Agency as listed in title 18 of the CFR, part 270.103. If there are any questions, call (202) 275-4539.

Specific Instructions for Item 2.0, Type of Determination:

Section of NGPA	Category Code	Description
102	1	New OCS Lease
102	2	New onshore well (2.5 mile test)
102	3	New onshore well (1,000 feet deeper test)
102	4	New onshore reservoir
102	5	New reservoir on old OCS Lease
103	<u>-</u>	New onshore production well
107		High cost natural gas
108	-	Stripper well

Other Purchasers/Contracts:

Contract Date	Purchaser	Buyer Code
(Mo. Day Yr.)		

Remarks:

0.00015.7	DATE: JAN 28 1983	BUYER-SELLER
PARTICI	OPERATOR: Hardes Petroleum Company	
	PURCHASER: Consolidated Gas Supply	004228
OTHER		
W. V.	Department of Mines, Oil & Gas Division	
	ELL DETERMINATION FILE NUMBER	
82-	09-20-103-015 = 2116 QUALIFIED	
1	Above File Number on all Communications lating to Determination of this Well	
	CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING	
ITEM NO		
ì.	FERC -121 Items not completed - Line No. 7.0, 8.0	۷
2.	IV-1 Agent Walter L. Diddle	
3.	IV-2 Well Permit	
4.	IV-6 Well Plat	
5.	IV-35 Well Record Drilling Deepening	
6.	IV-36 Gas-Oil Test: Gas Only Was Oil Produced?	Ratio _
7.	IV-39 Annual Production years	
8.	IV-40 90 day Production Days off line:	
9.		
10-17.	IV Form 51 - 52 - 53 - 64 - 55 - 56 - 57 - 58 Complete? Aff	idavit Signed
18-28.	Other: Survey Logs Geological Charts	
	Structure Map 1: 4000 Map Well Tab	
(5)	Date commenced: 8-3-82 Date completed 8-8-82 Deepen	ed
(5)	Production Depth: 1958 - 2000	
(5)	Production Formation: Injun	
(5)	Final Open Flow: 3 mmcf	
(5)	After Frac. R. P. 610 # 48 hrs.	A A A A A A A A A A A A A A A A A A A
(6)	Other Gas Test:	
(7)	Avg. Daily Gas from Annual Production:	
(8)	Avg. Daily Gas from 90-day ending w/1-120 days	
(8)	Line Pressure: PS	
(5)	Oil Production: From Completion Report	
10-17.	Does lease inventory indicate enhanced recovery being done ×6	
10-17.	Is affidavit signed? Notarized?	
		17/2024
	nal information Does computer program confirm?	7
	ermination Objected to By Whom?	

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

Dat	e 9/1	5		1982
Ope: Wel	rator's	Pauley.	#8	
API No.	Well 47 State	County	- 2) Per	WE mit

WELL CLASSIFICATION FORM

NEW ONSHORE PRODUCTION WELL

NGPA Section 103	
DESIGNATED AGENT Walter L. Didd	le
ADDRESS 107 Dutch Lane	
Bearley, W. Va. 25801	
WELL OPERATOR Handee Petroloum Co. LOCATION: Elevation 1018	•
ADDRESS 107 Dutch Lane Watershed Adoni HA Fork	
Beckley W. Va 2580/ Dist. Pleasant Country Clay Quad. 5	anfr
ADDRESS Box 1472 Gas Purchase Contract No. 6PC - 4-67	
Aburage Meter Chart Code N/A	
Date of Contract 6/25/49	
* * * * * * * * * * * * * *	***
Date surface drilling was begun: $8/3/82$	
Indicate the bottom hole pressure of the well and an incident	
Indicate the bottom hole pressure of the well and explain how this was calculated:	
Est 610 psig - Oil in hole	
AFFIDAVIT	
surface drilling of the well for which this determination is sought was begun on or after Februar 1977; the well satisfies applicable state or federal well spacing requirements and the well is no within a proration unit, in existence at the time surface drilling began, which was applicable to in commercial quantities or on which surface drilling began on or after February 19, 1977, and who was capable of producing gas in commercial quantities. I state, further, that I have concluded, the best of my information, knowledge and belief, that the well for which this determination is a new onshore production well and that I am not aware of any information not described in the application which is inconsistent with this conclusion.	the ich
The Diddle	
J1.01. 10.12	
STATE OF LEGT WINGING	
STATE OF WEST VIRGINIA,	
I. The Notary Public in and for the state and county aforesaid	i,
that that the first that the wind of the writing above, bearing date	
the 22 day of State 1, 1982, has acknowledged the same before me, in my county afores	aid.
Given under my hand and official seal this 22 day of September 1982.	
My term of office expires on the 18 day of may, 1992	
[NOTARIAL SEAL] Energy Public Notary Public	

HARDEE PETROLEUM COMPANY



MANAGER OF OPERATIONS
WALTER L. DIDDLE
107 DUTCH LANE
BECKLEY, W. VA. 25801
(304) 255-0917

WALTER S. FARR P.O. Box 995 WAUCHULA, FLORIDA 33873 (813) 773-2151

EIR River Lumber Co #8 (015-2116)

L=19961

P= 624.7 psia

6= .68

T= 540°R

BHP= 624.7 + 624.7 (e"-1)

BHP = 624.7 + 30.1 = 654.8 psia