

May 12

2) Operator's Well No.__

A-1337 (Concorde) 47 - 015 - 2205 47 -3) API Well No. State Permit County

DRILLING CONTRACTOR:

Development Drilling

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

	O. Drawe arksburg,			DE			OF MINES, OIL A		ON	
.,46	16 Julius	anide, o	144.27.0			iter part	S WELL FERMIN			
4)	WELL TYPE									
		B (If "	'Gas'', Pro	duction _			/ Underground st			_/ Shallow _XX/)
5)	LOCATION:	Elevat	tion: ct: Uni	1317'		***************************************		Porter Cr Clay	Ovedsorele	Elkhurst 7.5'
6)	WELL OPER	ATOR A	11eghe	ny Land	1 &	Miner	al Co. 11		Quadrangie:Quadrangie:	el L. Wheeler
0,	Address	P. (O. Dra	wer 17	40		and and more	Address	P. O. Drawer	1740
		Cla	rksbur	g, WV	263	01	mility statement of		Clarksburg, N	WV 26301
7)	OIL & GAS		9	1 0	g/				The second of	
	THE RESERVE AND ADDRESS OF THE PARTY OF THE		. Box	an other was fire to be proved and	0. %	Jose	ph Lauritan		ATOR	NET TO SECURITY OF THE PROPERTY OF THE PROPERT
	Address			, WV	2650	5		Address	But here to the said	* Part with the same
	Acreage	4073					13) COAL OWNE	R(S) WITH DECLAI	RATION ON RECORD:
8)	SURFACE O					S				% Joseph Laurita
	Address		Glen, I	WV 250	880	Marie de la companya del companya de la companya del companya de la companya de l		Address	P. O. Box 10	
		0.5							Morgantown,	
0)	Acreage FIELD SALE	95	E) TO:					Name	THE RESIDENCE OF THE PARTY OF T	Mine Management Cor urita - P. O. Box 1
")	Address			s Trans	mis	sion		Address	Morgantown,	
	Traditos						WV 25045 14) COAL LESSE	E WITH DECLARA	
10)	OIL & GAS I									oal Mining
	Name			ugherty				Address		rita P. O. Box 1066
	Address			e - Box					Morgantown, A	V 26505
	DE CONCERN !	The state of the s		, WV				Catheba and		SCO A SCIII
15)	PROPOSED '	WORK:					/ Redrill/ Perforate n			- 4)1)
							cify)			IL 1 9 1983
16)	GEOLOGICA	L TARGE							The second second	Charles and the Control of the Contr
	17) Estimated	depth of c	completed	well, 2	500'		feet		Oil	CAS DINIGIA
	18) Approxin	nate water	strata dept	hs: Fresh	, _	189	feet;	salt, 570, 121	9 feet	GAS DIVISION
	19) Approxin	nate coal se	am depths	: _149_1	L54	375-	383 Is coal	being mined in the	e area? Yes	OF MINKS
	CASING ANI					716-	722			
	CASING OR		SPI	ECIFICATION	NS	1	FOOTAGI	E INTERVALS	CEMENT FILL-UP	PACKERS
	TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	Security 1 - 1185
C	Conductor	16"				X	20'	20'	a dispersion	Kinds Cement to surf
F	resh water	8 5/8					neme stations of	the second	A THE BEHAVIOR	
-	Coal	8 5/8	HE TELL	20#	X	ales de	1250'	1250'	CTS 300'	Sizes by Rule 15-05
	ntermediate			J.55			SA ROP OF STATE	To have bed her		
-	Production	4 ½"	The Rose Co	18:30	X	3 m	2500'	2500'	CHICAGO CONTRACTOR	Depths set Req. by Rule
736 23	iners	Name of the last			Towns.	4.5		The series of th		Perforations:
-		Amount &								Top Bottom
									HEREN ST	
	Malaine S-	The same	59000	1 (48) (48)		No.	er rent entire of	Citilla in modi		The state of the s
21)	EXTRACTIO					94 A	of our affect of			
	Check and pro						er tagasitive i	1 30 miles		
	The same of the sa					A STATE OF THE PARTY OF THE PAR	(See reverse side for		ne right to extract oil o	or gas.
22)	ROYALTY P									Files of the control
										ding for flat well royalty or any
	produced or n		- polices	Control of the Contro	vner o	f the oil	or gas in place wh	ich is not inheren	tly related to the volu	me of oil or gas so extracted,
If th	A STATE OF THE PARTY OF THE PAR			The State of the S	eeded	. If the a	nswer is Yes, you r	nay use Affidavit	Form IV-60.	
	Required Cop							ca accession de la		Charles and the second
24)	Copies of this	Permit Ap	plication a	and the end	losed	plat and	reclamation plan h	ave been mailed b	y registered mail or d	elivered by hand to the above lication to the Department of
	Mines at Char		-		TOSSEC)	crose the day of the	1	1 10	nlt. 1)
1	Notary:	Isie	11	5		Carry T	out right facts fol	Signed:	mula.	Mallow
	My Commission	Expires	Februa	ary 14	, 19	89	portion and the	Its:	Vice Presid	lent
							THE CE WEE C		in terms in the	normal in a Zidi
			Company of the Compan		Technical Control	THE RESERVE OF THE PERSON NAMED IN	OFFICE USE C			
Per	mit number					n	RILLING PER	WILL		05/17/202419
	ai Lobert	47-015		to oft.				A Saver		ate Aug. 10, 1983
	permit coveri	ng the well	operator						ted to drill in accorda	nce with the pertinent legal re-
quir	ements subject	to the con	onstruction	ntained he	locat	on the	e reverse nereof.No pits for any permitt	ufication must be ed work. In addit	given to the District (Oil and Gas Inspector. or his contractor shall notify the
prop	per district oil	and gas ins	spector 24	hours befo	re act	ual perm	itted work has con	menced.)	read salid in the H	the flat follow self south of
Peri	mit expires A	ugust	10, 19	85	0		unless dr	illing is commence	ed prior to that date an	d prosecuted with due diligence.

24320

Administrator, Office of Oil and Gas

Bond:

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - 5) Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
- 7) Use separate sheet if necessary
 - 8) Present surface owner at time application is filed.
 - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4)A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).
 - Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
 - The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

	7.5%	WAIVER		05/17/2024
The undersigned coal operator_amined this proposed well location. If added to the mine map. The undersigned operator has complied with all applications.	a mine map exists ved has no objection	which covers the are to the work propos	ea of the well location sed to be done at this l	er this well location has ex- the well location has been ocation, provided, the well
and print the west distribution as	Uline is continuenced and	order of	1935	No mussole August 10
Date: 2017 Int. 10 10 20 20110 19 10	number of the	Ry	The Thirty of	The second second

Its

1 1	Data	Taalar	11	0 2
L)	Date:	oury	<u></u>	,1983

2) Operator's

Well No. A-1337 (Concorde)

3) API Well No. 47 015

> State County Per

STATE OF WEST VIRGINIA DEPARIMENT OF MINES, OFFICE OF OIL & CAS

		2			,	'	- OI		x GAD
		NOTICE	OF	APPLICATION	FOR	A	WELL	WORK	PERMIT
)	SURFACE C			DE CEDITED					

41				World Timetil
		ER(S) OF RECORD TO BE SERVED	5(i)	COAL OPERATOR n/a
(i)	Name	Quincy A. McComas		Address
	Address_	Glen, West Virginia 25088	5(ii)	COAL OWNER(S) WITH DECLARATION ON RECORD
(ii)	Name			Name Concorde Corp. c/o Joseph Laurit
	Address			Address 0. Box 1066
(iii)	Name			Morgantown, West Virginia 26505
(111)	Name			Name Morgantown Mine Management Corp.
	Address			Address /o Joseph Laurita - P. O. Box 1
	_		5/:::\	Morgantown, West Virginia 26505
			5(iii)	COAL LESSEE WITH DECLARATION ON RECORD:
				Name Maidsville Coal Mining
				Address:/o Joseph Laurita
				P. O. Box 1066
		TO THE PERSON(S) NAMED ABOVE: You should	have received thi	Morgantown West Virginia 26505
		(1) The Application for a Well Work P	ermit on Form IV-	-2(B) (or Form IV-4 if the well is

sets out the parties involved in the drilling or other work, and describes the well and its location and, if applicable, the proposed casing and cementing program;

(2) The plat (surveyor's map) showing the well location on Form IV-6; and

(3) The Construction and Reclamation Plan on Form IV-9)unless the well work is only to plug a well), which sets out the plan for erosion and sediment control and for reclamation for the site and access road.

THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL

Take notice that under Chapter 22 of the West Virginia Code, the undersigned well op-erator proposes to file or has filed this Notice and Application and accompanying documents for a Well Work Permit with the Administrator of the Office of Oil and Gas, West Virginia Department of Mines, with respect to a well at the location described on attached Application and depicted on attached Form IV-6. Copies of this Notice, the Application, the plat, and the Construction and Reclamation Plan have been mailed by registered or certified mail or deliver. by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Administrator.

6) EXTRACTION RIGHTS

Check and provide one of the following: Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil or gas.

☐ The requirement of Code 22-4-1-(c)(1) through (4). (See reverse side for specifics.)

7) ROYALTY PROVISIONS Is the right to extract, produce or market the oil or gas based upon a lease or lease EPT. OF MINES

or other contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes

If the answer above is No, nothing additional is needed. If the answer is Yes, you may use Affidavit Form IV-60.

See the reverse side for line item instructions, and for instructions concerning the required copies of the Notice and Application, plat, and Construction and

The truth of the information on the
Notice and Application is verified
and sworn to and the Notice is
signed on behalf of the Well Operator
in my County and State by
Daniel L. Wheeler, Vice President
this start was a

BONITOT D. WIICCT	or a vice	TICDIACIIO	
this 11 day of	July		1983
My compission	expires	Feb 14 ,	1989

	K	Su	(M		
Notar	Pu	blic.	Harrison	County,	
State	of	West	Virginia		

WELL	
OPERATOR, ALAMCO	
By planiel & Mooley)	
Daniel L. Wheeler, Vice President	
Address P. O. Drawer 1740	
Clarksburg, West Virginia 2630 Telephone 304 623-6671	1
101011e_304 623-6671	

JUL 1 9 1983

OIL & GAS DIVISION

Transd Masse

TOD JIE IS

ZOG. .

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that—

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Rovalty	Book Page
		- TO TULLY	DOOK Page

FORM IV-2	ת מדודות	~ ~~						
	B) SURFY	ACE OWNER	R'S COPY			1) Date: Ju	ly 11	1983
Obverse						2) Operator's	· .	
						Well No.	A-1337 (C	oncorde)
						3) API Well N		
			CMArmo	OF LEGENTER	CD			unty Permi
		DEDAT		OF WEST VIE			2 0000 00	arcy rema
		DEPAR	KIMENT OF	MINES, OFF	FICE OF OIL	& GAS		
		AF	PPLICATIO	ON FOR A WEI	L WORK PER	<u> IIT</u>		
4) WELL TY	PE: A. Oil_	/ Gas	XX/					
	B. (If "	Gas", Pr	coduction	1 / Unde	ergroung sto	orage/ Deep	p / Shall	W XX/
5) LOCATION	N: Elevati Distric	on: 131	7'		shed Port	er Creek		
	Distric	t: Union	n	County			ngle: Elkhu	rst. 7.51
6) WELL OP	ERATOR ALAM	CO				GNATED AGENT	Daniel I. W	neolon
	ess P. O		1740			ress P. O. Dr		reerer
			WV 2630	1	Auc			
8) OTT. & G	AS INSPECTOR				0)		rg, West Vi	ginia 263
Name		. TO BE IN	OTTETED			LING CONTRACTO	OR:	31
	s Linden Rout				Name	Developmen.	t Drilling (Corporation
Address				05050	Ac	dress P. O. Bo		
10) Propos	Looneyville	e, west	Virginia	25259		Clarksb	urg, West Vi	rginia 26
10) PROPOSEI	D WELL WORK:	Drill_	XX / Dril	l Deeper	/ Redrill	_/ Stimulate	/	
		Prug or	i old to	rmation	/ Perforat	e new formation	on /	
		Other p	hysical	change in w	ell (specif	v)		
11) GEOLOGIC	CAL TARGET F	ORMATTON	T.					
			,	Veir				
12) Estin	nated depth	of compl	eted wel	1 (or actua	1 depth of	evisting well)	2500	foot
12) Estin	nated depth	of compl	eted wel	1 (or actua	l depth of	existing well)	, 2500	feet
12) Estin 13) Appro 14) Appro	nated depth	of compl	eted wel	1 (or actua	l depth of feet;	existing well) salt,	, 2500 feet.	feet
14) Appro	mated depth oximate water oximate coal	of compl r strate seam de	eted wel depths: pths:149-	1 (or actua Fresh, 189 -154 375-38	l depth of feet; 3 Is coal	existing well) salt, being mined in	feet. the area?	feet Yes/No
12) Estin 13) Appro 14) Appro 15) CASING A	mated depth oximate water oximate coal	of compl r strate seam de	eted wel depths: pths:149-	1 (or actua Fresh, 189 -154 375-38	l depth of feet; Is coal	existing well) salt, being mined in	feet. the area?	feet Yes/No_
14) Appro 15) CASING A	mated depth of the contract water coal and TUBING Pro-	of compl r strate seam de ROGRAM PECIFICATION	eted wel depths: pths:149-	1 (or actua Fresh, 189 -154 375-38 -722	l depth of feet; 3 Is coal	salt, being mined in	feet. the area?	feet Yes/No
14) Appro 15) CASING A	mated depth of the contract water coal and TUBING Pro-	of compl r strate seam de ROGRAM	eted wel depths: pths:149- 716	1 (or actua Fresh, 189 -154 375-38 5-722	feet; 33 Is coal	salt,being mined in	feet. the area?	feet Yes/No
14) Appro 15) CASING A	nated depth opinate water eximate coal AND TUBING Process Size Grade	of compl r strate seam de ROGRAM PECIFICATIONS Weight	eted wel depths: pths:149- 716	l (or actua Fresh, 189 -154 375-38 5-722 FOOTAG	feet; 33 Is coal EINTERVALS Left in well	salt,	feet. the area?	feet Yes/No
14) Appro 15) CASING A CASING OR TUBING TYPE	mated depth opinate water eximate coal AND TUBING PR	of compl r strate seam de ROGRAM PECIFICATIONS Weight	eted wel depths: pths:149- 716	1 (or actua Fresh, 189 -154 375-38 5-722	feet; 33 Is coal	salt,being mined in	feet. the area?	feet Yes/No
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water	mated depth operated water coal and TUBING Property State Grade 16"	of compl r strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG For drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20'	salt,	feet. the area?	_feet Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal	nated depth opinate water eximate coal AND TUBING Process Size Grade	of compl r strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716	l (or actua Fresh, 189 -154 375-38 5-722 FOOTAG	feet; 33 Is coal EINTERVALS Left in well	salt,	feet. the area?	_feet Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt,	feet. the area? PACKERS	_feet Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production	mated depth operated water coal and TUBING Property State Grade 16"	of compl r strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG For drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20'	salt,	feet. the area? PACKERS Sizes	_feet Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule	feet. the area? PACKERS	_feet Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt,	feet. the area? PACKERS PACKERS Sizes Depths set	_feet Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule	feet. the area? PACKERS Raindac e Sizes Depths set Perforations:	Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule	feet. the area? PACKERS Raindac e Sizes Depths set Perforations:	feet Yes/No
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule	feet. the area? PACKERS Raindac e Sizes Depths set Perforations:	Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 s New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule	feet. the area? PACKERS Raindac e Sizes Depths set Perforations:	Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft.	eted wel depths: pths:149- 716 New Used X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20' 1250'	feet; 33 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule 15.01	feet. the area? PACKERS PACKERS Depths set Perforations:	Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners	mated depth oximate water eximate coal and TUBING Property of the state of the stat	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50#	eted wel depths: pths:149- 716 New Used X X	1 (or actua Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20' 1250'	feet; 3 Is coal EINTERVALS Left in well 20' 1250'	salt, being mined in CEMENT FILLUP OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule 15.01	feet. the area? PACKERS PACKERS Depths set Perforations: Top Top Top Top Top Top Top Top	Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in 1	mated depth oximate water eximate coal and TUBING Property of the coal and TUBING Property of the coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50#	eted wel depths: pths:149- 716 New Used X X X X	l (or actual Fresh, 189 -154 375-38 -722 FOOTAG FOO drilling 20' 1250' 2500'	feet; 33 Is coal EINTERVALS Left in well 20' 1250' 2500'	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01	feet. the area? PACKERS PACKERS Depths set Perforations: Top ermit can be	Yes_/No_
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in l Application	mated depth oximate water eximate coal and TUBING Property of the same state of the	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50#	eted wel depths: pths:149- 716 New Used X X X in the first the	for surface our	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' Application of references of references of references and references of references and references of references and references of references and references	salt,	packers Packers Packers Packers Depths set Perforations: Top E Top E Top Top Top Top To	Yes_/No_
14) Appro- 14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in 1 Application "Voluntary	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50#	eted wel depths: pths:149- 716 New Used X X X in the first the	for surface our	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' Application of references of references of references and references of references and references of references and references of references and references	salt,	packers Packers Packers Packers Depths set Perforations: Top E Top E Top Top Top Top To	Yes_/No_
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in l Application	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50#	eted wel depths: pths:149- 716 New Used X X X in the first the	for surface our	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' Application of references of references of references and references of references and references of references and references of references and references	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01	packers Packers Packers Packers Depths set Perforations: Top E Top E Top Top Top Top To	Yes_/No_
14) Appro- 14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in 1 Application "Voluntary	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50# a comment days from a well), No Objective of complete the	eted wel depths: pths:149- 716 New Used X X X in the first the ection" of	for surface iling of the surface own a facsimi	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' Applicationer(s) of relationship of this	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the period (or less the ecord sign(s) surface owner	packers Packers Packers Packers Depths set Perforations: Top E Top E Top Top Top Top To	Yes_/No_
14) Appro- 14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in 1 Application "Voluntary	mated depth oximate water eximate coal and TUBING Property of the coal and the coal	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50# a comment days from a well), No Objective of complete the	eted wel depths: pths:149- 716 New Used X X X in the first the ection" of	for surface our	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' Applicationer(s) of relationship of this	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the period (or less the ecord sign(s) surface owner	packers packers packers packers packers packers packers performance perform	Yes_/No_
14) Appro 14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The lai issued in l Application "Voluntary Application	mated depth oximate water eximate coal and TUBING Property of the state of the stat	of compler strate seam de ROGRAM PECIFICATIONS Weight per ft. 20# 10.50# a comment days from a well), No Objective of complete the comment of the complete th	t period om the fine ection" of VOLUNTAR	for surface iling of the surface own a facsimi	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' Applicationer(s) of relate of this	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner	packers Packers Packers Depths set Perforations: Top ermit can be an 5 days in the following set	Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The lai issued in l Application "Voluntary Application I here	mated depth oximate water eximate coal and TUBING Property of the state of the stat	pecifications Weight per ft. 20# 10.50# a comment days from the seam de a well), No Object t I have	t period om the fire ection of the read the	for surface surface own a facsimine instruction.	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' Applicationer(s) of relationer(s) of relationships	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner	packers Packers Packers Depths set Perforations: Top ermit can be an 5 days in the following set	Yes_/No_
14) Appro 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The lai issued in l Application "Voluntary Application I here of this App	mated depth oximate water eximate coal and TUBING Property of the state of the stat	pecifications Weight 20# 10.50# a comment days from a well), No Object I have	t period om the fine if the ection" of the work Per	for surface iling of the surface own a facsimile instruction in and the surface in the surface own a facsimile instruction in and the surface own and the surface own a facsimile instruction in the surface own and the surface own a facsimile instruction in the surface own and the surfac	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' Applicationer(s) of relie of this COF NO OBJI	cement fillup OR SACKS (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner ECTION Face owners on	packers Packers Packers Depths set Perforations: Top ermit can be an 5 days in the following the following the following the reverse the reverse to th	Yes_/No_
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in 1 Application "Voluntary Application I here of this App. of Applicat	mated depth oximate water eximate coal and TUBING Property of the property of	per fr. 20# 20# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50#	t period om the fin if the ection" of the work Permit of the permit of t	for surface iling of the surface own a facsimi ex STATEMENT and the property of the surface of the surface own a facsimi ex STATEMENT are instruction for the surface own a facsimi ex STATEMENT are instruction for the surface own a facsimi ex STATEMENT are instruction for the surface own a facsimi ex STATEMENT are instruction for the surface own the	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' 2500' Cowners. Applicationer(s) of relationer(s) of relationsto surrices to sur	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner ECTION Face owners on received copies	packers Packers Packers Packers Depths set Perforations: Top ermit can be an 5 days in the following set the reverse sof (1) and for a light of the reverse sof (1) and (1)	Yes_/No_
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in l Application "Voluntary Application I here of this App. of Applicat. Permit on Fo	mated depth oximate water eximate coal and TUBING Property of the property of	per f. 20# 20# 20# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50#	New Used X X X X X X X X X X X X X	for surface own a facsimi e instruction form IV-2 at on Form	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' 2500' Cowners. Applicationer(s) of relie of this Cof NO OBJI Lons to sure Lat I have in (A), (2) ar TV-6. and	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner ECTION Eace owners on received copies Application (4) a Construction	packers Packers Packers Perforations: Top ermit can be an 5 days in the following the following the following the reverse sof (1) and for a Well with the reverse sof (1) and (1)	Yes_/No_ Notion the side Notice Notice
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The lai issued in l Application "Voluntary Application I here of this Applicat. Permit on Foreclamation	mated depth oximate water eximate coal and TUBING Property of the property of	per f. 20# 20# 20# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50#	New Used X X X X X X X X X X X X X	for surface own a facsimi e instruction form IV-2 at on Form	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' 2500' Cowners. Applicationer(s) of relie of this Cof NO OBJI Lons to sure Lat I have in (A), (2) ar TV-6. and	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner ECTION Eace owners on received copies Application (4) a Construction	packers Packers Packers Perforations: Top ermit can be an 5 days in the following the following the following the reverse sof (1) and for a Well with the reverse sof (1) and (1)	Yes_/No_ Notion the side Notice Notice
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Presh water Coal Intermediate Production Tubing Liners The latissued in l Application "Voluntary Application I here of this App. of Applicat. Permit on Fo	mated depth oximate water eximate coal and TUBING Property of the property of	per f. 20# 20# 20# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50#	New Used X X X X X X X X X X X X X	for surface own a facsimi e instruction form IV-2 at on Form	feet; 3 Is coal EINTERVALS Left in well 20' 1250' 2500' 2500' 2500' Cowners. Applicationer(s) of relie of this Cof NO OBJI Lons to sure Lat I have in (A), (2) ar TV-6. and	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner ECTION Face owners on received copies	packers Packers Packers Perforations: Top ermit can be an 5 days in the following the following the following the reverse sof (1) and for a Well with the reverse sof (1) and (1)	Yes_/No_ Notion the side Notice Notice
14) Appro- 15) CASING A CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners The lai issued in lai Application "Voluntary Application I here of this Application Fermit on Formediate Reclamation therein.	mated depth oximate water eximate coal and TUBING Property of the property of	pecifications Weight per ft. 20# 20# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50# 10.50#	t period x X X X X X X X X X X X X	for surface surface own a facsimi e instructi mit, and the proposed we	feet; Is coal Left in well 20' 1250' 250	cement fillup or sacks (Cubic feet) cement to su 300 sacks Req. by Rule 15.01 However, the pon (or less the ecord sign(s) surface owner ECTION Eace owners on received copies Application (4) a Construction	packers Packers Packers Depths set Perforations: Top ermit can be an 5 days in the following the following the following the reverse sof (1) and for a Well withing and and as description and as description and and as description and as de	Yes_/No_ Notion If the high

and I ha	we no objection to a permit being issued base	ed on those materials.	
(For exec	ution by corporation, partnership, etc.)	(For execution by natur	al persons)
VAME:	ALAMCO		ar persons)
Ву	(Amis Of Other Ore)	(Signature)	Date:
Its	Daniel L. Wheeler Vice President Date: July 11, 1983	(Signature	Date:
		DECE	05/77/2024

OIL & GAS DIVISION
DEPT. OF MINES

JUL 1 9 1983

INSTRUCTIONS TO SURFACE OWNERS AND

EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) Permit will be good for 24 months. See Chapter 22, Article 4 of the W. Va. Code.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.
Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, WW 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be personally served or mailed to you on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. (This time is changed to FIVE (5) DAYS from the filing date if the permit is only to plug a well.) You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments should include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the Application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

"(1) The proposed well work will constitute a hazard to the safety of persons; or "(2) The plan for soil erosion and sediment control is not adequate or effective; or

"(3) Damage would occur to publicly owned lands or resources; or

"(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

<u>List of Water Testing Laboratories</u>. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.





State of Mest Birginia Department of Mines Oil und Gas Division


Date	<u>.</u>		Мау	5.	_,	1983
Well	No.			A-13	37	
API	No.	47		015	- 2	205
	5	State	e Co	ounty	Pe	ermit

CONSTRUCTION AND RECLAMATION PLAN

Company Name Allegheny Land & Mineral Co.		Designate	d Agent J. R	Ronald Cullen	
Address P. O. Box 1740			P. O. Box 1		
Clarksburg, West Virginia				West Virgin	ia
Telephone 623-6671 .		Telephone	623-6671		
Landowner Quincy McComas	_		. District		
Quincy necomas	_	DOIT COID	DISCITCE _	EIK	
Revegetation to be carried out by Hal	ls Recl	amation, In	c.		(Agent)
This plan has been reveiwed by			ELK	SCD. Al	l correction
and additions become a part of this plan.	5-1	13-83	Vann	Bosley	
옷으리 집안 없었다. 이번 사람이 되었다.		ate)	P 154 185	(SCD Agenti)	
				30.1	
ACCESS ROAD			<u>rc</u>	CATION	
Structure _ Drainage Ditch	(A)	Structure	Drainage	Ditch	
	- ''''	Material		DICCII	
Spacing Earthen Page Ref. Manual 2-12			Manual 2-	-12	
		1030 1.01			
StructureCulverts	(B)	Structure	[418] Amy	PERMIT	1) (17)
Spacing 16" I.D. (Where Needed)		Material		SEUVIP	1111
Page Ref. Manual 2:5	3.00	Page Ref.	Manual		
	•		6363	11 4 0 4000	Campacide .
Structure Riprap	(C)	Structure	J	JL 1 9 1983	(
Spacing Rock		Material			``
Page Ref. Manual N/A		Page Ref.	Manual Oil	& GAS DIVISION	J
All structures should be inspected regula			DED.	T DE MINI	(- n - n-n-n
work begins.	<u>R</u>	EVEGETATION	*		
TREATMENT AREA I			TREATME	ENT AREA II	
Lime 3 Tons/acre		Lime			
or correct to pH 6.5			rrect to pH	6.5	_Tons/acre
		01 00.	riect to pn_	0.5	_
Fertilizer 600 lbs/acre		Fertilize	r 600		1ha /
(10-20-20 or equivalent)		2011120		or equivalent	_lbs/acre
			,10 20 20 0	- cquivalent	,
Nulch Straw 2 Tons/acre		Mulch Stra	. we		2Tons/acre
Seed* Kentucky 31 30 lbs/acre	A	Seed* Ken	tucky 31	3	10015/acre
Ladino Clover 10 lbs/acre		Lad	lino Clover	: I	1bs/acre
Domestic Ryegrass 6 lbs/acre		Dom	estic Ryegras	SS	6 lbs/acre
*Inoculate all legumes such as vetch, tre	foil and	d clovers wi	ith the prope	r bacterium.	Inoculate
with 3X recommended amount.			in	1-	ocumec
			116.51	DOM	A
NOTES: Please request landowners'	PLAN P	REPARED BY	Juliely o	3. 05/1/1/2	
cooperation to protect new					
seedling for one growing season.		ADDRESS P.	O. Drawer 1	740	
Attach separate sheets as					
necessary for comments.		C	larksburg, We	st Virginia	26301-174
	PI	HONE NO. 62	23-6671		


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP. QUADRANGLE Elkhurst 7.5'	Well Site O
	Access Road
A-1239 A-1239 510 000	Goskorn Hedes Wello 1383 Gas Wells 1006
FEET A-1337	1200
Gas Wells Gas We	9-1232 804

Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



COMMENTS:

Slope of access road 4% -- Cuts to be on a 2:1 slope or less. Access road subject to change by company of landowner. All ditches and culverts will be maintained after construction is completed. If revision is made, revised plan will be submitted.



BOCK 41 PAGE 636



MEMORANDUM OF LEASE

BE IT KNOWN that for and in consideration of the sum of One dollar (\$1.00), cash in hand paid, and other good and valuable consideration, CONCORDE CORPORATION, a West Virginia corporation, P. O. Box 1066, Morgantown, West Virginia 26507, by an oil and gas lease dated and executed on December 29, 1981, granted, leased and let unto ALLEGHENY LAND AND MINERAL COMPANY, a Delaware Corporation, P. O. Box 1740, Clarksburg, West Virginia 26301, for oil and gas purposes that certain 4,073 acre parcel situate in Union District, Clay County, West Virginia, and partially in Elk District, Kanawha County, West Virginia and being the same that was conveyed to Joseph Laurita Trucking Company, a corporation, now Concorde Corporation, by Byzaca Corporation by deed dated the 28th day of December, 1977, and recorded in the office of the Clerk of the County Commission of Clay County, West Virginia, in Deed Book No. 120, at page 57, and recorded in the office of the Clerk of the County Commission of Kanawha County, West Virginia, in Deed Book No. 1866 at page 307. Excepted and reserved from said lease were three (3) tracts of twenty-five (25) acres each, being three tracts on which Southeastern Gas Company now operates three (3) producing gas wells.

Said oil and gas lease dated December 29, 1981, provides for a primary term of one (1) year from the date thereof subject to being extended until December 29, 1986, in compliance with the drilling commitment specified in said lease, and as long thereafter as oil or gas is produced therefrom in paying quantities. Said lease further provides for a royalty of twenty (20) percent, shut-in royalty and a carried working interest in the first twenty (20) wells as specified in said lease.



DEPT. OF MINES

IN WITNESS WHEREOF, CONCORDE CORPORATION, a West Virginia corporation, has caused its corporate name to be subscribed hereby by Joseph A. Laurita, Jr., its Chief Execution Shreet by authority duly given, and

IN WITNESS WHEREOF ALLEGHENY LAND AND MINERAL COMPANY, a Delaware corporation, has caused its corporate name to be subscribed hereto by James B. Gehr, its President by authority duly given.

CONCORDE CORPORATION, a West Virginia Corporation.

BY Joseph A. Launto b.

Joseph A. Laurita, Jr.

ALLEGHENY LAND AND MINERAL COMPANY a Delaware Corporation

Lamag B Cab

Its President



STATE OF WEST VIRGINIA, COUNTY OF MONONGALIA, To-Wit:

The foregoing instrument was acknowledged before me in my said county and State, this 29 day of <u>December</u>, 1981, by JOSEPH A. LAURITA, Jr. Chief Executive Opicof CONCORDE CORPORATION, a West Virginia corporation, for and on behalf of said corporation.

My commission expires Novamba 6,1989

Notary Public in and for Monongalfa

County, West Virginia

STATE OF WEST VIRGINIA,

COUNTY OF HARRISON, To-Wit:

The foregoing instrument was acknowledged before me in my said county and State, this 30th day of 1961, by JAMES B. GEHR, President of ALLEGHENY LAND AND MINERAL COMPANY, a Delaware corporation, for and on behalf of said corporation.

My commission expires hagest 2, 1986

Notary Public in and for Harrison

County, West Virginia

This instrument prepared by:

Stephen L. Atkinson P. O. Box 1740

Clarksburg, West Virginia 26301

WEST VIRGINIA, CLAY COUNTY COMMISSION CLERK'S OFFICE Jan. 5, 1982

THIS Lease WAS THIS DAY PRESENTED TO ME IN MY OFFICE AND THEREUPON TOGETHER WITH THE CERTIFICATE THERETO ANNEXED IS ADMITTED TO RECORD.

TESTE Suis S. Moore CLER

CLAY COUNTY COMMISSION

This instrument was presented to the Clerk of the County Commission of Kanawha County, West Virginia, on JAN 25 1982 and the same is admitted to record.

Teste: Margari & miller Clerk

CORPORATE RESOLUTION AUTHORIZING THE LEASING OF OIL AND GAS

NOW, THEREFORE, BE IT RESOLVED, that the President or Vice President of said corporation, is hereby authorized to execute for and on behalf of said corporation that certain oil and gas lease between Concorde Corporation, as Lessor, and Allegheny Land and Mineral Company, a corporation, as Lessee, dated the 29 day of December, 1981, which said lease among other things, provides for a royalty reserved to the Lessor of twenty per cent (20%), drilling commitment of forty (40) wells and a carried working interest of Two Hundred Thousand Dollars (\$200,000.00).

Dated the 28^{7h} day of December, 1981.

SECRETARY, CONCORDE CORPORATION

DEDT. OF M. NET

0862123 A-1337 A-1338 P 349 335 490 MCEIPT FOR CERTIFIED MAIL RECEIPT FOR CERTIFIED MAIL NO INSURANCE COVERAGE PROVIDED—
NIT OB INTERNATIONAL MAIL

OFFICE OF THE PROVIDED TO THE PROVI NO INSURANCE COVERAGE PROVIDED-Permit MOT FOR INTERNATIONAL MAIL
SENT TO
SENT TO Dunay A. Mc Comas Concorde Corp.&Joseph Laurita GLEN W. U. D. . STREET AND NO. 26. P.O., SPATE AND ZIP COOP 6 25088 Morgantown, WV 26505 CERTIFIED FEE CERTIFIE SPECIAL CELIVE 0 RESTRICTED DELI SPECIAL DELIVERY C RESTRICTED DECIVER SHOW TO WHOM AND DATE DELIVERED. CONSOLT POSTMASTER OPTIONAL SERVICES PATHEN RECEIPT SERVICE SHOW TO WHOM AND DATE DE IVERED
SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY OPTIONAL SERVICES SHOW TOWNOM: DA DELIVERY Allegrun SHOW TO WHOM AND DATE DELIVERED WITH RESTRICT DELIVERY TOTAL POSTAGE AND FEES POSTMARK OR BATE PS Form 3800, JUL 1 9 1983 OIL & GAS DIVISION DEPT OF MINE

Date January 6, 1984

Operator's

Well No. A-1337
Farm Concorde
API No. 47 - 015 - 2205

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL and GAS DIVISION

WELL OPERATOR'S REPORT

ORILLING, FRACTURING AND/OR ST		OR PHYSICAL	CHANCE	JAN 1 1 1984 IL & GAS DIVISION
WELL TYPE: OIL / GAS X / LIQUID INJECTION / (If "Gas", Production / Underground	/ WASTE DI nd Storage	SPOSAL/ _/ Deep/		
LOCATION: Elevation: 1317' District: Union County	Wate	rshed Port	er Creek	
District: Union County	y: Clay	Qua	drangle:	Elkhurst 7.5'
criow Fair Including indication of all feets				
COMPANY ALAMCO, Inc. 200 West Main Street				rria
ADDRESS Clarksburg, West Virginia 26301	Casing	Used in	Left	Cement
WORLD ON ASSET STREET, WILLIAM TO STREET, WILLIAM T	&	88		fill up
DESIGNATED AGENT ALAMCO, Inc.	Tubing Size	Drilling	in Well	Cu. Ft.
200 West Main Street ADDRESS Clarksburg, West Virginia 26301	20-16	or I		and Sidil
Additionally New Virginia 20001	Cond.	08 -		Cardon at 1 A2
SURFACE OWNER Quincy A. McComas	0.00			Eig Com
ADDRESS Class WW 25000	11-3/4"	29	Pulled	0.1 C.1
ADDRESS Glen, WV 25088	9 5/8"			and the second
MINERAL RIGHTS OWNER _ Concorde Corp.				. Made A. brais
	8 5/8"	1452'	1452'	to surface
ADDRESS P.O.Box 1066, Morgantown, WV 26505	7"			
OIL AND GAS INSPECTOR FOR THIS WORK Homer				
Linden Route - Box 3-A	5 1/2"			(07.0 -1
Daugherty ADDRESS Looneyville, Wv 25259	4 1/2"	3309'	3309'	w/210 sks 1900'
PERMIT ISSUED August 10, 1983	4 1/2	3309	3309	1900
	3			
DRILLING COMMENCED September 2, 1983				
DRILLING COMPLETED September 12, 1983	2			
IF APPLICABLE: PIUGGING OF DRY HOLE ON	Liners			
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED	used			
ON				
GEOLOGICAL TARGET FORMATION Weir		DEPTH	2500	FEET
GEOLOGICAL TARGET FORMATION WEIT		DEP IN_	2300	FEET
Depth of completed well 3330 fe	eet Rotar	y x /	Cable !	Tools
Water Strata depth: Fresh 115, 1472				Salt feet
Coal seam depth: 620-627'				
OPEN FLOW DATA			,	
Producing formation 5th & Bayard, Weir,	Pocono	Pav zone	depth (se	ee back) feet
Gas: Initial open flow No show Mcf/d				
Final open flow 762 Mcf/d				
Time of open flow between in:				
Static rock pressure 700 psig (surface n				
(If applicable due to multiple completion-				
Second producing formation		Pay zor	ne dneth	05/17/2024 _{feet}
Gas: Initial open flow Mcf/d	Oil.	Initial oper	flow	Bb1/d
Final open flow Mcf/d				
Time of open flow between init				THE THE STREET STREET

Static rock pressure _____psig (surface measurement) after _____ hours shut-in

(continue on reverse side)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE ETC.

Well was fractured

November 11, 1983

Perforations:

2222 - 2226 Pocono

3120 - 3122 3135 - 3138

2278 - 2283

2285 - 2289 Weir

3205 - 3207 3219 - 3221 5th & Bayard

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET BOTTOM FEET		REMARKS Including indication of all fresh and salt water, coal, oil and gas		
Fill Red Rock Sand & Shale Coal Sand & Shale Little Lime Sand & Shale Big Lime Injun Pocono Weir Sand & Shale	0 15 25 620 627 1996 2033 2059 2129 2211 2272 2303	15 25 620 627 1996 2033 2059 2129 2211 2272 2303 3330 T.D.	1/4" stream water @ 115' 1" stream water @ 1472' Gas check @ 2642' No show Gas check @ 2734' No show Gas check @ 2859' No show Gas check @ 2953' No show Gas check @ 3076' No show Gas check @ 3204' No show		
	5058 3308	19msE 8.25.9	IL NID GET INSPECION FOR THIS WORK LUNDON CONTES - Bo LUNDON CONTES - Bo LUNDON CONTES - BO SHALL THE SHAL		
	200		RITLING CONTRACTO September 2, 12 RITLING CONPLETED September 12, 3 The Putchers: I'm Ging of Day got Jour You's PROCESS 10N FROM BRITTING SAMPRING, VERBER PRESENTION OFFE		

(Attach separate sheets as necessary)

	ALAMCO, Inc.	
Well 9	perator	
By: Kai	mond. P. Morga	
(Vice President Oil & Gas Operations	
Date:	January 6, 1984	

05/17/2024

Regulation 2.02 (i) provides as follows
"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well." Note:

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. OF MINES
Oil or Gas Well

Company ALLEGHENY LAND & MINERAL	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address CLARKSBURG, W.VA.	Size			
FARM CONCORDE & LAURITA	16			Kind of Packer
Well No A - 1337	13			Size of
District UNION County CLAY	81/4			Size of
Drilling commenced 9/1/83	65/8			Depth set
	5 3/16			
Drilling completedTotal depth	3		A 10 Mars Paris of Day 10 A Mars of Day 10 A	Perf. top
Date shot Depth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing /10ths Merc. in Inch				Perf. bottom
VolumeCu. Ft.				52 _{No. FT.} 9 6 Date
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEETINCHES
Fresh water <u>feet</u> <u>feet</u>	FEET	INCH	ES	FEETINCHES
Salt water <u>feet</u> <u>feet</u>	FEET_	INCH	ES	FEETINCHES
Drillers' Names DEVELOPMENT DRILLIN	G R	16 4	Ton	BRADLEY
Remarks: RAN 1452' OF 85/8 CEME	NTED TO	Siurfac	E WIT	TH BODSKS

Permit No. 015-2205

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No			-		Wei	1 No	
COMPANY			ADDRESS		, ·		
FARM		DISTRI	СТ	cou	NTY	•	
Filling Material Used				Α.	*	31,171	
	*****				1750	i.	
Liner I	ocation	Amoun	t Packer		Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES		CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION		RECOVERED	SIZE	LOST
					÷.	× = ,	
				, i +	1.		s 2
		· ·		. 1.	ye . C	7	
						£ 2 :	
					1	$r_{i} \stackrel{\sim}{\downarrow}$	6.4.5
						Ý	1 1 5
			1:				
Orillers' Names			may with from		CAN TO		
Remarks:							



State of West Virginia

Department of Mines Gil and Gas Division Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT January 17, 1984



OIL & GAS DIVISION
DEPT. OF MINES

COMPANY	ALAMCO, Inc.	PERMIT NO0	15-2205
P. 0	. Drawer 1740	FARM & WELL NO	Concorde A-1337
Clar	ksburg, West Virginia 26301	DIST. & COUNTY	Union/Clay
		IN	COMPLIANCE
RULE	DESCRIPTION	YE	
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02 7.05	Notification Prior to Starting Work Prepared before Drilling to Prevent High-Pressure Drilling Required Permits at Wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prevent Wast Reclaimed Drilling Pits No Surface or Underground Pollution Requirements for Production & Gathe Well Records on Site Well Records Filed Identification Markings	e Waste	
I HAVE I	NSPECTED THE ABOVE CAPTIONED WELL AN	SIGNED Craig	Duckworth
with Char	record was received and reclamation ter 22, Article 4, Section 2, the after the life of the well.	bove well will rema	in under bond Oil & Gas Division
		DATE	

FFRC-121

1.0 API well number: (If not available, leave blank. 14 digits.)	47-015-2205						
2.0 Type of determination being sought: (Use the codes found on the front of this form.)	103 N/A Section of NGPA Category Code						
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)							
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Alamco, Inc. Name P.O. Drawer 1740 Street Clarksbrug, WV 26301 City State Zip Code	000333 Seller Code					
 5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.) 	Field Name County District WV State						
(b) For OCS wells:	N/A Area Name Block Number Date of Lease: Mo. Day Yr. OCS Lease Number						
(c) Name and identification number of this well: (35 letters and digits maximum.)	A- /337						
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	5th - Bayard - Weni - Pocono						
6.0 (a) Name and code number of the — purchaser: (35 letters and digits — maximum. If code number not available, leave blank.)	Columbia Gas Transmission Corp.	004030 					
(b) Date of the contract:	Mo. Day Yr.						
(c) Estimated annual production:	Mot in line MMcf.						
	(a) Base Price (b) Tax (c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)					
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)	2.849 0.284 0.284	3.417					
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	2.849 0.284 0.284	3.417					
9.0 Person responsible for this application: Agency Use Only Date Received by Juris. Agency Date Received by FERC	Daniel L. Wheeler Name Title Title 12/84 304 - 623 - 66 Date Application is Completed Phone Number	es. Land Dept					

U.S. DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission Washington, D.C. 20426

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA)

(Sections 102, 103, 107 and 108)

PLEASE READ BEFORE COMPLETING THIS FORM:

General Instructions:

Complete this form if you are applying for price classification under sections 102, 103, 107 or 108 of the NGPA. A separate application is required for each well. If any reservoir qualifies for a category which differs from the category applicable to the producing well, separate applications must be made for the producing well and the reservoir. Complete each appropriate item on the reverse side of this page. The code numbers used in items 4.0 and 6.0 can be obtained from the Buyer/Seller Code Book. If there is more than one purchaser or contract, identify the additional information in the space below. Enter any additional remarks in the space below.

Submit the completed application to the appropriate Jurisdictional Agency as listed in title 18 of the CFR, part 270.103. If there are any questions, call (202) 275-4539.

Specific Instructions for Item 2.0, Type of Determination:

Section	on of No	<u>GPA</u>	Categ	ory Code	Description	
	102			1	New OCS Lease	
	102			2	New onshore well (2.5 mile test)	
	102			3	New onshore well (1,000 feet deeper test)	
	102			4	New onshore reservoir	
	102			5	New reservoir on old OCS Lease	
	103			_	New onshore production well	
	107			-	High cost natural gas	
	108			_	Stripper well	

Other Purchasers/Contracts:

Contract Date (Mo. Day Yr.)	Purchaser	Buyer Code

Remarks:

PARTICIPANTS: DATE: MAR 8 1984	BUYER-SELLER CODE
WELL OPERATOR: Alamco, Inc.	000333
FIRST PURCHASER: Columbia Gas Trans. Corp.	004030
OTHER:	
W. Va. Department of Mines, Oil & Gas Division WELL DETERMINATION FILE NUMBER	APPROVED
Uso Above File Number on all Communications Relating to Determination of this Well ALLS	APR -9 1984
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING	
ITEM NO.	
1. FERC -121 Items not completed - Line No.	
2. IV-1 Agent	
3. IV-2 Well Permit	
4. IV-6 Well Plat	
5. IV-35 Well RecordDrilling	Deepening
6. IV-36 Gas-Oil Test: Gas Only Was Oil Produced?	Ratio
7. IV-39 Annual Production years	
8. IV-40 90 day Production Days off line:	
9. IV-48 Application for certification. Complete?	
10-17. IV Form 51 - 52 - 53 - 54 - 55 - 56 - 57 - 58 Complete?	
18-28. Other: Survey Logs Geological Char	ts
Structure Map : 4000 Map	Well Tabulations
(5) Date commenced: Date completed	
(5) Production Depth:	
(5) Production Formation:	
(5) Final Open Flow:	
(5) After Frac. R. P.	
(6) Other Gas Test:	
(7) Avg. Daily Gas from Annual Production:	
(8) Avg. Daily Gas from 90-day ending w/1-120 days	
	DCIO (
(5) Oil Production From Completion Report.	PSIG from Daily Repor
0-17. Does lease inventory indicate enhanced recovery bains	\
0-17. Is affidavit signed? Notarized?	1
oes official well record with the Department confirm the submitted in	05/17/2024
dditional information Does computer program confirm?	
as Determination Objected to By Whom?	
by whom?	

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

fate	1-12	. 19_84
Operator's Well No	A - 133	7
API Well No. 47 - State		2205

WELL CLASSIFICATION FORM

NEW ONSHOPE PRODUCTION WELL

MGPA Section 103

	DE	SIGNATED AGENT Alamco, Inc.
		DDRESS P.O. Drawer 1740
	;	Clarksburg, W.Va. 26301
WEL.	LI OPERATOR Alameo, Inc.	OCATION Elevation 1317
ADDE	P.O. Drawer 1740	Watershed Porter Creek
NDDA	Clarksburg, WV 26301	
C15	S PURCHASER Columbia Gas Transmission Go	A-
	Co	ontract No
	harlaster LTV 2521/	eter Chart Code
	Diagree of the control of the contro	ate of Contract
Sir	* * * * * * * *	
Date	te surface drilling was begun: 9-2-	83
Date	te surface driffing was begun:	0.9
Indi	dicate the bottom hole pressure of the well and	explain how this was calculated:
Roc	ck Pressure was 700 #	PSIG at the surface.
2100	700 4	
	•	
	v	
	AFFIDAVIT	
	and the state of t	g been first sworn according to law state that
1977 with resc in c was the is a	rface drilling of the well for which this determ 77; the well satisfies applicable state or feder thin a proration unit, in existence at the time servoir from which gas is or will be produced an commercial quantities or on which surface drill s capable of producing gas in commercial quantit	sination is sought was begun on or after February 19, and well spacing requirements and the well is not surface drilling began, which was applicable to the ad which applied to any other well producing was ling began on or after February 19, 1977, and which lies. I state, further, that I have concluded, to that the well for which this determination is sought aware of any information not described in the
		Waniel S. Meder
		Vice - President
STAT	ATE OF WEST VIRGINIA.	Alamco, Inc.
coun	OF Harrison TO WIT:	
	1. Bridget Demarco, a llotary	Public in and for the state and county aforesaid,
do c	certify that Daniel L. Wheeler whose name is	
the	2 12th day of January , 1984, has ackn	nowledged the same before me, in my county aforesaid
		this 12th day of JANUAN . 1984
•	My term of office expires on the 15	
	101	TAN TO THE TANK THE T
		10.
		Budat / Mamaian
[NOT	DTARIAL SEAL]	Notary Public
	1.1 5 17	*

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Operator's A - 1337

API Well No. 47 State

STATE APPLICATION FOR WELL CLASSIFICATION

Previous File No. (If Applicable)

WELL OPERATOR Alamco, Inc.	DESIGNATED AGENT Alamco. Inc.
ADDRESS P.O. Drawer 1740	ADDRESS P.O. Drawer 1740
Clarksburg, WV 26301	Clarksburg, WV 26301
Gas Purchase Contract No and	Date N/A
Meter Chart Code	(Month, day and year)
Name of First Purchaser Columbia Gas Transm:	ission
1700 MacCorkle Ave.	10 10 10 10 10 10 10 10 10 10 10 10 10 1
(chay) leston, WV 25 2	
FERC Seller Code 000333	FERC Buyer Code 004030
TYPE OF DETERMINATION BEING SOUGHT:	
(1) Initial determination (See FERC Form 121.) Section of NGPA Category Code
(2) Determination that increased production i recovery technology.	
(3) Determination of a seasonally affected we	11. Alamco, Inc.
	Daniel I. Wheeler Vice - President -
	Manula Mileller
	B.O. Description
	P.O. Drawer 1740 Street or P. O. Box
	Clarksburg, WV 26301 City State (Zip Code)
	(304) 623 - 6671 Area Phone Number
(Carrielland of David Co.	Code
(Certificate of Proof of Service to Purchaser)	
0 1'0'	
1 - 17	94
Certified mail 1-12-	84
Lertified Mail 1-12-	84
Lertified Mail 1-12-	84
(All of the above to be completed by the Operator/	
	Applicant)
(All of the above to be completed by the Operator/. (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received	Applicant) ed copy to be returned to Operator/Applicant and
(All of the above to be completed by the Operator/. (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA): [] or for determination that increased presents of the present of the presen	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Gas Policy Act of 1978.
(All of the above to be completed by the Operator/. (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Cas Policy Act of 1975, oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA)
(All of the above to be completed by the Operator/. (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat	Applicant) a request, for certification of the above described under the Natural Gas Policy Act of 1978. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at
(All of the above to be completed by the Operator/. (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifithe office of the Oil and Gas Division in Charlest.	Applicant) a request, for certification of the above described under the Natural Gas Policy Act of 1978. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at
(All of the above to be completed by the Operator/. (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifit the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted	Applicant) a request, for certification of the above described under the Natural Gas Policy Act of 1978. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed.
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinate the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the National Section (National Section 1).	Applicant) a request, for certification of the above described under the Natural Gas Policy Act of 1978. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed.
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinate All interested parties are hereby notification of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the Natiand any additional evidence will be made at the times the matter may be heard. Unless objections are timely filed or a days, a hearing will not be held except on expart.	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Gas Policy Act of 1978. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed. indicates the well is. is not ural Gas Policy Act (NGPA). A review of this evidence me appointed for a public hearing or as soon thereafter
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifit the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the National and any additional evidence will be made at the times the matter may be heard. Unless objections are timely filed or a days, a hearing will not be held except on exparting to to determination.	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Cas Policy Act of 1975. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed. indicates the well is, is not ural Gas Policy Act (NGPA). A review of this evidence me appointed for a public hearing or as soon thereafter request for a hearing is made within fifteen (15) e motion of the department and the matter will
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifit the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the National and any additional evidence will be made at the times the matter may be heard. Unless objections are timely filed or a days, a hearing will not be held except on exparting to to determination.	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Gas Policy Act of 1978. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed. indicates the well is. is not ural Gas Policy Act (NGPA). A review of this evidence me appointed for a public hearing or as soon thereafter
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifit the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the National and any additional evidence will be made at the times the matter may be heard. Unless objections are timely filed or a days, a hearing will not be held except on exparting to to determination.	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Cas Policy Act of 1975. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed. indicates the well is, is not ural Gas Policy Act (NGPA). A review of this evidence me appointed for a public hearing or as soon thereafter request for a hearing is made within fifteen (15) e motion of the department and the matter will
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifit the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the National and any additional evidence will be made at the times the matter may be heard. Unless objections are timely filed or a days, a hearing will not be held except on exparting to to determination.	Applicant) ed copy to be returned to Operator/Applicant and a request, for certification of the above described under the Natural Cas Policy Act of 1975. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed. indicates the well is, is not ural Gas Policy Act (NGPA). A review of this evidence me appointed for a public hearing or as soon thereafter request for a hearing is made within fifteen (15) e motion of the department and the matter will
(All of the above to be completed by the Operator/ (To be completed by Jurisdictional Agency. Execut purchaser, if known). The Department of Mines has received well as meeting the requirements of Section (NGPA); or for determination that increased prunder Section 108 of (NGPA); or for determinat All interested parties are hereby notifit the office of the Oil and Gas Division in Charlest be heard, there will be a public hearing, if reques This Application is assigned File No. Initial review of information submitted entitled to certification as claimed under the National and any additional evidence will be made at the times the matter may be heard. Unless objections are timely filed or a days, a hearing will not be held except on exparting to to determination.	Applicant) ed copy to be returned to Operator/Applicant and a request. for certification of the above described under the Natural Gas Policy Act of 1975. oduction is the result of enhanced recovery technology ion of a seasonally affected well under Section 108 of (NGPA) ed that on the day of 19 at on, West Virginia, or as soon thereafter as it may ted, or if objection is filed. indicates the well is, is not ural Gas Policy Act (NGPA). A review of this evidence me appointed for a public hearing or as soon thereafter request for a hearing is made within fifteen (15) e motion of the department and the matter will



200 West Main Street, PO Box 1740 Clarksburg, West Virginia 26301 (304) 623-6671 Telex: 88417

January 11, 1984

Ms. Opal Hoffman Office of Oil & Gas 307 Jefferson Street Charleston, West Virginia 25311

Dear Opal:

Enclosed are the "Bottom Hole Pressures" needed to certify the following wells.

WELL NO.	L (feet)	P-1 (Psig*)	G	Tav * Degrees-F	BHP (Psig)	PERMIT NO.
A-1183	5373	1300	.602	87	1483	47-083-0736
A-1288	5064	850	.598	85	963	47-083-0741
A-1337	3330	700	.685	77	770	47-015-2205
A-1369	5202	1100	.602	86	1250	47-083-0818
A-1408	5810	1050	.576	89	1203	47-083-0815

Based on average annual Mean Surface Temperature of 60°F and a Geothermal Gradient of 10°F per 1,000 feet. Calculations performed in degrees Rankine.

*Pressures converted to/from pounds per square inch absolute to facilitate comparison: Calculations performed with absolute pressures (PSIG).

Buagt V. Lenauco

Bridget V. DeMarco

Regulatory Compliance Clerk

VIA CERTIFIED MAIL

Enclosures

CONCORDE CORPORATION

P.O. BOX 1066 MORGANTOWN, WEST VIRGINIA 26505

> (304) 328-5825

> > July 6, 1983

Stephen L. Atkinson, Attorney Allegheny Land & Mineral Co. 200 West Main Street, P.O. Box 1740 Clarksburg, WV 26302

Dear Steve:

I have reviewed the maps showing the proposed well locations as you requested in your letter of June 30. Please be advised that these locations meet with our approval.

Sincerely,

Joseph G. Laurita, Jr. Joseph A. Laurita, Jr.

Chief Executive Officer

DEPT. OF MINES

JAL, Jr. /kah

