

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 23, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-1502400, issued to HARDEE PETROLEUM CO., A GENERAL PTSHP., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Chief

James Martin

Operator's Well No: CARBIDE 6

Farm Name: BLUE EAGLE LAND, LLC

API Well Number: 47-1502400

Permit Type: Plugging
Date Issued: 06/23/2014

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
 - 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
 - 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date April 2	20 14
2) Operator's	
Well No. Carbide #6	
3) APT Well No. 47-015	- 02400

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

5)	Location: Ele	evation 1099' GL	Watershed Na	ins Branch	
		Union	County Clay	Qua	drangle Bentree
6)	Well Operator	Hardee Petroleum C	O., LLC 7) Designate	Agent Ed	Osborne
	Address	4924 Rimrock Road			3 Osborne Mills Road
		Billings, Montana 59	106	Cle	ndenin, WV 25045
3)	Oil and Gas Ir Name Ed Gain	spector to be not	ified 9)Plugging		Received
	Address P.O	Box 821	Addr	ess	
	Spe	ncer, WV 25276			MAY J 4 2014
	1. MIRU-pull pack @1940' to 175	er & tubing, TIH w/tu D', TOH w/tubing.		ment plug (Office of Oil and Gas ♣️ Desa
	1. MIRU-pull pack @1940' to 175 2. TIH w/collar cu	er & tubing, TIH w/tu 0', TOH w/tubing. tter, cutoff 41/2" cas	ubing to 2140', set 200' ce sing @1647', TOOH w/4	ement plug (₩ pèg. a smandriconsProtection @2140' to 1940', Gel hole TIH w/tubing-set 200'
	1. MIRU-pull pack @1940' to 175 2. TIH w/collar cu cement plug @	er & tubing, TIH w/tu 0', TOH w/tubing. tter, cutoff 41/2" cas 101750' to 1550', TO	ubing to 2140', set 200' ce sing @1647', TOOH w/4 OOH to 800'-gel hole fron	ement plug (1/2" casing, n1550' to 9	₩ pèg அதாவிலில் existrotection @2140' to 1940', Gel hole TIH w/tubing-set 200' 00'.
	1. MIRU-pull pack @1940' to 175 2. TIH w/collar cu cement plug @ 3. Set 200' ceme	er & tubing, TIH w/tu 0', TOH w/tubing. tter, cutoff 41/2" cas 01750' to 1550', TO nt plug @900' to 70	ubing to 2140', set 200' ce sing @1647', TOOH w/4' OOH to 800'-gel hole fron 0', TOOH to 490'-gel hol	ment plug (1/2" casing, n1550' to 9 e from 700	₩ pèg. a smandriconsProtection @2140' to 1940', Gel hole TIH w/tubing-set 200'
;	1. MIRU-pull pack @1940' to 175 2. TIH w/collar cu cement plug @ 3. Set 200' ceme 4. Set 100' ceme	er & tubing, TIH w/tu 0', TOH w/tubing. tter, cutoff 41/2" cas 01750' to 1550', TO nt plug @900' to 700 ent plug @490' to 3	ubing to 2140', set 200' ce sing @1647', TOOH w/4 OOH to 800'-gel hole fron	ement plug (1/2" casing, n1550' to 9 e from 700 ' to 200'.	TIH w/tubing-set 200' (ChSWG SENT)
:	1. MIRU-pull pack @1940' to 175 2. TIH w/collar cu cement plug @ 3. Set 200' ceme 4. Set 100' ceme	er & tubing, TIH w/tubing. tter, cutoff 41/2" case 1750' to 1550', TO not plug @900' to 700 ant plug @490' to 300 ant plug @200' to su	sing @1647', TOOH w/4 OOH to 800'-gel hole from 0', TOOH to 490'-gel hol 390', gel hole from 390 urface. Set Monument	ement plug (1/2" casing, n1550' to 9 e from 700 ' to 200'.	TIH w/tubing-set 200' (ChSWG SENT)
;	1. MIRU-pull pack @1940' to 175 2. TIH w/collar cu cement plug @ 3. Set 200' ceme 4. Set 100' ceme 5. Set 200' ceme location & ro	er & tubing, TIH w/tubing. tter, cutoff 41/2" case 1750' to 1550', TO not plug @900' to 700 ant plug @490' to 300 ant plug @200' to su	sing @1647', TOOH w/4' OOH to 800'-gel hole from 390', TOOH to 490'-gel hole from 390', gel hole from 30', gel hole from 30',	ement plug (1/2" casing, n1550' to 9 e from 700 ' to 200'.	TIH w/tubing-set 200' 'to 490'. ABOVE ELEVATION (CHS/WG SENT) Specs. & reclaim

State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work


Farm name:	APPALACHIAN	LAND.COMPANY	-	Operator	Well No.:	CARBIDE 6	
LOCATION:	Elevation:	1099.00	Quad	rangle: B	ENTREE		
	District: Latitude: Longitude	5300 Fee!	t Sout t West	th of 38	ounty: CLAY Deg. 22Min Deg. 12 Min	. 30 Sec.	•
107	DEE PETROLE DUTCH LANE KLEY, WV 2		G -		Used in Drilling		Fill Up
Agent: WAL	TER L. DIDD	LE		 Size		 	 I
Permit Issu	HOMER DOUGHI led: commenced: completed:	09/03/87 2-25-89			437.50	437.50	surface
Verbal Pluq	ging			4-1/2	i	2184.85	500
Permission Rotary x Total Depth Fresh water	granted on: Cable (feet) 22 depths (ft	Rig 70 KB			<u> </u>	 	
	depths (ft)		_		Rec	pived	
Is coal bei Coal Depths	ng mined in (ft):	area (Y/N)	<u>?</u> no		MAY 1	4 2014	•
OPEN FLOW D	АТА		1		Office of (WV Dept. of Envir	Oil and Gas onmental Protectio	n
T T	ing formation nitial open inal open fl ime of open rock Pressu	.owNA_ flow betwe	MCF/ en in	d F: itial and	inal open fl 1 final test	.ow <u>NA</u> :s	2090 KB Bbl/c Bbl/c Hours
Gas: I	producing f nitial open inal open fl ime of open	flow	MCF/	d Fi	Pay zone d iitial open inal open fl i final test	flow	Bbl/c Bbl/c Hours
	rock Pressu				pressure)		
INTERVALS, LOG WHICH	CK OF THIS FRACTURING IS A SYSTEM OAL ENCOUNTE	OR STIMULA ATIC DETAI	TING, LED	PHYSICA GEOLOGICA	L CHANGE.	ETC. 2).	THE WELL
		For: HAR	DEE P	: ETROLEUM	CO., A GENE	RAI. PTSHP	
		By: Dat	3/	1 xlb 3	Didde	<u>'</u> e	

```
Perforated 2098 to 2118 2 shots/ft - Total - 41
```

Foam Frac - 250 gal HCl, 455 Bbl H $_2$ O, 75,000 #20/40 sand, 596,000 Scf N $_2$ Geological Record

ELEVATION 1099

0 - 187 sand 187 - 213shale sand-shale 213 - 241 241 - 243 243 - 302 coal sand and shale 302 - 304coal 304 - 316shale 316 - 450sand 450 - 471shale 471 - 518sand 518 - 540 shale 540 - 605 sand 605 - 650shale 650 - 670sand 670 - 855sand and shale 855 - 899 sand 899 - 931 shale 931 - 972 sand 972 - 1008shale 1008 - 1130 sand 1130 - 1140 shale 1140 - 1473 sand 1473 - 1835 sand and shale streaks 1835 - 1892 lime 1892 - 1913 pencil cave 1913 - 2074 big lime 2074 - 2090 shale - lime 2090 - 2124injun sand 2124 - 2270 shale 2270 TD






WEIL NO. <u>CARRIDE NO6</u>
ART NO 47- 015- 2400

State of Mest Airginia Pepartment of Mines Gil und Gas Division


DIVISION OF OIL & GAS DEPARTMENT OF ENERGY


CONSTRUCTION AND RECLAMATION PLAN

Telephone 304-255-0917 Telephone 304-255-0917 Telephone 304-255-0917 Telephone 304-255-0917 Telephone 304-255-0917 Telephone 304-255-0917 SOIL CONS. DISTRICT Revegetation to be carried out by (Agent) SOD. All corrections and additions become a part of this plan: Date D	PARTMENT OF ENERGY	N MAD RECT	RELIGIT LES
Redress 107 Durin Lank Between Wild Telephone 1304255-0017 LINDOWNER R.W. Cettlool Company Revegetation to be carried out by Soil ONS. DISTRICT This plan has been reviewed by Soil ONS. DISTRICT This plan has been reviewed by Date ACCESS RAD NOCESS RAD NOCESS RAD Structure (A) Structure Of Illing Pir (1) Sequence (A) Structure Of Illing Pir (1) Sequence (B) Structure Of Illing Pir (1) Sequence (B) Structure Of Illing Pir (1) Sequence (B) Structure Of Illing Pir (1) Structure (C) Structure (C) Structure (C) Structure (C) Structure (C) Structure (C) Illing Pir (C) Structure (C) Structure (C) Illing Pir (C) Structure (C) Illing Pir (C) Structure (C) Illing Pir (C) Structure (C) Structure (C) Illing Pir (C) Structure (C) Structure (C) Illing Pir (C) Structure (C) St	OMPANY NAME HARDEE PETROLEUM	DE	SIGNATED AGENT WALTER DIDDLE
Telephone / 304-255-0917 Revegetation to be carried out by SOIL CONS. DISTRICT Revegetation to be carried out by SOIL CONS. DISTRICT This plan has been reviewed by SOIL CONS. DISTRICT ACCESS ROAD ACCESS ROAD Structure (A) Structure OR ///////////////////////////////////	**		Address 107 DUTCH LANE, RECKLEY WVA
This plan has been reviewed by SCD. All corrections and additions become a part of this plan: Description Des		<u>·</u>	Telephone /-304-255-0917
This plan has been reviewed by SCD. All corrections and additions become a part of this plan: Description Des	LANDOWNER BLUE CREEK COAL COMPAN	<u> </u>	SOIL CONS. DISTRICT
ACCESS RAND IOCATION Structure (A) Structure DE.///NG. PIT (1) Spacing Material EDETHERN Page Ref. Manual NA Structure (B) Structure NVERSION DITCH (C) Spacing Material EDETHERN Page Ref. Manual NA Structure (C) Structure NVERSION DITCH (C) Structure (C) Structure Spacing Material EDETHERN Page Ref. Manual Page Ref. Manual 2-/2 Structure (C) Structure All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVECETATION Treatment Area I Line 7 Tons/acre or correct to PH 6.5 Tons/acre or correct to PH 6.5 Tons/acre (10-20-20 or equivalent) Mulch HAV 2.0 Tons/acre Seed* KY 31 TAN FESSUE Jo lbs/acre *Inoculate all legumes such as vetch, trefoil and clovers with the proper beaterium. FLAN FESSAED ST BOWNEY NAD SURVEYING **Inoculate all legumes such as vetch, trefoil and clovers with the proper beaterium. **TAN FESSAED ST BOWNEY NAD SURVEYING **Inoculate all legumes such as vetch, trefoil and clovers with the proper beaterium. **TAN FESSAED ST BOWNEY NAD SURVEYING **TOCKES: Flease regular Limiturany acceptance in the season. **Attent Separates Recease as Access as A			(Agent)
Date Description Descrip	This plan has been reviewed by		SCD. All corrections
ACCESS ROAD ACCESS ROAD IDENTIFY (SCO Agent) IDENTIFY IDENTIF	-		
Structure (A) Structure ORI/INI, PIT (I) Spacing Material EARTHERN Page Ref. Manual Page Ref. Manual N/A Structure (B) Structure DIVERSION DITCH (I) Spacing Material EARTHERN Page Ref. Manual N/A Structure (C) Structure DIVERSION DITCH (I) Spacing Material EARTHERN Page Ref. Manual Page Ref. Manual 2-/Z Structure (C) Structure (I) All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVECETATION Treatment Area I Line Sor correct to PH 6.5 Fertilizer JOO lbs/acre (IO-20-20 or equivalent) Mulch Hay 2.0 Tons/acre Seed* KY 31 TAIL FESSUE bs/acre Annual EVEGLASS IO bs/acre Annual EVEGLA			
Structure (A) Structure OR ///W/L PIT (1) Spacing Material FORTHERN Page Ref. Manual Page Ref. Manual N/A Structure (B) Structure DIVERSION DITCH Spacing Material FORTHERN Page Ref. Manual Page Ref. Manual Z-/Z Structure (C) Structure Spacing Material Page Ref. Manual Page Ref. Manual All structures should be inspected regularly and repaired if necessary. All commercial timber to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVERENTION Treatment Area I Lime 7 Tons/acre or correct to PH 6.5 Fertilizer 100 lbs/acre (10-20-20 or equivalent) Malch HAY 2.0 Tons/acre Seed* EV 3.7 TAIL FESCUE lbs/acre *Thocalcate all legumes such as vatch, trefoil and clovers with the proper bacterium. PLAY PRESEARED SY BOWMAN LAND SULUENING SECTION OF TON PROMISE AND SULUENING APPRESEARED SY BOWMAN LAND SULUENING SECTION OF TON PROMISES SECON LATERS FOOD TON SECOND SE			(SCD Agent)
Structure (A) Structure OR ///W/L PIT (1) Spacing Material EARTHETA Page Ref. Manual N/A Structure (B) Structure DWEESION DITCH Spacing Material EARTHETA Page Ref. Manual N/A Structure (C) Structure DWEESION DITCH Spacing Material EARTHERN Page Ref. Manual Z-/Z Structure (C) Structure (C) Structure (C) Structure (C) Structure (C) Structure (C) Structure (C) Structure (C) Spacing Material EARTHERN Auterial EARTHERN Page Ref. Manual Z-/Z Structure (C) Str	ACCESS ROAD		LOCATION
Spacing Material FALTHERN Page Ref. Manual Page Ref. Manual N/A Structure (B) Structure NUFTSION DITCH Spacing Material FALTHERN Page Ref. Manual Page Ref. Manual Z-/Z Structure (C) Structure (C) Structure (C) Structure (C) Spacing Material Page Ref. Manual Z-/Z Structure (C) Structure (C) Structure (C) Structure (C) Spacing Material Page Ref. Manual Z-/Z All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVECTATION Treatment Area I Tons/acre or correct to pH 4.5 Tons/acre or correct to pH 4.5 Tons/acre (10-20-20 or equivalent) Tons/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre Seed* NO 31 TAN FESSUE Ibs/acre (10-20-20 or equivalent) Mulch NO 2.0 Tons/acre (10-20-20 or equival		(A)	
Page Ref. Manual Page Ref. Manual N/A Structure (B) Structure NVETSION DITCH Spacing Material ENETHERN Page Ref. Manual Page Ref. Manual Z-/Z Structure (C) Structure Spacing Material Page Ref. Manual Z-/Z Structure (C) Structure Spacing Material Page Ref. Manual Page Ref. Manual All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVECTATION Treatment Area I Line J Tons/acre or correct to pH 6.5 Fertilizer JOO lbs/acre (10-20-20 or equivalent) Mulch HOV 2.0 Tons/acre Seed* LV 31 TRIL FESCUE lbs/acre "Inoculate all legumes such as vatch, trefoil and clovers with the proper becterium. Inoculate with 31 recommended amount. FINI PRISABLE ST BONNOWN LAND SUCCESSION APPRISES FO BOX 6 ACCOUNT LEGET, WAN 2500.3 ALUM CREEK, WAN 2500.3		(,	
Structure (B) Structure DIVERSION DITCH Spacing Material FARTHENN Page Ref. Manual Page Ref. Manual Z-/Z Structure (C) Structure (C) Material Fage Ref. Manual (C) Attendance Incommercial timber to be cut and repaired if necessary. All commercial timber to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVERSITATION Treatment Area I (Incommercial timber to perform the site before dirt work begins. REVERSITATION Treatment Area II (Incommercial timber to perform to perform the stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVERSITATION Treatment Area II (Incommercial timber to perform the site before dirt work begins. REVERSITATION Treatment Area II (Incommercial timber to perform the structure of correct to perform the structure of	·		
Spacing Page Ref. Manual Page Ref. Manual Z-/Z Structure (C) Structure (C) Spacing Material Page Ref. Manual Z-/Z Structure (C) Structure (C) Spacing Material Page Ref. Manual Page Ref. Man	Page Ref. Manual		Page Ref. Manual N/A
Page Ref. Manual Page Ref. Ma	Structure	(B)	Structure <u>NIVERSION DITCH</u> (2)
Structure (C) Structure (C) Spacing Material Page Ref. Manual Page Ref.	Spacing		Material <u>EARTHERN</u>
Spacing Material Page Ref. Manual Page Ref. Manual Page Ref. Manual Page Ref. Manual All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVEGETATION Treatment Area I Tens/acre	Page Ref. Manual		Page Ref. Manual 2-/2
Page Ref. Manual All structures should be inspected regularly and repaired if necessary. All commercial timber is to be cut and stacked and all brush and small timber to be cut and removed from the site before dirt work begins. REVEGETATION Treatment Area I Lime	Structure	(C)	Structure(3)
All structures should be inspected regularly and repaired if necessary. All commercial timber is to be out and stacked and all brush and small timber to be out and removed from the site before dirt work begins. REVECETATION Treatment Area I Lime	Spacing		Material
REVEGETATION Treatment Area I Line 3 Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch HAV 2.0 Tons/acre Ds/acre Oxonic Available and Fertilizer 500 lbs/acre Seed* KY 31 TAIL FESCUE 1bs/acre Available Attained Available Availa	Page Ref. Manual		Page Ref. Manual
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch HAY 2.0 Tons/acre CROWN VETCH 10 lbs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper booterium. Inoculate with 3X recommended amount. Treatment Area II Treatment Area II Lime 3 Tons/acre Or correct to pH 6.5 Fertilizer 500 lbs/acre Mulch HAY 2.0 Tons/acre Mulch HAY 2.0 Tons/acre Seed* KY 31 TAIL FESCUE 30 lbs/acre ANNUAL EVELENSS 10 lbs/acre ANNUAL EVELENSS 10 lbs/acre *Inoculate with 3X recommended amount. **Inoculate with 3X recommended amount.**	commercial timber is to be cut and s	tacked and	i all brush and small timber to be
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch HAY 2.0 Tons/acre Seed* KY 31 TAIL FESCUE lbs/acre CROWN VETCH 10 lbs/acre ANNUAL RYFLEASS 10 lbs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper basterium. Inoculate with 3X recommended amount. Treatment Area II Treatment Area II Ime 3 Tons/acre Or correct to pH 6.5 Fertilizer 500 lbs/acre Mulch HAY 2.0 Tons/acre Seed* KY 31 TAIL FESCUE 70 lbs/acre CROWN VETCH 10 lbs/acre ANNUAL RYFLASS 10 lbs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper basterium. Inoculate with 3X recommended amount. FIAN PRIFARED BY SOWMAN AND SULVEYING SEEding for one growing season. Attach separate sheets as	F	EVEGETATIO	20 7
or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch HAV 2.0 Tons/acre Seed* KV 31 TAN FESCUE lbs/acre CROWN VETCH 10 lbs/acre ANNUAL EVELLASS 10 lbs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper becterium. Inoculate with 3X recommended amount. *Inoculate with 3X recommended amount. *Inoculate of protect now seeding for one growing season. Attach separate sheets as	Treatment Area I		Treatment Area IT
Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch HAY 2.0 Tons/acre Seed* KY 31 TAIL FESCUE lbs/acre CROWN VETCH 10 lbs/acre Annual Ryeleass 10 lbs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. FIRST PREFARED BY BOWMAN LAND SURVEYING accommended to proceed the seed of t	Lime 3 Tons/acr	æ	Lime 3 Tons/acre
Mulch HAY 2.0 Tons/acre Seed* KY 31 TAIL FESCIE Diss/acre CROWN VETCH ID Diss/acre ANNUAL RYSIGNASS ID Diss/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. **Inoculate with 3X recommended amount		· •	
Seed* KY 31 TAIL FESCUE 1bs/acre Seed* KY 31 TAIL FESCUE 30 1bs/acre CROWN VETCH 10 1bs/acre CROWN VETCH 10 1bs/acre ANNUAL RYELEASS 10 1bs/acre ANNUAL RYELEASS 10 1bs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. FILLY PEFFARED BY BOWMAN LAND SURVEYING **COSS: Please request levisurers **CONN VETCH 10 bs/acre ANNUAL RYELEASS 10 lbs/acre ANNUAL RYELEASS 10 lbs/acre **CONN VETCH 10 bs/acre ANNUAL RYELEASS 10 lbs/acre **Inoculate all legumes such as vatch, trefoil and clovers with the proper bacterium. **COSS: Please request **COSS: Please request **CONN VETCH 10 lbs/acre ANNUAL RYELEASS 10 lbs/acre ANNUAL RYELEASS 10 lbs/acre **CONN VETCH 10 lbs/acre **COSS: Please request **COSS: P			
CROWN VETCH 10 lbs/acre ANNUAL RYFLEASS 10 lbs/acre *Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. **Inoculate with 3X recommended amount. **TAN PRIPARED BY BOWMAN LAND SURVEYING cooperation to protect new seeding for one growing season. Attach separate sheets as			
ANNUAL RYECTASS 10 lbs/acre *Inoculate all legumes such as vatch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. FINN PRIFARED BY BOWMAN LAND SILLUEYING **IOCES: Please request legionary acceptation to protect new seedling for one proving season. Attach separate sheets as			
*Inoculate all legumes such as vatch, trafoil and clovers with the proper bacterium. Inoculate with 3X recommended amount. FLAN PRIPARED BY BOWMAN LAND SILLUEVING SEEding for one proving season. Attach separate sheets as			
Inoculate with 3X recommended amount. FIAN PREFARED BY BOWMAN LAND SILVEYING #FIAN PREFARED BY BY BOWMAN LAND SILVEYING #FIAN PREFARED BY BOWMAN LAND SILVEYING #FIAN PREFARED BY BY BY BY BY BY BY B	ANNUAL RYEGEASS 10 lbs/acre	:	ANNUAL EVEGRASS 10 lbs/acre
acoperation to protect new seedling for one growing season. Appress PO BOX 6		ı, trefoil	and clovers with the proper basterium.
seedling for one growing season. Autoch separate sheets as Autoch separate sheets as		FIAN PR	FARED EY BOWMAN LAND SURVEYING C
seedling for one growing season. Artach separate sheets as Artach separate sheets as			ADDRESS PO BOX 6
	seedling for one growing season.		
		<u>.</u>	NO. <u>/-304-756-3043</u>



exetch to include well location, existing access road, roads to be constructed, wellsite, welling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





DIVISION OF OIL & GAS DEPARTMENT OF ENERGY WW-4A Revised 6-07

1) Date:	4/2/2014
2) Operator	r's Well Number
Carbide #6	

3) API Well No.: 47 -

- 02400

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

(a) Name	Blue Eagle Land, LLC	/	Name	Blue Eagle Land, LLC	
Address	P.O. Box 58370		Address	P.O. Box 58370	
	Charleston, WV 25358			Charleston, WV 25358	
(b) Name			(b) Coal Ov	wner(s) with Declaration	n
Address			Name		
. 40 10 10 10 1	-		Address		
(c) Name			Name		0
Address	-		Address		Received
22.52.52.54.74	_		- Administration	-	
Inamantan	Ed Gainer		- (a) Coal La	ssee with Declaration	100 A . 2012
) Inspector Address	P.O. Box 821		Name	see with Deciaration	WAY 1 4 2014
Address	Spencer, WV 25276		Name Address	-	
Tolonhone	304-389-7582 Cell, 304-	027-5572 Eav/Talanhan		-	Office of Oil and Gas
Telephone	304-369-7362 Cell, 304-3	927-0072 Fax/Telephone	9	- WV	Dept. of Environmental Protection
(1) The well (2) The p	application to Plug and its and the plugging wor plat (surveyor's map) sho	Abandon a Well on F k order; and owing the well location	Form WW-4B, which on on Form WW-6.		d in the work and describes th
(1) The well (2) The particular that the reason However, y Take notice accompany Protection, the Applica	application to Plug and its and the plugging wor plat (surveyor's map) sho you received these docume ou are not required to take at that under Chapter 22-6 of ing documents for a permit with respect to the well at t	Abandon a Well on Fik order; and owing the well location ents is that you have rightly action at all. If the West Virginia Code to plug and abandon a whellocation described or a mailed by registered	Form WW-4B, which on on Form WW-6. this regarding the appliance, the undersigned well with the Chief of the attached Application certified mail or de-	operator proposes to file or has f	d in the work and describes the instructions on the reverses siduled this Notice and Application aringinia Department of Environment Form WW-6. Copies of this Notice
(1) The well (2) The reason However, y Take notice accompany Protection, the Applica certain circ	application to Plug and its and the plugging wor plat (surveyor's map) sho you received these docume ou are not required to take at that under Chapter 22-6 of ing documents for a permit with respect to the well at tation, and the plat have bee	Abandon a Well on Fik order; and owing the well location ents is that you have rightly action at all. If the West Virginia Code to plug and abandon a whellocation described or a mailed by registered	Form WW-4B, which on on Form WW-6. hts regarding the appliance, the undersigned well with the Chief of the attached Application certified mail or dery to the Chief. Hardee Petroleum Condensis C. Rehrig	operator proposes to file or has fine Office of Oil and Gas, West Vision and depicted on the attached blivered by hand to the person(s)	the instructions on the reverses side in the instructions on the reverses side illed this Notice and Application are irginia Department of Environment Form WW-6. Copies of this Notice named above (or by publication in the instruction in the instructions on the reverses side in the instructions on the reverses side in the instructions on the reverses side in the instruction in the instructio

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffice wy.gov.

D LIVE	9 2491	U.S. Postal Service in CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) For delivery information visit our website at www.usps.coms.
ERTIFIED WAD	0780 0001 611 0780 0001 611	Postage \$.98 Certified Fee
	7010	Sent To Blue Eagle Land, LLC Streef, Apt. No., or PO Box No. P.O. Box 58370 City, State, ZIP-4 Charleston, WV 25358 PS Form 8800 / August 2006 See Reverse to, Instructions

Received

MAY 1 4 2014

Office of Oil and Gas
WV Dept. of Environmental Protection

SURFACE OWNER WAIVER

Operator's Well Number

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Received

MAY 1 4 2014

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing of the file of the comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no c	bjection	to the plan	ned wor	k described in these materials, and I have no
objection to a permit being issued on the FOR EXECUTION BY A NATURAL PE ETC.		ials.		FOR EXECUTION BY A CORPORATION,
	Date		Name	
Signature	•		Ву	
			Its _	Date

W	V-4	R

API No.	47-015-02400
Farm Name	Carbide
Well No.	#6

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging wo	ork order. The undersign Il operator has complied	see/ of the coal under this well location ned has no objection to the work proposed to be with all applicable requirements of the West
Date:	D	
	By:	
	Its	Received

Office of Oil and Gas
WV Dept. of Environmental Protection

MAY 1 4 2014

	Page 1		of	
API Number 47	- 015	-	02400	
Operator's Well	No. Carbide	#6		


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CK# 3589

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name	Hardee Petrol	Hardee Petroleum Company, LLC			OP Code _	307446	
Watershed	Nans Branch		QuQu	adrangle Be	ntree		
Elevation	1099' GL	County	Clay		_ District_	Union	
Description of a	anticipated Pit Waste:			ater & son	ne gel		
Will a synthetic	liner be used in the p	oit? Yes 20	mzi).				
Proposed Dispo	osal Method For Treat × Land App						
		and Injection (U	IC Permit Num	ber			
		API Number					
	Off Site D Other (Ex	ispposal (Supply plain	form WW-9 fo	or disposal loca	ation)	Re	ceived
Proposed Work	For Which Pit Will E	Be Used:		Q.7.5.		MA	Y 1 4 2014
	Drilling		×	Swabbing		1000	
	Other (Ex			_ Plugging		Om	ice of Oil and Gas
	Other (Ex	piani				VIV Dept. 0	Environmental Protection
aw or regulatio I certif application for obtaining the in cenalties for sub	on can lead to enforcer fy under penalty of le m and all attachmen information, I believe benitting false information	ment action. aw that I have p ts thereto and the that the information, including the	personally examinat, based on ration is true, and possibility of	ined and am my inquiry of ccurate, and c	familiar with those indiv	the informati	ind/or other applicable ion submitted on this ately responsible for there are significant
Company Office	ial (Typed Name) De			/			
Company Offici	ial TitleFi	eld Operations	s Manager &	Agent før H	ardee Petr	oleum Co., l	LLC
Subscribed and	sworn before me this	3	day of APC	iL	, 20	14	
Men	ceft R	17 - 20	Potel	>	Notory	Public OTARIA	MARCY L. PURYER-MOLLET NOTARY PUBLIC for the State of MONTANA
My commission	expires	1 OL				SEAL ST	Residing at Billings, Montal MY COMM. EXPIRES OCT. 17,

= = = =		Waterway Cross Drai Artificial I Pit: cut wa Pit: compa	with size in inches with size in inches Filter Strip	
× - × - / - / -		Wet Spot Drain Pipe Waterway Cross Drai Artificial I Pit: cut wa Pit: compa	Filter Strip XXXXX	
× - × - / - / -		Drain Pipe Waterway Cross Drai Artificial I Pit: cut wa Pit: compa	Filter Strip XXXXX	
		Waterway Cross Drai Artificial I Pit: cut wa Pit: compa	Filter Strip XXXXX	
**************************************		Cross Drai Artificial I Pit: cut wa Pit: comps	Filter Strip XXXXX	11111111
	>	Artificial I Pit: cut wa Pit: compa	Filter Strip XXXXX	XXXXXXXXXXX
		Pit: cut wa	alls Euro	· · · · · · · · · · · · · · · · · · ·
		Pit: compa	· ·	
			acted fill walls	
		Area for L		The same
			and Application of Pit V	Waste
			620	
: Acres Disturbed	0.25 A	Acres	Prevegetation nH	6.5
	ct to pH	6.5	rrevegetation pri _	
uivalent) 500	lbs/ac	cre (500 lbs)	minimum)	
arvarent)			minimum)	
	_Tons/acr	e		
	Seed I	Mixtures		
			Area II	í
lbs/acre			Seed Type	lbs/acre
30			Orchard Grass	15
5			Alsike	5
15	_	_		
		ation.	Parties and Partie	Received
	-			MAY 1 4 2014
	-			- WY-Y-100 7 - 100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100
				Office of Oil and Gas
			WV	Dept. of Environmental Protect
1	lbs/acre 30 5 15	Tons/acre or to correct to pH	Tons/acre or to correct to pH	Tons/acre or to correct to pH



SCALE 1:24000

0 1000 2000 3000 4000 5000 6000 7000
FEET

Received

MAY 1 4 2014


Office of Oil and Gas WV Dept. of Environmental Protection WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-015-02400	WELL NO.:	6	
FARM NAME: Carbide			
RESPONSIBLE PARTY NAME:	Hardee Petroleum C	Company, LLC	
COUNTY: Clay	DISTRICT: U	Jnion	
QUADRANGLE: Bentree	7 1/2'		
SURFACE OWNER: Blue E	agle Land, LLC		
ROYALTY OWNER: Pine Me	ountain, Inc.		
UTM GPS NORTHING: 4245	5845		
UTM GPS EASTING: 47913	GPS ELEVAT	10N: 357m	10995
height above mean sea let 2. Accuracy to Datum + 3.0: 3. Data Collection Method: Survey grade GPS: Post Pro Real-Ti Mapping Grade GPS: Post Real	r a plugging permit or assigned as will not accept GPS coordinates: 17 North, Coordinate Units: movel (MSL) meters. Someters accessed Differential	API number on the les that do not meet eters. Altitude: ell location. knowledge and	
prescribed by the Office of Oil and G	as. Senior Surveyor	5/20/2014	
Signature 75 5 F #3	Senior Surveyor	Date	



HARDEE PETROLEUM COMPANY, LLC

HUNNING BEHRIG. MANAGER OF OPERATIONS 4924 RIMROCK ROAD BILLINGS, MONTANA 59166

OF (406)656-4785 - CELL (406)861-1479 - FAX (406)656-2247

FMAIL derehrig@aol.com

5/12/2014

WVDEP Office of Oil & Gas 601 57th Street, SE Charleston, WV 25304

RE: Hardee Petroleum Co. #6 Carbide Plugging Permit Application Clay County, WV

I mailed today under separate cover a copy of the permit application for plugging the Hardee Petroleum Co. #6 Carbide well to Blue Eagle Land, LLC who is the surface and coal owner for the subject well. Please find enclosed the permit application amended and approved by our WVDEP State Inspector, along with a \$100.00 check for this permit application.

Thanks very much,

Dennis Rehrig

Attachment: Check No. 3589

Received

MAY 1 4 2014

Office of Oil and Gas WV Dept. of Environmental Protection