



Hand
9-16-44
ack

# 3	3.15 W - 3.97	# 4	3.23 W - 3.87	CLA - 24 - A - # 3 ✓
1	3.12 W - 3.86	6	3.33 W - 3.88	CLA - 25 - A - # 7 ✓
✓ 3	3.37 W - 3.98	7	3.43 W - 3.89	CLA - 26 - A - # 5 ✓
4	3.32 W - 4.1			CLA - 27 - A - # 4 ✓
9	3.27 W - 3.98			CLA - 28 - A - # 9 ✓
				CLA - 29 - A - # 2 ✓
				CLA - 30 - A - # 6 ✓
				CLA - 31 - A - # 7 ✓

OCT - 3 1944

✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

Company SUPERIOR PIPE & SUPPLY CO.
 Address GRAND RAPIDS, MICH.
 Name H. M. MINNER
 Tract Acres 76 Lease No. _____
 Well (Farm) No. 1-2-3-4-5-6-7-8-9
 Elevation (Spirit Level) AS SHOWN
 Quadrangle CLAY
 County CLAY District UNION
 Engineer's Name H. M. Minner
 Engineer's Registration No. 659
 File No. _____ Drawing No. _____
 Date JAN. 20, 1944 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Clay 24 to 31

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing

H.M. MINNER NOS. 1-7 & 9 -
 (3-1-5-4-9-2-6-7) - SUPERIOR PIPE & SUPPLY CO. - CLAY-24-31

m
H. M. MINNER NO. 7 (1135) WELL.

WFO-3600 (V-1038). (1) Clay 31A

Union District, Clay County, W. Va.

By The Ohio Fuel Oil Co.

Abandoned under permit Clay-31-A.

On 76 acres; lease No. 189; Map Sq., 82-65.

Drilling commenced Oct. 27, 1920; completed Dec. 14, 1920.

Contractor: Pratt Drilling Co., Charleston, W. Va.

Drillers' names: Ellis and Callon.

8" casing, 460' (400' left in); 6", 163'.

Shot Dec. 15, 1920, with 40 qts.

Well estimated good for 10 bbls. per day after shot.

Elevation, 942.51' L.

Oil well. Abandonment reported to Dept. of Mines (filed) Mar. 23, 1944.

Record to RCT from Mrs. Griffith Nov. 17, 1944. Old file No. 261.

	Top.	Bottom.
Slate and shells	0	250
Coal	250	254
Slate and shells	254	450
Coal	450	454
Slate and shells	454	790
Sand	790	970
Slate	970	1020
Salt Sand	1020	1420
Slate	1420	1430
Red rock	1430	1455
Slate	1455	1525
Marion Sand	1525	1570
Little Lime	1570	1605
Lime shells	1605	1630
Pencil Cave	1630	1633
Big Lime	1633	1738
Keener Sand	1738	1770
Big Injun Sand (pay sand, 1793-1813')	1770	1835
Total depth		1835

THE OHIO FUEL OIL COMPANY.

761

Lease No. 189

Serial Well No. 1135 *UFG 3600*

Form T & C 6 6770

RECORD of Well No. 7

on the H. M. Minner

Farm of 76

in Union

District Clay

County, W. Va.

Clay Co.

Located 19 Rig Commenced 19 and Completed 19

Drilling Commenced Oct. 27 19 20 and Completed Dec. 14 19 20 Depth of Hole was 1815

Contractor was Pratt Drilling Company Address Charleston, W. Va.

Drillers names Ellis & Callon Drilling cost

Drilled deeper to feet and completed 10 Drilling deeper cost

Contractor was Address

CASING

TUBING

PACKER

Size	Used in Drilling	Left in Hole	Date Put in	Size	Feet Used	Date Pulled	Size	Kind
8 1/2"	460	400						
6 1/2"	1635	1635						

Well first produced *Est. good for 10 Bbls. per day after* 16 feet of wood conduct

Shot Production changed to in 19 Well shot *Dec. 15-*

Well cleaned out 19 result: Size of torpedo 40

Well cleaned out 19 result: Started Pumping oil

Well abandoned and plugged 19 By Kind of rods

OIL WELL

GAS WELL

REFERENCE DATA

Production	Rock Press.	Calculated Flow	SUNDRY REPORTS	
Barrels per day	Pounds	Cu. Feet per day	Dated	Noted conditions that might effect calculated production

12-15-20 *Top of Shot 1793'*
Bottom of Shot 1813'

El. 942.07 2



U.F.G. 3600
O.F.O. 1135

DRILLERS RECORD

Map Sq. 82-65

Formation	Top	Bottom	Thickness	REMARKS
Slate & Shells		250	250	Pay Sand 1793-1813
Coal	250	254	4	
Slate & Shells	254	450	196	
Coal	450	454	4	
Slate & Shells	454	790	336	
Sand	790	970	180	
Slate	970	1020	50	
Salt Sand	1020	1420	400	
Slate	1420	1430	10	
Red Rock	1430	1455	25	
Slate	1455	1525	70	
Maxon Sand	1525	1570	45	
Little Lime	1570	1605	35	
Lime Shells	1605	1630	25	
Pencil Cave	1630	1633	3	
Big Lime	1633	1738	105	
Keener Sand	1738	1770	32	
Injun Sand	1770	1815	45	
Total Depth		1815		

