



Company THOMPSON GAS CO.  
 Address CHARLESTON WEST VA.  
 Farm MATHEWS SCOTT & PRICE  
 Tract \_\_\_\_\_ Acres 1250 Lease No. \_\_\_\_\_  
 Well (Farm) No. \_\_\_\_\_ Serial No. T-15  
 Elevation (Spirit Level) 1339.  
 Quadrangle CLAY  
 County CLAY District HENRY  
 Engineer Jas. S. Chcese  
 Engineer's Registration No. 725  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 14-1946 Scale 1" = 500'

STATE OF KENTUCKY  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 LEXINGTON

**WELL LOCATION MAP**  
 FILE NO. CLAY-35-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

JUN 10 1946  
 66 (223)

MATHEWS, SCOTT & PRICE M. T-15 - THOMPSON GAS Co. - CLAY-35-A



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

290

WELL RECORD

Permit No. CLA-35

Oil or Gas Well Gas  
(KIND)

Company Thompson Gas Company  
Address Charleston, W. Va.  
Farm H. A. Matthews Acres \_\_\_\_\_  
Location (waters) Elk River  
Well No. T-15 Elev. \_\_\_\_\_  
District Henry County Clay  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced March 20, 1928  
Drilling completed May 31, 1928  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	21	Pulled	Size of
8 1/4	562	"	
6 5/8	1666	Left in well	Depth set
5 3/16			
4-7/8"	1981	" " "	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow 8 /10ths Water in 4-7/8" Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 600 Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 205'-hole full feet 875'-hole full feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay				8			
Sand			8	20			
Lime			20	80			
Sand			80	150			
Slate			150	175			
Lime			175	200			
Sand			200	242			
Coal			242	245			
Lime			245	260			
Sand			260	320			
Shale			320	340			
Lime			340	390			
Slate			390	400			
Sand			400	450			
Gritty lime			450	495			
Slate			495	514			
Coal			514	519			
Lime			519	575			
Sand			575	605			
Lime			605	660			
Slate and shells			660	700			
Gritty lime			700	715			
Slate			715	717			
Lime			717	760			
Slate			760	767			
Lime			767	780			
Slate and shells			780	835			
Sand			835	857			
Shale			857	865			
Lime			865	945			
Shale			945	957			
Lime			957	983			
Shale - black			983	988			
Slate and shells			988	1025			
Slate			1025	1030			
Salt sand			1030	1170			
Slate			1170	1174			
Second salt sand			1174	1600			
Slate			1600	1606			
Lime			1606	1620			

(Over)

JUL 10 1928

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			1620	1638			
Lime			1638	1675			
White sand			1675	1720			
Slate			1720	1725			
Red rock			1725	1733			
Gray lime			1733	1770			
Slate and shells			1770	1783			
Lime			1783	1800			
Gritty lime			1800	1831			
Marion sand ✓			1831	1858			
Lime			1858	1892			
Sand			1892	1904			
Slate			1904	1906			
Sand			1906	1922			
Pencil cave ✓			1922	1928			
Big lime ✓			1928	2041			
Injun sand ✓			2041	2058			
Total depth		2018'					

REMARKS: Well drilled to 2018' but stem and bit left in well and measurement taken from top of tools.

Date \_\_\_\_\_, 194\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_ (Title)

