



New Location...   
 Drill Deeper.....   
 Abandonment.....

Company THREE WAY GAS CO. (Valley Head Products to lease)  
 Address CLENDENIN, W. VA.  
 Farm JOHN W. MOORE  
 Tract \_\_\_\_\_ Acres 55 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 940  
 Quadrangle CLAY  
 County CLAY District UNION  
 Engineer PAUL E. JOACHIM  
 Engineer's Registration No. 669  
 File No. 82-65 Drawing No. \_\_\_\_\_  
 Date MARCH 3, 1951 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. CLAY-59-A  
*was 70048 by farm*

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing. *66 (200)*

*JOHN W. MOORE NO. 1 (Valley Head Products to lease) - CLAY-59-A*

JOHN MOORE NO. 1 WELL.

No. 28 O.F.-Clay

*cannot locate on Equitable Base  
1929 Farm map  
3-19-91*

*now 59-A*

48

Union District, Clay County, W. Va.

Koontz Oil & Gas Co.

Elevation, 925'.

Began drilling, Dec. 20, 1911; completed, Feb. 13, 1913.

10" casing, 63'; 8", 105'; 6-5/8", 1612'.

Drillers: Chas. Allen and J. D. Shaffer. 52 days. \$2620.80.

|                   | Top. | Bottom. |
|-------------------|------|---------|
| Coal              | 225  | - 229   |
| Salt Sand         | 835  | - 1270  |
| Red rock          | 1390 | - 1400  |
| Red rock          | 1512 | - 1420  |
| Red rock          | 1480 | - 1485  |
| Big?Lime          | 1485 | - 1500  |
| Pencil Cave       | 1500 | - 1505  |
| Sand, Maxton      | 1505 | - 1545  |
| Pencil Cave       | 1545 | - 1550  |
| Pencil Cave       | 1565 | - 1585  |
| Sand, hard        | 1590 | - 1600  |
| Pencil Cave       | 1600 | - 1610  |
| Big Lime          | 1610 | - 1715  |
| Sand, Big Injun   | 1715 | - 1745  |
| Red rock and sand | 1745 | - 1755  |
| 2nd Injun Sand    | 1755 | - 1775  |
| Total depth       |      | 1782    |

Water at 30'.

Water and oil at 840' and 1005'.

JOHN W. MOORE NO. 1 WELL.

Union District, Clay County, W. Va.

By Valley Steel Products Co., St. Louis, Mo.

Abandoned under permit Clay-59-A; Clay Quadrangle.

On 55 acres, on Porter Creek.

Elevation, 940' L.

Drilling commenced Dec. 30, 1911; completed Feb. 12, 1912.

Volume, 25/10 W. 6 $\frac{5}{8}$ " casing. 1897 mcf

Rock pressure, 425 lbs. in 24 hrs.

Fresh water at 30, 145, and 850', and 1005 and 1135'.

10" casing, 63'; 6 $\frac{1}{2}$ " 405' (pulled); 6 $\frac{5}{8}$ " 1612'; 2" tubing, 1394'.

Coal was encountered at 225-229'.

Gas well. Record to Dept. of Mines stamped March 5, 1951.

Record to RCT from Lineberg Feb. 11, 1952. Old File No. 327.

|  | Top. | Bottom. |
|--|------|---------|
| Black loam   | 0    | 9       |
| Lime and sand (fresh water, 30', hole full)                  | 9    | 35      |
| Slate  | 35   | 38      |
| Sand and lime (fresh water, 145', hole full)                 | 38   | 150     |
| Slate and shells   | 150  | 225     |
| Coal   | 225  | 229     |
| Lime   | 229  | 235     |
| Slate and shells   | 235  | 245     |
| Sand   | 245  | 260     |
| Slate  | 260  | 300     |
| Sand   | 300  | 320     |
| Slate  | 320  | 350     |
| Sand   | 350  | 360     |
| Slate  | 360  | 390     |
| Sand   | 390  | 435     |
| Slate and shells   | 435  | 505     |
| Sand and lime  | 505  | 590     |
| Slate and shells   | 590  | 780     |
| Sand   | 780  | 800     |
| Slate  | 800  | 835     |
| Sand (fresh water, 850', 2 bbls. 1 hr.; oil show, 840')      | 835  | 850     |
| Slate and lime   | 850  | 900     |
| Sand (fresh water, 1005', 4 bbls. 1 hr.)                     | 900  | 1080    |
| B. slate   | 1080 | 1100    |
| Sand (fresh water, 1135', hole full)                         | 1100 | 1270    |
| Slate and lime   | 1270 | 1390    |
| Red rock   | 1390 | 1400    |
| Red rock, white slate and shells                             | 1400 | 1415    |
| Red rock   | 1415 | 1420    |
| Lime shells  | 1420 | 1480    |
| Red rock   | 1480 | 1485    |
| Lime   | 1485 | 1500    |
| Pencil Cave  | 1500 | 1505    |
| Maxton Sand  | 1505 | 1545    |
| Pencil Cave  | 1545 | 1550    |
| Lime and Pencil  | 1550 | 1610    |
| Big Line (gas, 1710', light show)                            | 1610 | 1715    |
| Big Injun Sand (gas, 1725', light show)<br>(gas, 1735-1740') | 1715 | 1745    |
| Red rock and slate   | 1745 | 1755    |
| Sand   | 1755 | 1782    |
| Total depth  |      | 1782    |

Gas test, 25/10 W. 6 $\frac{5}{8}$ " after blowing open 24 hrs. Shut in 6 $\frac{5}{8}$ " casing Feb. 13, 1912. 2" connections. Back...