


Smithton - Flint-Sedalia

FORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION DELT. OF MINES

AFFIDAVIT OF PLUGGING AND FILLING WELL

COAL OPER	DDRESS ATOR OR OWNER ADDRESS ADDRESS APPROPERTY OWNER		P.O. P	COMPLETE ADDI					
COAL OPER A LEASE OR O. C. Hunth, Ac	DORESS ANDRESS ADDRESS PROPERTY OWNER		<u> Hovent</u>	COMPLETE ADDI	1 1 1 1 1 1 1 0				
COAL OPER A LEASE OR A	PROPERTY OWNER				P.C. Box 1/79 Clarkabuer, A.M.				
coal oper A LEASE OR A	PROPERTY OWNER			Hoverhor 29, 19 72 WELL AND LOCATION					
LEASE OR .). C. Hunght, A.c.	PROPERTY OWNER	A STATE OF STREET, STATE OF ST	McClellan District						
).C. Haucht, A.c.			ah kacami an mji ndaga ayi mgan d aranyahani an adina ya Addi						
).J. Haucht, A.c.			_Doddri	dge		County			
•			Well. No.	1.58		and the same program and the same same same			
	ADDRESS	J.Lee	Taylor		Farm				
TATE INSPECTOR SU		une Ui	illiam Bl	osser Sex 18	357 Ccl/	BY, W.			
rate inspector su	PERVISING PLUGG	i 117 G		. The state of the		**************			
		AFFIC	TIVAC						
TATE OF WEST V		ss:							
ounty of	· P ₁ 1/2 2	}			,				
Pobort Mos	· +-		andl	<u>Varren Haugh</u>	5	* /4			
ing first duly swo	rn according to la	w debose	ariu say viia	All allows I	nd Min	anal Cr			
ugging and filling o ell operator, and pa	articipated in the w	vork of plu	igging and i	illing the above	well, that sa	id work			
as commenced on the following	he 2011 day of	Nove)	<u>mber</u> ,	19 \angle , and that t	he well was	plugged			
OR ZONE RECORD		G MATERIAL		PLUGB USED	CAL	BING			
			2200	size & Kind	CSG	csa			
FORMATION		2310 -	ZZUU 11.		PULLED	LEFT IN			
		0000			li man us ar				
11	The state of the s	2200 =	2050		XXXXX	XYXXX			
	Aquagel 2	2050	2050 776		xxxxx .				
	Aquagel 2 Cement	2050 <u> </u>	2050 776 714		zxxxx 1	1.11			
	Aquagel 2 Cement Aquagel	2050 <u> </u>	2050 776 714 499		xxxxx .	1. 11			
	Aquagel 2 Cement Aquagel Coment	2050 <u> </u>	2050 776 714		- xxxXx l None	1.11			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499		- xxxXx l None	1" 20 -6/3"			
	Aquagel 2 Cement Aquagel Coment	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	20 			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	20			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	1" 20 -6/3"			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	20 			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	1ª 20 -6/3ª			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	1" 20 -6/3"			
	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 - 734 - 199 -	2050 776 714 499 443 10		None 3	1ª 20 -6/3ª			
COAL SEAMS	Aquagol 2 Cement Aquagel Coment Aquagel	2050 776 714 199 143 10	2050 776 714 499 443 10		None None Solution	-9/3" -9/3" -9/3" -9/3"			
	Aquagel 2 Cement Aquagel Coment Equagel Coment	2050 776 - 714 - 199 - 143 - 10 -	2050 776 714 499 443 10	Exx "rtend (Wone None None None None None None	-5/3" -8/3" -8/3" -8/3"			
COAL SEAMS	Aquagel 2 Cement Aquagel Coment Equagel Coment	2050 776 - 714 - 199 - 143 - 10 -	2050 776 714 499 443 10	Xxx "mtend (Wore None Replication of Monum Con of Mon	-5/3" -3/3" 351			
	Aquagel 2 Cement Aquagel Coment Equagel Coment	2050 776 - 714 - 199 - 143 - 10 -	2050 776 714 499 443 10	Exx "rtend (Wore None Replication of Monum Con of Mon	-5/3" -3/3" 3/3 -3/3 120 -3/3			

* * * under grant or lease dated February 24, 1900, made by

J. L. Taylor, and wife, unto Hope Natural Gas Company, and

of record in the office of the Clerk of the County Court of

Doddridge County, West Virginia, in Deed Book No. 16, at page

344, and which said lease shall be assigned unto Allegheny Land

and Mineral Company by Consolidated Gas Supply Corporation,

successor to Hope Natural Gas Company, pursuant to an agreement

dated April 26, 1971.



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

DEC 6 1972

OIL & GAS DIVISION DEPT. OF MINES

Oil and Gas Division WELL RECORD

Quadrangle_	Center	point	2
	13.2.5.5	100	

uadrangle	Centerbonni	
ermit No	Dod-1699	

Rotary	Oil
Cable	Gas
Recycling	Comb.
Water Flood	Storage
Disposal	(Dry)
DRY NOTE	- Kind c.

Permit No. 200						DRY	NOTE KIN
Address 18	rkebu	y Land & Min rg, W.Va. or Ac		Ćasing and Tubing	Used in Drilling	Left in Well	Cement fill v
Well No.	<u>-458</u>	or Ac	ev. <u>1168</u>	Size 20-16			
		County <u>Dod</u> vned in fee by 基本数		<u>Cond.</u> אורר "10" בי	201	201	Camentai
no One		-		9 5/8			Sum in Co
AddressC	rute 2	Salem, W.	8.	8 5/8	851'	8511	
		by O.C. Haught		7			surface
		Salom, V. Vr.		5 1/2	ļ		
		lov, 11,197		4 1/2			
*		Mev. 19,197		?			
		eu. ft. per day		Liners Used			
		hrs. before test					
			to 469				
	<u>Lband</u>		to 160 Fig.	Salt V	VaterSh	CI	
Fresh water	<u>Lband</u>	73f 32 t Fee	to 160 Fig.	Salt V	VaterSh	CI	
Fresh waterProducing SandFormation	<u> </u>	163 2 t Fee	Top Feet	Salt V Depth Bottom Feet	Vater Sh	CI	
Formation	Color	Tat Fee	Top Feet	Salt V Depth Bottom Feet	Vater Sh	CI	
Formation	Color	Tat Fee	Top Feet	Salt V Depth Bottom Feet	Vater Sh	CI	
Fresh waterProducing SandFormation shale	Color	163 2 t Fee	Top Feet 0 100 463 469	Salt V Depth Bottom Feet	Vater Sh	CI	
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 0 100 463 469	Salt V Depth Bottom Feet	Oil, Gas o	CI	
Fresh waterProducing Sand	Color Color	Tat Fee	Top Feet O 100 463 469 480 515 734	Salt V Depth Bottom Feet 100 463 469 480 515 734 746	Oil, Gas o	r Water	* Remarks
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 100 100 163 169 180 515 734 746	Salt V Depth Bottom Feet 100 463 469 480 515 734 746	Oil, Gas o	r Water	
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112	Salt V Depth Bottom Feet 100 463 469 480 515 734 746 1112	Oil, Gas o	r Water	* Remarks
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112 1140	Salt V Depth Bottom Feet 100 463 469 480 515 734 746 1112	Oil, Gas o	r Water	* Remarks
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112 1140 1154	Salt V Depth Bottom Feet 100 463 469 480 515 734 746 1112	Oil, Gas o	r Water	* Remarks
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112 1140 1150 1272	Salt V Depth Bottom Feet 100 463 469 480 515 734 746 1112 1110 1115/4 1250 1272 1650	Oil, Gas o	r Water	* Remarks Ahundant
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112 1140 1150 1272 1650	Salt N Depth Bottom Feet 100 463 469 480 515 734 746 1112 1110 11514 1250 1272 1650 1674	Oil, Gas o	r Water	* Remarks
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112 1140 1150 1272 1650	Salt N Depth Bottom Feet 100 463 469 480 515 734 746 112 11/0 115/4 1250 1272 1650 167/4 180/:	Oil, Gas o	r Water	* Remarks Ahundant
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 469 480 5134 746 1100 1150 11150 1270 1150 1270 1674 1804	Salt N Depth Bottom Feet 100 463 469 480 515 734 746 1112 1110 11250 11272 1650 1671 1800 1822	Oil, Gas o	r Water	* Remarks Ahundant
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 463 469 480 515 734 746 1100 1112 1140 1150 1272 1650	Salt N Depth Bottom Feet 100 463 469 480 515 734 746 1112 1110 11250 1250 1272 1657 1800 1822 2036	Oil, Gas o	r Water	* Remarks Ahundant
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 1100 Top Feet 0 100 469 480 515 734 746 1100 1150 11150 1272 1674 1802 1674 1802 2036 2090	Salt V Depth Bottom Feet 100 463 469 480 515 734 746 1112 1110 1157 1250 1272 1650 1272 1650 1801 1802 2036 2090 2158	Oil, Gas o Fresh Water Sal. t 1/2	r Water	* Remarks Ahundant
Fresh waterProducing Sand	Color Color	Hard or Soft	Top Feet 100 100 163 169 169 169 1100 1150 1150 1150 1150 1272 1674 1822 2036	Salt V Depth Bottom Feet 100 463 469 480 515 734 746 1112 1110 1157 1250 1272 1650 1272 1650 1801 1802 2036 2090 2158	Oil, Gas o	r Water	* Remarks Ahundant

(over)

^{*} Indicates Electric Log tops in the remarks section.





Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

Charleston, W. Va.	
·	DATE October 9th., 1972
Surface Owner Emma Underwood, Route 2	Company Allegheny Land and Mineral Co.
Address Salem, W. Va. 26426	Address Clarksburg, W. Va. 26301
Mineral Owner O. C. Haught, Agent, Route 1	
Address Salem, W. Va. 26426	Location (waters) Big Battle Run
Coal Owner Flint Creek Coal Company	Well No. A=458 Elevation 1168*
Address 320 West Main Street,	District McClellan County Doddridge
Uniontown, Pennsylvania 15401	Quadrangle Centerpoint SE
Addressnone	Quadrangie Centerpoint so
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	to a contrast of the same of t
	INSPECTOR TO BE NOTIFIED Blasser +
HIS PERMIT MUST BE POSTED AT THE WELL SITE	Bry 1857 PH: Fairmont Calfux, WV4. 363-9105
All provisions being in accordance with Chapter 22	. Calfax, WV4. 363-9103
of the W. Va Code, the location is hereby approve	d 24566
for <u>dulling</u> . This permit shall expire to operations have not commerced by 2-20-73	<i>₽</i>
Dobut hotoda	marina. Tanan ara-ara-ara-ara-ara-ara-ara-ara-ara-ara
Deputy Director - 01 & Gas Division	7
GENTLEMEN:	
The undersigned well operator is entitled to drill upon the a	bove named farm or tract of land for oil and gas, having fee
title thereto, (or as the case may be) under grant or lease date	
the state of the s	r9 Dy
	•
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of Page REDRILLFRACTURE OR STIMULATE
made to	and recorded on the day of Page REDRILLFRACTURE OR STIMULATE
made to	and recorded on the day of Page REDRILLFRACTURE OR STIMULATE SEFORE JUNE 5, 1969.
made to	and recorded on the day of Page REDRILLFRACTURE OR STIMULATE SEFORE JUNE 5, 1969.
made to	and recorded on the day of Page REDRILLFRACTURE OR STIMULATE SEFORE JUNE 5, 1969. icensed land surveyor and all coal owners and/or operators cified that any objection they wish to make, or are required
made to County, Book NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLED E The enclosed plat was prepared by a registered engineer or have been notified as of the above date. The above named coal owners and/or operator are hereby not make by Section 3 of the Code, must be received by, or filed Copies of this notice and the enclosed plat were mailed by re	and recorded on the day of Page REDRILLFRACTURE OR STIMULATE SEFORE JUNE 5, 1969. icensed land surveyor and all coal owners and/or operators cified that any objection they wish to make, or are required with the Department of Mines within ten (10) days. * gistered mail, or delivered to the above named coal operators
made to County, Book NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLED E The enclosed plat was prepared by a registered engineer or have been notified as of the above date. The above named coal owners and/or operator are hereby not make by Section 3 of the Code, must be received by, or filed Copies of this notice and the enclosed plat were mailed by record owners at their above shown respective address	and recorded on the day of
made to County, Book NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILLED E The enclosed plat was prepared by a registered engineer or have been notified as of the above date. The above named coal owners and/or operator are hereby not make by Section 3 of the Code, must be received by, or filed Copies of this notice and the enclosed plat were mailed by re	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of
made to	and recorded on the day of

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

Dadd-1699 PERMIT NUMBER

BLANKET BOND

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

W W W			FRACTURE-STIMULATE
DRILLING CONTRACTOR: (If	Known)	RESPONSIBLE AGEN	TT:
NAME		NAME Allegher	ny Land and Mineral Co
ADDRESS		ADDRESS Clarks	ourg, W. Va. 26301
TELEPHONE		TELEPHONE 62	24-7659
ESTIMATED DEPTH OF COMPL	LETED WELL: 2400°		_ CABLE TOOLS
PROPOSED GEOLOGICAL FORM	MATION: Big Injun		
	-		GE DISPOSAL
TENTATIVE CASING PROGRAM		WAIER F.	LOODOTHER
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN "WELL	° CEMENT FILL UP OR SACKS - CUBIC FT.
20 - 16	201	201	. cement to surface
3 - 10			S SULLACE
9 - 5/8			
8 - 5/8	8101	8101	cement to surface
7	+1		
3 ½			
1 1/2	24001	24001	100 bags cement
,			Perf. Top
			Perf. Bottom
iners			Perf. Top
	Market and the second s		Perf. Bottom
OF PLAT. O DRILL DEEPER OR REDRILI SUBMIT FIVE (5) COPIES O WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED	L: DF OG - 1, SHOWING ORIG	INAL PERMIT NUMBER A	BOND AND PERMANENT COPY
OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM	D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON A MBER, AND PERFORMANCE within ninety (90) days of c	RE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 19 BOND.	THE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE 29, FIVE COPIES OG - 1, SHOW
OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be	D. RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON A MBER, AND PERFORMANCE within ninety (90) days of c	RE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 19 BOND. completion for bond release	THE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE 29, FIVE COPIES OG - 1, SHOW Inspector to be notified twenty
OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be ereof. AIVER: I the undersigned, Agen	RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON A MBER, AND PERFORMANCE within ninety (90) days of c e completed by the coal ope at for	RE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 19 BOND. completion for bond release erator if the permit is to be Coal Company, Owner	THE ORIGINAL WELL RECOR. COPIES OG - 1, PERFORMANCE 29, FIVE COPIES OG - 1, SHOW Inspector to be notified twenty issued within ten days of receip
OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be sereof. Walver: I the undersigned, Agen this lease have examined where the providing operator has concode.	RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON A MBER, AND PERFORMANCE within ninety (90) days of c re completed by the coal ope at for d and place on our mine many complied with all rules and regree	RE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 19 BOND. completion for bond release rator if the permit is to be Coal Company, Owner aps this proposed well located that the proposed well located the proposed the	THE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE 229, FIVE COPIES OG - 1, SHOW Inspector to be notified twenty is issued within ten days of receip or or Operator of the coal under tion. well being drilled at this location.
OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be ereof. AIVER: I the undersigned, Agen this lease have examined we the providing operator has conceded.	RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON AN MBER, AND PERFORMANCE Within ninety (90) days of completed by the coal open of the	RE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 19 BOND. completion for bond release rator if the permit is to be Coal Company, Owner aps this proposed well located that the proposed well located the proposed the	THE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE 229, FIVE COPIES OG - 1, SHOW Inspector to be notified twenty is issued within ten days of receip or or Operator of the coal under tion. well being drilled at this location.
OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance. The following waiver must be sereof. AIVER: I the undersigned, Agen this lease have examined we the providing operator has conceded.	RIGINALLY DRILLED BEFO AND ORIGINAL WELL REC RIGINALLY DRILLED ON AND MBER, AND PERFORMANCE within ninety (90) days of c the completed by the coal ope at for d and place on our mine many Coal Company complied with all rules and reg	RE JUNE 5, 1929, FIVE (5) CORD. ND/OR AFTER JUNE 5, 193 BOND. completion for bond release erator if the permit is to be Coal Company, Owner aps this proposed well local have no objections to said ulations in Articles 4, 5, and	THE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE 29, FIVE COPIES OG - 1, SHOW Inspector to be notified twenty issued within ten days of receip