

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv,gov

December 08, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-1702083, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 4832

Farm Name: MAXWELL

API Well Number: 47-1702083

Permit Type: Plugging

Date Issued: 12/08/2014

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

Form WW-4 (B) Permit Copy (Rev 2/01)

Date: Operator's Well

Well No.

API Well No .:

604832 (Maxwell #4832)

47

017 - 02083

October 10, 2014

ck#18338

STATE OF WEST VIRGINIA **DIVISION OF ENVIRONMENTAL PROTECTION** OFFICE OF OIL AND GAS

-	Well Type:	liC	Gas	X Li	quid Injection	Waste Dispo	osal:
	If Gas, Produc	tion	X	Or Undergro	ound storage	Deep	Shallow
)	9	Elevation:	987 ft.	Watershed:	Huges River		
•	Location:	South V	Vest	County:	Doddridge	Quadrangle:	Oxford
	District:						
)		EQT Pro	duction C	ompany	7) Designation		C. Ray
	Well Operator	120 Prof	fessional F	Place	Address	: 120 Professiona	al Place
	Address:	Bridgepo	ort, WV 26	330		Bridgeport, WV	26330
)					9) Plugging	Contractor:	
	Oil & Gas Dou	iglas Newlo	in		Name:	HydroCarbon Well	Service
		0 Dutchma			Address	: PO BOX 995	
	Address: Mad					Buckhannon, WV	26201

See Attachment for details and procedures.

Received

OCT 1 6 2014

Own	
1	OFFICE USE ONLY
tification must be sine	a to the district oil and gas inspector 24 hours before permitted work can commence
otification must be give	n to the district oil and gas inspector 24 hours before permitted work can commence Date

PLUGGING PROGNOSIS - Weston

Maxwell, W.B. # 4832 (604832)

Doddridge Co., West Virginia API # 47-017-02083 Southwest Quad

BY: Craig Duckworth

DATE: 9/23/14

CURRENT STATUS:

10" csg @ 215' 8 1/4" csg @ 875 6 5/8" csg @ 1201'

T 1518

Fresh Water @ 140' 1" Salt Sand @ 1030'

1. Notify State Inspector,

Salt Water @ 1135' Frougho Newlow 2014

Coal @ None reported Gas Shows @1480'Sand; 1500'-1509' Slate

Oil Shows @ None reported Stimulation: None reported

Elevation: ??? 98714 Veed

. 24 hrs. Prior to commencing operations.

- 2. TIH w/ tbg @ 1518'; Set 118' C1A Cement Plug @ 1518' to 1400' (Gas Shows @ Slate 1509'-1500' & Sand 1480')
- 3. TOOH w/ tbg @ 1400.; gel hole @ 1400' to 1251'
- 4. TOOH w/ tbg, Free Point 6 5/8", cut 6 5/8" @ free point, TOOH w/ 6 5/8" esg
- 5. Set a 100' C1A Cement Plug 50' In/Out of cut. Perf all FW, Coal, Oil and Gas shows below 6 5/8" cut. Do not omit any plugs
- TIH w/ tbg @ 1251'; Set 100' C1A Cement Plug @ 1251' to 1151' (6 5/8" casing cut)
- 7. TOOH w/ tbg @ 1151.; gcl hole @ 1151' to 1030'
- 8. TOOH w/tbg Free point 8 1/4". If unable to pull, Cut at free point
- 9. TIH w/ tbg @ 1030'; Set 205' C1A Cement Plug @ 1030' to 825'(1" Salt Sand 1030' & 8 1/4" 875')
- 10. Set a 100' C1A Cement Plug 50' In/Out of cut. Perf all FW, Coal, Oil and Gas shows below 8 1/4" cut. Do not omit any plugs
- 11. TOOH w/ tbg @ 825' gel hole @ 825' to 215'.
- 12. TOOH w/ tbg @ 265'; Set 265' C1A Cement Plug @ 265' to Surface (10" csg@ 215')
- 13. Set a 100' C1A Cement Plug 50' In/Out of cut. Perf all FW, Coal, Oil and Gas shows below 10" cut. Do not omit any plugs
- 14. Top off as needed
- 15. Set Monument to WV-DEP Specifications
- 16. Reclaim Location & Road to WV-DEP Specifications

00-10 604832



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Permit No. 41-017-02083

Oil or Gas Well "GAS"

				Oil, Gas	Depti		
	feet	feet	FEET	INC	HES	FEETINCHES	
	feet	feet	FEET	INC	HES	FEETINCHES	
	lbs	CTF OF THE TAX TO SEE	COAL WAS EN	COUNTERED	AT	FEETINCHES	
			-				
			CASING CEME	NTED	SIZE	No. Pt. Date	
				. Company	negro.	No. Ft. Date	
						Perf. bottom	
From	т	0	Liners Used			Perf. top	
			2			Perf. hottom	
			3			Perf. top	
			5 3/16			10.11	
				1201	1201	Depth set	
	,-			8751		5126 01	
t c	ounty			2151	2151	Size of	
						- Kind of Packet	
Maxwell Holbrook	N/E. 4-2	Acres	Size			Kind of Packer	
Address Clarksburg, West Va.,				Drilling	Well	Packers	
Company				Used in	Left in	Packers	
	Maxwell Holbrook It () Is owned in fer Adved by Ad July 21, September From Oths Water in.	Maxwell Holbrook N/E. 4-2 It County Do is owned in fee by Address vned by Address July 21, 1922 September 14, 1922 From This Water in lbs. feet	Maxwell Acres_Holbrook N/E. 4-2 Elev	Casing and Tubing Casing and Tubing	Size Size Size Size Size	Casing and Tubing Used in Drilling Well	

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	Dark	Soft	0	20			
led Rock	Red	11.	20	65			
Slate	Black	tt:	65	110			
ime	White	Hard	110	130	200,000	2343	
Sand	11	11	130	175	Vater	140'	
Slate	Black	Soft	175	195			
led Rock	Red	u	195	220			
	Black	tt	220	285			
Slate	White	Hard	285	320			
Lime	Black	Soft	320	350			
Slate	White	Hard	350	375			
ine	100	Soft	375	450			
late	Black	11	450	495			
led Rock	Red	n	495	525			
Slate	Black	11		550			
led Rock	Red	1	525	572	1		
e	White	Hard	550	610			
ate	Black	Soft	572	630		- T. V.	1
led Rock	Red	W.	610	665	1 10	eceiv	201
Slate	Black	.11	630	000	1.44	STATE OF A	211
Lime	White	Hard	665	700			
Slate	Black	Soft	700	745			
Red Rock	Red	n	745	765	0	CT 16 20	A
Lime	White	Hard	765	790	U	DI 10 80	7
Slate	Black	Soft	790	835			
Little Dunkar		Hard	835	860		0.00	
Slate	Black	Soft	860	915	Off	ce of Oil and G	39
Big Dunkard	White	Hard	915	965	WV Dept o	Environmental	Protection
Slate	Black	150000	965	995	The second	3410717LINITEDITION	T TEACHER
Sand	White	Hard	995	1020			
	Black	Soft	1020	1030			
_ate ist.Salt Sand	The second secon	Hard	1030	1070			
	Black	Soft	1070	1125	100 p v 100		
Slate 2nd.Salt Sand		· Hard · · · · ·	1125	1187	Water	1135'	
	Black	Soft	1187	1195			
61,ate	1.05.7 + 8.77 - 7.1	Hard	1195	1210			
Lime	Dark	Soft	1210	1320			
Slate	Black	Hard	1320	1400			
3rd.Salt Sand	Dark	Soft	1400	1405	1		
Slate		507 107	1405	1/22			
Sand	White	Hard	THO	-		12/	

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
iand late otal Depth.	Dak White "	Soft Hard Soft	1422 1450 1515	1450 1515 1518 1518	Gas Gas	14801	
					Res	ceived	
					OC1	e of Oil and Gas	

	Dat	e	May	21	, 19	46	_, 194
APPROVED.	PITTSBURGH	8e	WEST	VA	GAS	COMPANY.	Owner
APPROVED.			_				_, _,,,,,,

(Title) 2/12/14

Permit

WW-4-A Revised 6/07

1)	Date: October 10, 2014									
2)	Operator's Well Number									
	604832 (Maxwe	ell #483	32)							
3)	API Well No	47	017	- 02083						

County

State

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

1)	Surface Owner	(s) to be served:	5) (a) Coal	Operator:
•	(a) Name	I. L. Morris	Name	None
	Address	P. O. Box 397	Address	
		Glenville, WV 26351		
	(b) Name		(b) Coal Ow	vner(s) with Declaration
	Address		Name	WBM Heirs Properties LLC
	0 1 4 0 0 0 5 0 5			P. O. Box 2395
			Address	Buckhannon, WV 26201
	(c) Name		Name	
	Address		Address	
				Received
6)	Inspector	Douglas Newlon	(c) Coal Le	ssee with Declaration
	Address	4060 Dutchman Road	Name	None
	246,505.68	Macfarlan, WV 26148	Address	OCT 1.6 2014
	Telephone	(304) 932-8049		
		112 -122 11112		Office of Oil and Gas
				WAY Front of Environmental Protection

TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and


(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator:	EQT Production Company
	By:	Victoria J.Roark
	Its:	Permitting Supervisor
	Address:	PO Box 280
	1000000	Bridgeport, WV 26330
	Telephone:	(304) 848-0076
Subscribed and sworn before me this		day of October, 2014
7	V Jester of Ch	Notary Public
My Commission Expires:	1000	2/20/18

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.







Received

OCT 2 3 2014







11911	11111111111111	1111311111	11 (11 11 11 11 11 11 11 11 11 11 11 11	

7014 188 7014 188

FIER HEREE	1111111111111	11 (1 11 11)	8 102 014

	17020	17020838		
	10/15/2014 119/2016 (A1) 8	\$07.40		
20 0001 2406 8271	400000	SAIL TOWNS		
20 0001 2406 8271				

832

Complete tears 1, 2, and 3, Also complete For them, 4 if Pestificial Delivery is desired. For the cour name and address on the reverse so that we can return the card to you. A flact his cord to the bask of the maliplece, or on the front if space pointiffs. A flact his cord is properties LLC WBM Heirs Properties LLC P. O. Box 2295 Buckhannon, WV 26201	A Signature X E. Addressee B. Received by Printed Name C. Date of Delivery D. In diskeys actions believed from Man 12 No. If YES, enter delivery address below: D. No.
d address on the reversal the back of the maliplece, and pormits, perties LLC	a belon
perties LLC	
perties LLC	
Dachiginoli, WV 20201	
Plug 604832	Seryde Type Ef Certified Mate Priority Mail Express Frequency Priority Mail Express Registered Priority Mail Express Insured Mail Collect on Delivery
4. Restrict	Restricted Dollvery? (Extra Five) 1 Yes
2. Arrela Namber 7014 182	רכים שחהם נוסם הפינ הוטט
PS Form 3811, July 2015 Damesto Return Recent	
(clours)	PS Form 3800, July 2014 See Reverse for Instructions.
	Street K. Apt. 16. ODCKNIGHTHOU, WY 2020.1 On FO Due No. Plug 604832 City Stain, 21944
20 1	P. O. Box 2295

More Do Dot #

Received

OCT 1 6 2014



COMPLETE THIS SECTION ON DELIVERY

☐ Agest ☐ Addresses ☐, Date of Delivery

B. Recoived by (P.

Complete items 1, 2, and 3. Also complete from 4. It Restricted Delivery is deferred.

For A part and address on the reverse print your name and address on the reverse so that we can return the card to you.

A stand his card to the back of the multiploce, or on the front it space permits.

×

10 Yes

Priority Mail Express
 Resturn Receipt for Merchandl
 Collect on Delivery

Sevice Type

U.Centhed Mail* C

Registered

I freured Mail

E

Plug 604832

I. L. Morris p. O. Box 397 Glenville, WV 26351

Sav. C

2. Article Number (Transfer from service fabel) PS Form 3811, July 2013



0001 2406 8288

1950 0007 540P 9599 7014 U.S. Postal Service CERTIFIED MAIL® RECEIPT Street & Api Glenville, WV 26351 Return Receipt Fee borsement Required) smithed Delivery Fee bossement Required) ivery informa Cartilled Fee P. O. Box 397 I. L. Morris Postage Vict Rome Plug 604832 Postmark 04832

Received

1702083 P

10/15/2014 US POSTAGE

\$07.40

Z)P 26330 04111022880

OCT 1 6 2014

WW-9 Revised 2/03

Page of			
2) Operator's We	II Nu	mber	
604832 (Maxwel	I #48	32)	
3) API Well No.:	47	017 -	02083

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM
GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name: Watershed:		Huges River		Quadrangle:	Oxford
Elevation:	987 ft.	County:	Doddridge	District:	South West
Description of anti	cipated Pit Wa	ste:		Formation Fluid	s
Do you anticipate Will synthetic liner			ter to complete the	e proposed well wo at ml.?	rk? Yes No_X 10-mL_
Proposed Disposa	Method for T	reated Pit Wastes:			
X			.=		
-		ound Injection - UK	2 Permit Number	-	
0		at API Number) Disposal Permit #.		-	
-	Other: E				
Drilling medium ar		nis well? Air, freshv	vater, oil based,	etc.	
	The second secon	? Synthetic, petrol	eum, etc.		
Additives to be use	ed?				
issued on August understand that th permit and/or othe I certify under pen application form a responsible for ob	1, 2005, by the e provisions of applicable la alty of law that all attachmentaining the info	e Office of Oil and Of f the permit are enf w or regulation can I have personally of ents thereto and the prmation, I believe t	eas of the West \ orceable by law. lead to enforcent examined and and and and and and and and and an	rirginia Division of E Violations of any te nent action. In familiar with the integrating of those indiversity of the accurate a factor of the acc	ATER POLLUTION PERMIT Environmental Protection. I rms or condition of the gener formation submitted on this riduals immediately and complete. I am aware the fine or imprisonment.
Company Off	icial Signatur	re	The	In	
Company Off	icial (Typed o	or Printed) Vic	toria Roark		
Company Off	icial Title	Permi	tting Supervisor	-WV	
Subscribed an	d sworn before	me this ///	day of _	Octoba	,2014
	S	Lite S-	Chiste	Notary F	PubliReceived
My Commission	A STATE OF THE PARTY OF THE PAR		2/2	81/10	rieceived
WEST STEE	TILE CTATE	OFFICIAL SEAL OF WEST VIRGINIA NOTARY PUBLIC			OCT 1 6 2014

STATE OF WEST VIRGINIA NOTARY PUBLIC Misty S Christie 1207 Briercliff Rd Bridgeport, WV 26330 My Commission Espires Pentuary 29, 2818

OPERATOR'S WELL NO.: 604832 (Maxwell #4832)

LEGEND Property Boundary 4 Diversion Spring Wet Spot Road ん Planned Fence Drain Pipe with size in inches Water Way _/__/__/ **C→** C → Cross Drain **Existing Fence** -x-x-x-x- Artificial Filter Strip Rock Open Ditch XXXX BSSSS Water well Drill site Building North \oplus (W) Area of Land Application of Pil Waste Pit with Compacted Walls Pit with Cut Walls Proposed Revegetation Treatment: Acres Disturbed: 1± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Ibs/acre (500 lbs minimum) 1/3 ton Fertilizer (10-20-20) or equivalent Tons/acre or hydroseed. Mulch **SEED MIXTURES** Area II Area I lbs/acre **Seed Type** lbs/acre Seed Type **Red Fescue** Red Fescue 5 Alsike Clover Alsike Clover Annual Rye ATTACH: Drawing(s) of road, location, pit and proposed area for land application. Photocopies section of involved 7.5' topographic sheet. Plan approved by: Comments: 10-20-2014 Oil + bas Date:

12/12/14

Topo Quad: Oxford 7.5' Scale: 1 " = 2000' County: Doddridge September 29, 2014 Date: South West Project No: 67-30-00-08 District: Торо 47-017-02083 WV 604832 (Maxwell #4832) Ol Well Rath Gas Wall Gan Well BM 865 South Witard 47-017-02083 WV 604832 Porto Rico OH WELL 966 DH WHE Oil Well NAD 27, North Zone OCT 1 6 2014 N: 252,039.38 E: 1,638,134.61 **WGS 84** Office of Oil and Gas WW Dept. of Environmental Protection LAT: 39.185023 LONG: -80.776451 ELEV: 986.65 Run Gas Well PREPARED FOR: SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. **EQT Production Company** 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608 P.O. Box 280 Bridgeport, WV 26330

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-017-02083 WELL NO.: WV 604832 (Maxwell #4832) .
FARM NAME: W. Brent Maxwell .
RESPONSIBLE PARTY NAME: <u>EQT Production Company</u> .
COUNTY: <u>Doddridge</u> . DISTRICT: <u>South West</u> .
QUADRANGLE: Oxford 7.5'
SURFACE OWNER: I. L. Morris
ROYALTY OWNER: WBM Heirs Properties, LLC, et al
UTM GPS NORTHING: 4337333 .
UTM GPS EASTING: 519307 . GPS ELEVATION: 301 m (987 ft) .
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential OCT 16 2014 Real-Time Differential
Mapping Grade GPS X: Post Processed Differential X Office of Oil and Gas Real-Time Differential WV Dept. of Environmental Protection
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.
Signature P5 # 2180 10/1/14 Date



5 +1

1702083P ZIP 20110 0411,10221892



Douglas Newlon 4060 Dutchman Road Mcfarlan, WV 26148

Plug 604832

Received

OCT 1 6 2014

Hankins, Melanie S

From: Roark, Vicki <VRoark@eqt.com>
Sent: Thursday, October 23, 2014 11:41 AM

To: Hankins, Melanie S

Subject: RE: Plugging application for API 1702083

Attachments: 604832 corrected mail.pdf

Since we didn't get the green card back yet, we re-sent the mailing. See attached.



www.egt.com

From: Hankins, Melanie S [mailto:Melanie.S.Hankins@wv.gov]

Sent: Friday, October 17, 2014 9:44 AM

To: Roark, Vicki

Subject: Plugging application for API 1702083

Vicki,

I received the Plugging application for API 1702083 yesterday. The address for WBM Heirs Properties, LLC on the mail receipt doesn't match the notice. Can you provide proof this notice was received?

Thanks,

Melanie 8. Hankins

Environmental Technician

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE

Charleston, WV 25304

(304) 926-0499 ext. 1649

(304) 926-0452 fax

Melanie.S.Hankins@wv.gov

PLEASE INCLUDE THE INFORMATION IN THE SUBJECT LINE OF THIS EMAIL FOR ALL CORRESPONDENCE CONCERNING THIS PERMIT APPLICATION WHETHER IT BE BY EMAIL OR MAIL. THE ITEMS REQUESTED IN THIS EMAIL WILL NEED TO BE RECEIVED BY THE OFFICE OF OIL AND GAS WITHIN 20 DAYS TO AVOID THE PERMIT APPLICATION BEING RETURNED. IF YOU WISH TO RESUBMIT AN APPLICATION THAT HAS BEEN RETURNED, THE OPERATOR IS REQUIRED TO COMPLETE AND SUBMIT NEW FORMS, MYLAR PLAT AND ASSOCIATED FEES.

1

12/12/14

Topo Quad: Oxford 7.5' Scale: 1 " = 2000' County: Doddridge Date: September 29, 2014 District: South West Project No: 67-30-00-08 Water 47-017-02083 WV 604832 (Maxwell #4832) No potential water wells within 1000' Gas Well Lover Rux South Weenrd 47-017-02083 Porto Rico WV 604832 OILWHI DU WEU Dil Wett Gat Well Received NAD 27, North Zone OCT 1 6 2014 N: 252,039.38 E: 1,638,134.61 WV Dept. of Environmental Protection **WGS 84** LAT: 39.185023 LONG: -80.776451 ELEV: 986.65 Gas Well PREPARED FOR: SURVEYING AND MAPPING SERVICES PERFORMED BY: ALLEGHENY SURVEYS, INC. **EQT Production Company** 1-800-482-8606 P.O. Box 280 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608 Bridgeport, WV 26330

12/12/14



POTENTIAL WATER SAMPLE DATA SHEET

EQT PRODUCTION COMPANY CLIENT: _ LEASE NAME AND WELL No. Maxwell #4832 - WV 604832 - API No. 47-017-02083

POTENTIAL SAMPLE LOCATIONS

There appears to be no known water samples within the required 1000' of the existing well WV 604832.

Received

OCT 1 6 2014

Office of Oil and Gas WV Dept. of Environmental Protection

BIRCH RIVER OFFICE | BRIDGEPORT OFFICE | 237 Birch River Road

Birch River, WV 26610 phone: 304-649-8606 fax: 304-649-8608

172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037

CALDWELL OFFICE 212 Cumberland Street

Caldwell, OH 43724 phone: 740-305-5007 fax: 740-305-5126

ALUM CREEK OFFICE P.O. Box 108 • 1413 Childress Rd

Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948

RANSON OFFICE

401 South Fairfax Blvd, Suite 3 Ranson, WV 25438 phone: 304-724-5008 fax: 304-724-5010

ALLEGHENYSURVEYS.COM