



26-JUL-96 API # 47- 17-03634 F

State of West Virginia

JAN 07 1998 Division of Environmental Protection

Section of Oil and Gas

Permitting Well Operator's Report of Well Work Office of Oil & Gas

Farm name:

TRENT, W. RUTH

Operator Well No.: TRENT #1-E-45

LOCATION:

Elevation: 990.00

Quadrangle: BIG ISAAC

District: GREENBRIER

County: DODDRIDGE

Latitude: 5330 Feet South of 39 Deg. 15 Min. 0 Sec.

Longitude 9760 Feet West of 80 Deg. 32 Min. 30 Sec.

Company: Exploration Partners Prod

P.O. Box 930

Bridgeport, WV 26330-1245

Agent: Louis A. Ferrari

Inspector: MIKE UNDERWOOD

Permit Issued:

07/30/96 Well Work Commenced: _ 07/21/97

√ell Work Completed: <u>07/23/97</u>

/erbal Plugging

Permission granted on: .

Rig Cable____Rig

Total Depth (feet) _____

Fresh water depths (ft)_

Salt water depths (ft)____

is coal being mined in area (Y/N)?loal Depths (ft): _____

Casing	Used in	Left	Cement Fill Up
Tubing	Drilling	in Well	Cu. Ft.
Size			
	SEE ORIGI	NAL WR-35	
NO ADI	DITIONAL CA	ASING RUN	
ever tid in the control of the contr	(STIMULATE	UPPER P	AYS)

PEN FLOW DATA

Producing formations Speechley, Fifth/Bayard Pay zone depth (ft)2	907_2520
das: initial open flow MCF/d Oil: Initial open flow	Rh1/
rinal open Tiow198 MCF/d Final open flow	B h 1 /
Ine of open thow between initial and final tests	Ll
Static rock pressure 330 psig (surface pressure) after	_Hour ~
Second producing formation Pay zone depth (ft)	-
das: Initial open flow MCF/d Oil: Initial Open flow	Rhl/
rinal open flow MCF/d Final open flow	
IMB OT ODER Tlow between initial and final tooto	Hour
	Hour

OTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATE INTERVALS RACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A YSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS INCULIDING COAL ENCOUNTERE HE WELLBORE.

For: EXPLORATION PARTNERS

Louis A. Ferrari

Date: November 18, 1997

DETAILS OF PERFORATED INTERVALS, FRACTURING, OR STIMULATING PHYSICAL CAHNGE, ETC.

STAGE I (3313-3530) 18 HOLES, 500 GAL 15% HCL, 31,000# SAND, 190 BBL X-LINK GELLED 120, 37 MSCF N2 ASSIST.

STAGE II (2807-2952) 14 HOLES, 500 GAL 15% HCL, 33,000% SAND, 175 BBL X-LINK GELLE H20, 45 MSCF N2 ASSIST.

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal and gas
		:	
		- Company of the Comp	



IV-35 (Rev 8-81)

Date 7-1Operator's State of Mest Hirginia Well No.E-45

Date 7-1-88
Operator's
Well No.E-45
Farm TRENT
API No. 047-017 - 3634

Bepartment of Mines Gil und Cas Bivision

WELL OPERATOR'S REPORT OF DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 990 Watershed	TRAU	GH FORK C	F BUCKE	YE CREEK
District: GREENBRIER County DODD				
	•			
COMPANY EXCEL ENERGY, INC.		·	Υ	· · · · · · · · · · · · · · · · · · ·
ADDRESS P.O. BOX 1020, BRIDGEPORT, WV26330	Caşing	Used in	Left	Cement fill up
DESIGNATED AGENT H. L. BARNETT	Tubing	Drilling	in Well	Cu. ft.
ADDRESS P.O. BOX 1020, BRIDGEPORT, WV26330	2776		Descriptions are a second and a second are a	
SURFACE OWNER RUTH TRENT	20-16 Cond.			
ADDRESS TO THE TOTAL TO THE TOTAL TO	13-10"	20	20	SANDED I
MINERAL RIGHIS OWNER TRENT ET AL.	9 5/8			
ADDRESSOIL AND GAS INSPECTOR FOR THIS WORK	8 5/8	1057	1057	C.T.S.
	7			
IKE UNDERWOOD ADDRESS RT. 2 BOX 114, SALEM	5 1/2			
PERMIT ISSUED 3/16/88	4 1/2	5333	5333	575 SKS
DRILLING COMMENCED 6/15/88 DRILLING COMPLETED 6/22/88	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
REWORKING. VERBAL PERMISSION OBTAINED ON	used	And the second s		
	<u> </u>			
GEOLOGICAL TARGET FORMATION BENSON, ALEXAND				
Depth of completed well 5417 feet Ro	***************************************			
Water strata depth: Fresh 50 feet;				
Coal seam depths: 336-339	Is coal	being mine	ed in the	area?NO .
OPEN FLOW DATA				
Producing formation BENSON	Pay	zone dep	th 4895-4	4910 feet
Gas: Initial open flow SHOW Mcf/d (Oil: Ini	tial open	flow	Bbl/d
Final open flow 860 Mcf/d	Fir	al open f	low	Bbl/d
Time of open flow between initia				
Static rock pressure 1410 psig(surface		-		
(If applicable due to multiple completion-	זכם	zone dep	th 5210-	-5275 feet
(If applicable due to multiple completion-	· ray			
(If applicable due to multiple completion- Second producing formation ALEXANDER			flow	Bbl/d
(If applicable due to multiple completion-	Oil: Ini	itial open nal open f	low	Bbl/d

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

STAGE I - ALEXANDER PERFS. 5188-5243; 50000# SAND: 700 BBL 75Q FOAM

STAGE II- BENSON PERFS. 4875-4890; 50000# SAND: 700 BBL 75Q FOAM

WELL LOG

FORMATION COLOR	HARD OR SOFT	TOP FEET	BOITOM FEET	REMARKS Including indication of all frest and salt water, coal, oil and gas
FILL SHALE SAND SHALE SAND SAND & SHALE COAL (SOLID) SAND & SHALE SAND SHALE & SAND LITTLE LIME SHALE BIG LIME BIG INJUN SAND & SHALE GORDON SAND & SHALE BENSON SAND & SHALE BENSON SAND & SHALE ALEXANDER SHALE		0 5 50 135 227 276 336 339 1025 1095 1918 1928 1964 2010 2105 2670 2720 4895 4910 5210 5275	5 50 135 227 276 336 339 1025 1095 1918 1928 1964 2010 2105 2670 2720 4895 4910 5210 5275 5417	为 STREAM F.W. GAS SHOW GAS SHOW
				•

(Attach separate sheets as necessary)

EXCEL ENERGY, INC.

Well Operator

By:

H. L. BARNETT

Date: 7-1-88

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including that, encountered in the drilling of a well."

ORM WW-2B				$O \cap V$	- 3534- F	ruci	
				-		Page _	of_
<pre>lell Operator:</pre>		RTMENT OF WELL U	40111 1 E1111E1	VIRGINIA VISION OF O APPLICATIO	IL AND GAS EXP	ued 09/30/90 unes 07/30/98	
perator's Wel					. ,	levation: 990	
ll type: (a			or	G	ias x/		
				derground St			
		D	eep/	Sh	nallow x/		1 11
Proposed Targe	t Formation	n(s): ALI	EXANDER 5	188-5	243 Ben	000,4975	-78
Proposed Total	Depth:	5	417'			TVIron TO ON SIONE	.
Approximate fr	esh water	strata de	pths: 190	, 636	•	Mai Protection	
Approximate sa	ilt water de	epths: N	/A		Office	omily, Si	
Approximate co	al seam de	pths: 33	6-339, 601	-606, 1005	- - (of Oil & Ga	
) Doses land con	ntain seam s	tributar	y to activ	e mine? Ye	s / No X /		
						Woo	4 •
'PE	SPEC	IFICATION T		FOOTAGE IN	r		ENT
PE •	SPEC	IFICATION Grade	Weight per ft	For Drilling	Left in Well	Fill - up (cu. ft)	IENT
•			Weight	For	Left in	Fill - up	ENT
Conductor	Size		Weight	For Drilling	Left in Well	Fill - up (cu. ft)	SENT
Conductor Fresh Water	Size		Weight	For Drilling	Left in Well	Fill - up (cu. ft)	SENT
Conductor Fresh Water	Size		Weight	For Drilling	Left in Well 30	Fill - up (cu. ft)	SENT
Conductor Fresh Water Coal Intermediate	Size 11 3/4		Weight	For Drilling 30	Left in Well 30 1057 1100 5500	Fill - up (cu. ft) CTS C+5 CTS 60 SKS	IENT -
Conductor Fresh Water Coal Intermediate Production Tubing	Size 11 3/4 8 5/8		Weight	For Drilling 30	Left in Well 30	Fill - up (cu. ft) CTS C+5 CTS 60 SKS	IENT
Conductor Fresh Water Coal Intermediate Production	Size 11 3/4 8 5/8		Weight	For Drilling 30	Left in Well 30 1057 1100 5500	Fill - up (cu. ft) CTS C+5 CTS 60 SKS	BENT OF THE STATE
Conductor Fresh Water Coal Intermediate Production Tubing	Size 11 3/4 8 5/8 4 1/2	Grade	Weight per ft	For Drilling 30	Left in Well 30 1057 1100 5500	Fill - up (cu. ft) CTS C+5 CTS 60 SKS	DENT

Environmental Protection

p	a	g	8	1	of	

JUL 0 3 1996

Form WW2-A (10-91)

Permitting Office of Oil & Gas 1) Date: June 13, 1996

Operator's Well Number

E-45 (Trent)

API Well No: 47- 017- 3634-F

state-county-permit

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4) Surface owner(s) to be served: (a) Name W. Ruth Trent

Address Rt. 3 Box 4 Salem WV 26426

(b) Name Address

(c) Name Address

Inspector Mike Underwood Address Rt. 2 Box 114 Salem WV 26426

Telephone

5) (a) Coal Operator:

Name Address

(b) Coal Owner(s) with Declaration Willis G. Tetrick, Jr.

Address PO Box 267

Clarksburg WV 26302

Name Address

(c) Coal Lessee with Declaration

Name Address

TO THE PERSON(S) NAMED ABOVE TAKE NOTICE THAT:

Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil and gas OR

imes Included is the information required by Chapter 22B, Article 1, Section 8(d) of the Code of West Virginia (see page 2).

I certify that as required under Chapter 22B of the West Virginia Code I have served copies of this notice and application, a location plat, and accompanying documents page 1 through ____ on the above named parties, by:

Personal Service (Affidavit attached)

x Certified Mail (Postmarked postal receipt attached)

Publication (Notice of Publication attached)

I have read and understand Chapter 22B and 38 CSR 11-18, and I agree to the terms and conditions of any permit issued under this application.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete.

I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

> Well Operator Exploration Partners Producing Co. By: Louis A. Ferrari
> Its: Vice President

Address: P.O. Box 1245

Bridgeport, WV 26330

Telephone: (304) 842-8777

Subscribed and sworm before me on thos 13 day of June, 1996

Ruth Ann Rigdon Buth ymm Y Notary Public

My commission expire's July 29, 2002

**	
FORM WW-2(B)	FILE COPY
(Obverse)	
7/85: 12 (2)	
IN EVENE	
A Company	
JUNE FER 2	4 1768



1)	Date: F	ebruary	15	<u>, 19</u> 88
2)	Operator's Well No	E-45		
3)	API Well No.	47	017	3634
•		State	County	Permit

STATE OF WEST VIRGINIA

DEPARTMENT OF ENERGY, OIL AND GAS DIVISION

ſ	DIVISION DEPARTM	I OF OIL FNT OF	. & GAS ENERG	Y Y	Ā	PPLICA	TION FOR A WE	LL WORK PERMI	<u>r</u>			
	WELL TY				x X	,						
.,			if "Gas",				/ Underground	storage	/ Deep	/ Shallow	X	Λ
5)	LOCATIO		evation: _				Watershed.	Traugh For	k of Buckeye	Creek		
-,		Dis	strict:	Greenb	rier	4	County: _Do	oddridge ()/7	Quadrangle:	Big Tsaa	$\frac{1}{2}$	7
6)	WELL OP						DE: 16570	7) DESIGNATE	DAGENT H. L.	Barnett	Solar market and the solar mar	
ĺ	Address). Box	1020		h 2.8	dil amondo an energia de contracto	Address	P.O. Box 1	020	***************************************	
	è	Bri	.dgepo1	ct, WV	2633	30			Bridgeport)	
8)	OIL & GA				FIED			9) DRILLING C		,		
			2 Box					Name <u>Unkr</u>	IOWN			
	Address	***************************************	em, W		5			Address				
10)	PROPOSE	D WELL	WORK:				-		/ Stimulate X			
								rate new formation	1 <u>X</u> /			
				Other p	hysical	change	in well (specify)					
11)	GEOLOGI 12) Estima	CALTAR	GET FOR	MATION	o	ATEX	ander					
	12) Estima	ited depth o	of complet	ed well,	100	3,300) fee	t it <u>none</u>	_			
	13) Appro	ximate trat	a depths:	/ Fresh, —	1005		teet; sa	n, none	feet.		v	
1.5	14) Appro	ximate coa	i seam dep	OD AND	505/	X 40	or-cop is c	oal being mined in the	feet. e area? Yes	/ No_	<u> </u>	
	CASING A	" YND I OBI	NG PRO	JKAM ~	<i>) (1)</i> ;	300	100001	security any				
	ASING OR JBING TYPE		8	IFICATION	Si A		FOOTAGE	INTERVALS	CEMENT FILL-UP OR SACKS	PACE	IERS	
		Size	Grade	per ft.	New	Used	For drilling	Lest in well	(Cubic feet)	-		
	ductor	113/4		ļ	<u>X</u>	ļ	30	30	C+5	Kinds		
	h water					ļ		· · · · · · · · · · · · · · · · · · ·	<u> </u>	- 2014	7).A	
Coal	1			-	ļ	 			1-615	Sizes 38CS		
	rmediate	85/8		ļ	_X	-	1100	1100	To Surface		5R18-1	
Proc	duction	41/2			X	ļ	5500	5500	60 sks	Depths set 3	<u>BCSR18</u>	<u>}- . </u>
Tubi	ing			Į		}		_				
Line	rs			ļ				-		Perforations:	-	
				ļ						Тор	Botton	1
				ļ		ļ		ļ				
				l		L		1				
							OFFICE HEF	ONU W				
					***************		OFFICE USE DRILLING PI					-
			017 0	<i>(</i>) <i>(</i>			DMILLINGE	CWIANT		- ·		
Perr	mit number_	4/-	-017-3	634	····				March	16	19	88
									Da	ıte		
This	permit cove	ring the we	ell operato	or and wel	location	on showi	below is evidence	of permission grant	ed to drill in accorda	nce with the per	tinent leg	şal re-
quir o. R	ements subje	ct to the co	ion of ros	contained de locatio	nerein a	and on tr	ie reverse nereoi No	dification must be g	iven to the District Oi vell operator or his co	I and Gas Inspec	tor, (Referring	er to
distr	rict oil and ga	as inspecto	r 24 hours	before a	tual pe	rmitted	work has commend	ed.)	on operator or mis co		my me p	торы
The	permitted we	ork is as de	scribed in	the Notic	e and A	onlication	on, plat, and reclan	nation plan, subject	to any modifications :	and conditions s	necified (on the
	rse hereof.						, , , ,	p, 220,000	· · · · · · · · · · · · · · · · · · ·		poemea	,,, ,,,,
Pern	nit expires _		larch	10, 19			unless we	ll work is commenced	d prior to that date and	i prosecuted with	n due dilig	zence.
		/										
V	Bûnd;	Adent	: A	Dat: /	alli	ng	Fee MPCE	SOM	Other			
	M.B.	\		KX K	M	.	6 X	ASY!				
4	The T	71W	-17	ין טעי	μ		1/1/2	7				
IJ		U	U	(1.	164	U				

Director, Division of Oil and Gas

File

NOTE: Keep one copy of this permit posted at the drilling location.