

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Wednesday, May 03, 2017 WELL WORK PERMIT Vertical / Plugging

EQT PRODUCTION COMPANY (A) 120 PROFESSIONAL PLACE BUILDING II BRIDGEPORT, WV 26330

Re:

Permit approval for CHAS, NAT'L 7

47-019-00846-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: CHAS, NAT'L 7 Farm Name: DAVIS & FUDGE HEIRS

U.S. WELL NUMBER: 47-019-00846-00-00

Vertical / Plugging

Date Issued: 5/3/2017

Promoting a healthy environment.

### **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.



Form WW-4 (B) Permit Copy (Rev 2/01)

22593 100°° Date: Operator's Well

Operator's Well Well No.

API Well No.:

518492 (Charleston National Bank #7)

March 24, 2017

47 019 - 00846

### STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

41	APPLICATION FOR A PE	RMIT TO PLUG A	ND ABANDON		
4)	Well Type: Oil Gas X Lie	quid Injection	Waste Disposa	al·	
		ound storage	Deep		
			веер	Onanow	
5)	Elevation: 2293 ft. Watershed:				
		Fayette	Quadrangle:	Oak Hill 7.5'	
6)	District:	7) Decigno	tod Agent: Day C	Day	
0)	Well Operator EQT Production Company 120 Professional Place	_ // Designa Address	ted Agent: Rex C. 120 Professional I		
	Address: Bridgeport, WV 26330	_ //dd/030	Bridgeport, WV 26		
8)		- 0) Plugging	Contractor:		
0)	Oil & Gas Terry Urban	Name:		ervice	
	Name: P. O. Box 1207		PO BOX 995	711100	
	Address: Clendenin, WV 25045	_	Buckhannon, WV 26	201	
	See Attachment for details and procedures.	E USE ONLY	On WV Environm	RECEIVED fice of Oil and of APR 0'3 2017 Department of ental Protection	ોં <b>લ</b> ક
_	OFFICE	E USE ONLY			
	Notification must be given to the district oil and gas	inspector 24 hours	before permitted work	can commence.	
	Work order approved by inspector			-	

#### PLUGGING PROGNOS

Charleston National Bank #7 518492 API# 47-019-00846 District, Plateau Fayette County, WV


BY: R Green DATE: 11/17/16

### **CURRENT STATUS:**

TD @ 1990' Elevation @2291'

13 3/8" conductor @ 12' 8 5/8" casing @ 753' (Cemented with 319sks) 7" casing @ 932' (Cemented with 75sks) UP INSIDE 87/6 4 1/2" @ 1957' (Cemented with 140sks) up 10502 Perforated @ 1814' to 1824'

Fresh Water @ 163' Saltwater@ None Reported Oil Show @ None reported Gas shows @ None Reported Coal @ 198, & 439'



- 1. Notify inspector, Terry Urban, @ 304-549-5915, 24 hrs. prior to commencing operations.
- 2. \*Note, if any casings without cement in the annulus cannot be retrieved, make sure to consult with Inspector, and to perforate all saltwater, freshwater, coal. oil & gas shows, and elevation in the well.
- 3. TIH check TD @ 1875', pump 20 bbl. of 6% gelled water, followed by a 175' C1A cement plug, 1875' to 1700', WOC 8 hrs., Tag TOC add additional C1A cement if necessary.
- 4. Free point 4 1/2" casing, cut casing @ free point. TOOH casing. Set 100' C1A cement plug 50' in/out of casing cut. Perforate all freshwater, saltwater, coal, oil and gas shows below cut. Do not omit any plugs. Gel hole to next plug.
- TOOH to 1050', set 400' C1A cement plug 1050' to 650'. (7" casing seat, 8 5/8" casing seat). Gel hole to next plug.
- TOOH to 450' set 100' C1A cement plug 450' to 350'. (Coal @ 439').
- 7. TOOH to 225', Set 225' C1A cement plug 225' to surface. (Freshwater @ 163' coal @ 198').
- Erect monument with API#, date plugged, company name, and company 6-digit ID#.

Reclaim location and road to WV-DEP specifications.

TOC OF 41/2 MAY BE \$ 600', WHICH MEANS 416" CASING CUT MAY BE 2550, SET CIA CEMENT PLUE FROM TO SURFACE,

IN m.

Will Check TO phys May Chars as ple

05/05/2017

RECEIVED
WW Division of
Environmental Protection

20-Nov-96 API # 47- 19-00846

MAY 0 5 1997 State of West Virginia
Division of Environmental Protection
Section of Oil and Gas

Permitting
Cilice of Oil & GasWell Operator's Report of Well Work

Farm name: DAVIS & FUDGE HEIRS Operator Well No.: CHAS, NAT'L #7

LOCATION: Elevation: 2,291.00 Quadrangle: OAK HILL

District: PLATEAU County: FAYETTE
Latitude: 10000 Feet South of 37 Deg. 55Min. 0 Sec.
Longitude 7920 Feet West of 81 Deg. 10 Min. 0 Sec.

Company: EASTERN STATES OIL & GAS, 2900 EISENHOWER AVE., STE. 300 | Casing | Used in ALEXANDRIA, VA 22314-0000 | & Cement Left Fill Up Tubing Drilling in Well Cu. Ft. Agent: ROBERT G. ALLEY Size Inspector: RODNEY DILLON 11/27/96 13 3/8" 12' Permit Issued: 12' Well work Commenced: 12/28/96
Well work Completed: 1/6/97 Verbal Plugging 8 5/8" 753' 753' 319 sks Permission granted on:
Rotary X Cable Rotary X Cable \_\_\_\_\_ Total Depth (feet) \_\_\_\_ Rig Fresh water depths (ft) 932' 932' 75 sks 163 Salt water depths (ft) 1957' 4 1/2" 1957' 140 sks Is coal being mined in area (Y/N)? N Coal Depths (ft): 198', 439'

### OPEN FLOW DATA

Producing formation Rayencliff Pay zone depth (ft)  Gas: Initial open flow 6 MCF/d Oil: Initial open flow Final open flow 6 MCF/d Final open flow Time of open flow between initial and final tests 2 1/2	Bbl/d Bbl/d Hours
Static rock Pressure 64 psig (surface pressure) after 1921	3/4 Hours
Second producing formation Pay zone depth (ft)	
Gas: Initial open flow MCF/d Oil: Initial open flow	Bbl/d
Final open flow MCF/d Final open flow	Bbl/d
Time of open flow between initial and final tests	Hours
Static rock Pressure nsig (surface pressure) after	Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A: SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

	David I Matz	
For:	EASTERN STATES OIL & GAS, INC.	
	1) :0 1	
	By: Navel d- Man	
	Date: 5/2/97	

Oak H:1/ 8 05/05/2017


### Well:Charleston National Bank #7

API #: 47-19-00846

Perforation Record			Туре		ord				
1		Interval Treated	Foam (F) N <sub>2</sub> Assist (N) Water Frac (W) Acid (A)	Flu Type	Amount BBL	Propp Type	ing Agent Amount SKS	Average Injection Rate(B=BP MS=SCFPM )	Average Treating Pressure (PSI)
1814	1824	Ravencliff	F	F	168	sand	490	22B	2550
				<u> </u>	<u> </u>				
				<u> </u>			-		
				-	<del> </del>	-			
	Inter <u>Perfors</u> From	Interval Perforated From To	Interval Perforated From To Treated	Interval Perforated From To Interval Treated Foam (F) N, Assist (N) Water Frac (W) Acid (A)	Interval Perforated From To Interval Treated Foam (F) N <sub>2</sub> Assist (N) Water Frac (W) Acid (A)	Interval Perforated From To  Interval Treated Foam (F) N <sub>2</sub> Assist (N) Water Frac (W) Acid (A)  Fluid Type Amount BBL	Interval Perforated From To  Interval Acid (A)  Foam (F) N <sub>2</sub> Assist (N) Water Frac (W) Acid (A)  Fluid Type Amount Type  BBL	Interval Perforated From To  Foam (F) N <sub>2</sub> Assist (N) Water Frac (W) Acid (A)  Fluid Type Amount Type Amount SKS	Interval Perforated From To  Foam (F) N, Assist (N) Water Frac (W) Acid (A)  Foam (F) N, Assist (N) Water Frac (W) Acid (A)  Fluid Type Amount BBL  Propping Agent Type Amount SKS  Average Injection Rate(B=BP MS=SCFPM )

### Driller's Record

Well: Charleston National Bank #7 FORMATION	TOP	воттом	API # - 47-19-00846 REMARKS
sub	0	10	
sand & rock	10	198	1/4" water @ 163'
coal	198	202	
sand & shale	202	439	Gas checks @: 1615', 1706', 1801', 1861' & 1990'
coal	439	444	all no show
sand & shale	444	876	
shale	876	953	,
sand & shale	953	1810	
Ravencliff	1810	1840	
red rock	1840	1990	
Total Depth		1990	
	•		
	-	<del></del>	
	•		
			·
		l	
		i -	
		-	
	<del></del>		



WW-4-A	
Revised 6/07	

1) Date: March 24, 2017
2) Operator's Well Number
518492 (Charleston National Bank #7)
3) API Well No.: 47 019 - 00846
State County Permit

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

4)	Surface Owner(s	) to be served:	5) (a) Coal	Operator:
	(a) Name	Meadow Creek Coal Corporation	Name	None
	Address	263 White Oak Drive	Address	
		Beckley, WV 25802		
	(b) Name	Dennis Halstead	(b) Coal Ow	ner(s) with Declaration
	Address	710 Laurel Creek	Name	Meadow Creek Coal Corporation
		Fayetteville, WV 25840		263 White Oak Drive
			Address	Beckley, WV 25802
	(c) Name	Lee Ellis	Name	
	Address	1239 River Road	Address	
		Rainelle, WV 25962		
3)	Inspector	Terry Urban	(c) Coal Les	see with Declaration
- /	Address	P. O. Box 1207	Name	None
		Clendenin, WV 25045	Address	
	Telephone	(304) 549-5915		

### TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator:	EQT Production Company
	By:	Victoria J.Roark
	Its:	Permitting Supervisor
	Address:	PO Box 280
		Bridgeport, WV 26330
	Telephone:	(304) 848-0076
Subscribed and sworn before	methis.	day of Notary Public
My Commission Expires:	1 yester to the fa	2/20/18
		•

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief-Privacy Officer at deprivacy officer www.gov.

STATE OF WEST VIRGINIA

NOTARY PUBLIC

Misty S Christie

1207 Briercliff Rd

Bridgeport, WV 26330


My Commission Expires February 20, 2018

m N 7

ř	6 6				STORES
Instructions	See Reverse for	PS Form 3800, April 2015 PSN 7530-02-000-9047			Scal
		Plugging Permit #518492			
		COIN			
			7	7	
		Siege Beckley, WV 25802			
			ū.	D.	
		Sont 263 White Oak Drive			C
	HODE	Total Meadow Creek Coal Corpora	LI	m	7
	uoi+	Total Mandow Creek Coal Corpors	닏	닏	H
		T	님	H	
		Postage			
		Adult Signature Restricted Delivery \$		0000	
	0.00001	annua Sanna	0000		1
	Here	Return Receipt (electronic) \$			-
Я	Postmar	Heturn Receipt (hardcopy)	ш		
	11	Extra Services & Fees (check box, add fee as appropriate)	យា	5	F
	01	\$	5	IL.	F
		Certified Mail Fee	ш	ш	F
200572			_0		To the
	511	VEEIVIVI			
• 111	opisdsnimmm is	For delivery information, visit our website	LIT	5	
9.00			-	F	
		Domestic Mail Only	CT	LT	
		CERTIFIED MAIL® REC			
	I I G   -				
		U.S. Postal Service"			
					1000



\$0.5/05/2017 0.5/05/330 0.41L05/330











<ul> <li>Complete items 1, 2, and 3.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> </ul>	A. Signature	☐ Agent ☐ Addressee	14008468	
Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name)	C. Date of Delivery		26330
1. Article Addressed to:  Lee Ellis 1239 River Road Rainelle, WV 25962  Plugging Permit #518492	D. Is delivery address different from If YES, enter delivery address			
9590 9402 2551 6306 5753 28  2. Article Number (Transfer from service label) 7016 2140 0000 5639 056	3. Service Type Adult Signature Adult Signature Restricted Delivery Certified Mail® Cortified Mail Restricted Delivery Collect on Delivery Collect on Delivery Aail Aail Restricted Delivery (over 5000)	☐ Priority Mail Express®☐ Registered Mail™☐ Registered Mail Restricted Delivery☐ Return Receipt for Merchandise☐ Signature Confirmation™☐ Signature Confirmation Restricted Delivery☐		
PS Form 3811, July 2015 PSN 7530-02-000-9053		Domestic Return Receipt		

See Reverse for Instructions	PS Form 3800, April 2015 PSN 7530-02-000-9047	~	O No
	City, Stail Plugging Permit #518492		
	\$ Total Poil Lee Ellis \$ 1239 River Road \$ Sant To Rainelle, WV 25962	0472 9702 0472 9702	LIE CO
	U.S. Postal Service"  CERTIFIED MAIL® RECE  Domestic Mail Only  For delivery information, visit our website at  Certified Mail Fee  Services & Fees (check box, add fee as approphlate)  Services & Fees (check box, add fee as approphlate)  Services & Fees (check box, add fee as approphlate)  Services & Fees (check box, add fee as approphlate)  Services & Fees (check box, add fee as approphlate)  Services & Fees (check box, add fee as approphlate)  Services & Fees (check box, add fee as approphlate)	0000 563	THE THINK THE





WW-9 Revised 5/16

Page	of	
2) Opera	tor's Well Number	_
518492	Charleston National Bank #7)	)

3) API Well No.: <u>47</u> <u>019</u> - <u>00846</u>

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS

FLUIDS / CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name:	EQT PRODUCTION COMPAN	Y	OP CODE: _	3014,86
Watershed (HUC 10):	Packs Branch	Quadr	rangle:	Oak Hill 7.5'
	e than 5,000 bbls of water to com			Yes No_X_
Will a pit be used? Yes_	1.5.	,		
If so, please describe anticip	pated pit waste:	Forma	ation Fluids	
Will a synthetic liner be used	d in the pit? Yes X No	Is so, what ml.?		40-ml 20ml,
Proposed Disposal Method t	for Treated Pit Wastes:		522	
NO LAWA APP	Land Application (if selected	I provide a completed form W	/W-9-GPP)	w w
	Underground Injection (UIC		,	
X	Reuse (at API Number Va			***************************************
X		ipply form WW-9 for disposal	Location See att	achment)
	Other: (Explain	pp., ro rett e ter diepeed.	riodalioni. God all	dominont,
			***************************************	
Will closed loop system be u	used ? If so, describe:			
	for this well? (vertical and horizo	ntal\2 Air freshwater oil has	ed etc	
WW.	type? Synthetic, petroleum, etc.			
Additives to be used in drillir	1505 X 5	Martin Company of the		
	d? Leave in pit, landfill, remove	offsite etc		
	n to solidify what medium will be use			
171. 17	. To			
Landill of offsite fix	ame/permit number /			
	notice to the Office of the Oil and Ga y. The notice shall be provided withi			
				DED.417
April 1, 2016, by the Office of provisions of the permit are a law or regulation can lead to I certify under penalty of I form and all attachments the	and agree to the terms and condition of Oil and Gas of the West Virgini enforceable by law. Violations of enforcement action. aw that I have personally examinated and that, based on my inquite information is true, accurate and	a Division of Environmental F any term or condition of the ned and am familiar with the in ry of those individuals immed	Protection. I unde general permit an nformation submit diately responsible	rstand that the d/or other applicable tted on this application for obtaining the
Company Official Sign	ature	Unt		~~~
Company Official (Typ	ed Name) <u>Victoria J. Roa</u>	irk	1	
Company Official Title	Permitting Supervisor	- WV		
Subscribed and sworn be	efore me this / 28+	h day of $\gamma \gamma \alpha$	rct_	, 2617
		<u></u>		1 00 -1 1
	Mester & Chi	otre -	- Notary Public	~~~
My Commission Expires	2/20/	(8 3 KWEST S	TATE OF WEST VIRG	INIA §
		B My Com	NOTARY PUBLIC Misty S Christ 1207 Briercliff Rd 3ridgeport, WV 26330 mission Expires February 2	ie 05/05/2017

### OPERATOR'S WELL NO.: 8492 (Charleston National Bank #7)

### **LEGEND**

Property Boundary	<b>*</b>	. Div	ersion	/////	
		Spring		Wet Spot	
Road		$\bigcirc$	<b>→</b> -&-		
Planned Fence	Drain Pip	Pipe with size in inches Water Way			
///		— 12 ——	<b>→</b>	<b>← ← ←</b>	
Existing Fence	St /`••	ream		Cross Drain	<del></del>
Open Ditch		cial Filter Strip		Rock	
North	Building	Water	well	Drill site	
N		w	WCII		
Pit with Cut Walls	Pit with Co	ompacted Walls	Area of	Land Application of F	Pit Waste
E	سم_	<del>'''</del>			
	·				
oposed Revegetation Treatment	Acres Disturbed:	1±P	revegetation	pH	
Lime3	Tons/acre or to correct to	pH6	5		
Fertilizer (10-20-20) or equiv	alent	1/3 ton		lbs/acre (500 lbs r	ninimum)
Mulch2	Tons/acre or hydroseed.				
	SEED MIX	TURES			
Area I				Area II	
Seed Type	lbs/acre	Se	ed Type		lbs/acre
Red Fescue	40	Red Fes			15
Alsike Clover	5	Alsike C	lover		5
Annual Rye	15				
ATTACH: Drawing(s) of road, location, pit Photocopies section of involved Plan approved by: Comments:	and proposed area for land a	pplication.			
	A - 1 -		- 10		
Title: Field Reviewed?	<u> </u>	Date: <u>4</u>	5-14		_

## EQT Production Water plan Offsite disposals


### Waste Management - Meadowfill Landfill

Rt. 2, Box 68 Dawson Drive Bridgeport, WV 26330 304-326-6027 Permit #SWF-1032-98 Approval #100785WV

### **Waste Management - Northwestern Landfill**

512 E. Dry Road Parkersburg, WV 26104 304-428-0602 Permit #SWF-1025 WV-0109400 Approval #100833WV

05/05/2017



Topo Quad:	Oak Hill 7.5'	Scale:	1" = 200'	
County:	Fayette	Date:	March 2, 2017	
District:	Plateau	Project No: _	57-05-00-07	
4	17-019-00846 WV 518492 (C	harleston	National Bank #7)	Торо
Existing W Access Ro		tion Map	Office O	AECEINED Gas
and the second s			J. J. A. Land	South Zone
PIT-CUT WALLS  PIT-COMPACTED WALLS  AREA OF IAND APPLICATION OF PIT WASTE	APP,		WGS 84 LAT:37.8	389275 31.193833
EGHENY OUT	SURVEYING AND MAPPING SERVICES PERFORM  ALLEGHENY SURVEYS  1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608		QT Production Co P.O. Box 280 Bridgeport, WV 26330	ompany


1" = 2000' Topo Quad: Oak Hill 7.5' Scale: Fayette March 2, 2017 County: Date: District: Plateau Project No: 57-05-00-07 Topo 47-019-00846 WV 518492 (Charleston National Bank #7) Packs Mtn Hollow N MARYLAND AVE N PAX AVE Pax Avenue Bridge Mount Hope Blake Kilsyth Hollow 47-019-00846 KILSYTH RD WV 518492 CR.16/19 119 FAYETTE CO RALEIGH CO Price Hill Bradley MARLEFORKRO NAD 27, South Zone N:323824.96 E:1944011.88 Oak Hill 7.5' Quadrangle Beckley 7.5' Quadrang **WGS 84** aple Fork LAT:37.889275 LONG:-81.193833 ELEV:2293.49 RECEIVED SURVEYING AND MAPPING SERVICES PERFORMED BY: PREPARED FOR: **EQT Production Company** ALLEGHENY SURVEYS, INC. P.O. Box 280 Bridgeport, WV 26330 [] [7 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

WW-7 8-30-06



# West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-019-00846 WELL NO.: WV 518492 (Charleston National Bank #7)	
FARM NAME: Charleston National Bank	
RESPONSIBLE PARTY NAME: EQT Production Company	
COUNTY: Fayette DISTRICT: Plateau	
QUADRANGLE: Oak Hill 7.5'	
SURFACE OWNER: Meadow Creek Coal Corporation	
ROYALTY OWNER: Meadow Creek Coal Corporation	
UTM GPS NORTHING: 4193548	
UTM GPS EASTING: 482956 GPS ELEVATION: 699 m (2293 ft)	
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:  1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.  2. Accuracy to Datum – 3.05 meters  3. Data Collection Method: Survey grade GPS: Post Processed Differential  Real-Time Differential  Mapping Grade GPS: Post Processed Differential  Real-Time Differential  4. Letter size copy of the topography map showing the well location.  I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.	
$\nu$	





### ALLEGHENY SURVEYS, INC.

1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

County:	Fayette
District:	Plateau
Date:	March 2, 2017
Project No:	57-05-00-07
File Name:	WV 518492 CHARLESTON NATIONAL BANK

Bridgeport, WV 26330



### POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY LEASE NAME AND WELL No. Charleston National Bank #7 WV 518492 47-019-00846	<u>·</u>				
POTENTIAL SAMPLE LOCATIONS					
Site: 1 Spacing: 951 +/- Owner: Dennis & Gloria Halstead					
Address: _710 Laurel Creek Road, Fayetteville, WV 25840 Phone No					

BIRCH RIVER OFFICE

Comments: Pond

237 Birch River Road Birch River, WV 26610 phone: 304-649-8606 fax: 304-649-8608

BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037

ALUM CREEK OFFICE

P.O. Box 108 • 1413 Childress Rd Alum Creek, WV 25003 phone: 304-756-2949

fax: 304-756-2948

RECEIVED

Officer inspired eliges 25 Lights Addition Drive

Matrinburg, WV 25404 phone: 304-901-2162 fax: 304-901-2182

Topo Quad: Oak Hill 7.5' 1" = 2000' Scale: County: Fayette Date: March 2, 2017 District: Plateau Project No: 57-05-00-07 Water 47-019-00846 WV 518492 (Charleston National Bank #7) (1) Potential Water Source within 1000 Blake Hollow N MARYLAND AVE Pax Avenue Bridge 47-019-00846 Mount Hope WV 518492 Blake Kilsyth Hollow KILSYTH RD CR.16/19 2400 Site 1 19 FAYETTE CO RALEIGH CO Price Hill Bradley MARLEFORKRO NAD 27, South Zone N:323824.96 E:1944011.88 Qak Hill 7.5' Quadrangle Beckley 7.5' Quadrang WGS 84 aple Fork LAT:37.889275 LONG:-81.193833 ELEV:2293.49 SURVEYING AND MAPPING SERVICES PERFORMED BY: PREPARED FOR: ALLEGHENY SURVEYS, INC. **EQT Production Company** P.O. Box 280 1-800-482-8606 Bridgeport, WV 26330 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

<del>05/05/2017</del>