

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Sunday, July 18, 2021
WELL WORK PLUGGING PERMIT
Vertical Plugging

ROSS AND WHARTON GAS COMPANY, INC. RT. 5, BOX 29
BUCKHANNON, WV 262010000

Re: Permit approval for 1 47-021-01515-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Mart

Operator's Well Number:

Farm Name: MOORE, BUD

U.S. WELL NUMBER: 47-021-01515-00-00

Vertical Plugging
Date Issued: 7/18/2021

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

WW-4B Rev. 2/01

1)Date	e June	1	,	2021
2)Ope:	rator	1 5	WARRIOTO AND THE TOTAL T	14.00.0016
Wel.	l No.	Bud Moore	#1	
3)API	Well	No. 4	7 - 021	- 01515

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	011100 01	OTE AID GAS
	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X/ Liquid	i injection / Waste disposal /
		derground storage) Deep/ Shallow X
		neiground Storage
5)	Location: Elevation 1112"	Watershed Rock Riffle Run
		County Gilmer Quadrangle Gilmer
		Quadrangle Omno
6)	Well Operator Ross & Wharton Gas Co. Inc.	7) Designated Agent Mike Ross
	Address 354 Morton Ave.	Address P.O. Box 219
	Buckhannon, WV 26201	Coalton, WV 26257
		Coditori, VVV 20237
81	Oil and Gas Inspector to be notified	0101
	Name Derek Haught	
	Address P.O. Box 85	Name N/A
	Smithville, WV 26178	Address
	Citation, VV 20170	
	Set 100'cement plug 450" to 550" (10" cas	bove top perf
WOIN	Can commence.	RECEIVED 1 and gas inspector 24 hours before permattee of Olland Gas JUL 1 3 2021
Vork	order approved by inspector Derek W.	1. Haught Date 6/21/21 WV Department of Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION &

Quadrancie Burnsville


Permit No. GIB ISI.	5	WELL	. RECORD	1		
	_			,	Oil or Ges	Well O & G
Company W. C. Rus			Casing and	Used in	Tage to	
Address 2610 Grant	Bldq., Pgh.		Tubing	Drilling	Left in Well	Packers
Farm Bud Moore		Acres 131	_		 	
Location (waters) RO	k Riffie Run		- Sico			
Well No. 1		_Elev_ 1112'	. Keonduct	12'		lind of Packer
District Glenville		lmer	- 18			
The surface of tract is own	ed in fee by Buc	Moore	- 10	494	8	ize of
	Address		814	1135		
fineral rights are owned	by R&P Coa	1 Co.	- 654			epth set
	Address		- 58/16			chia ser
Orilling commenced Apr	11 4, 1963		xa 4⅓"		2350 p	erf. top See below
Orilling completed May	5, 1963		. 2			-
Date Shot	From1	ro	Linere Used			erf. top
Vith			•			•
pen Flow /10ths Wi	ter in	Inch			P	erf. bottom
	ere, in			, J,		_ :
olume Show		Cu. Ft.	CASING CEM		SIZE No	Ft. 5/6/63 Date
lock Pressure	lbs.	L	Lawso	n 75 Bage	Ł	
15 bbl	Blue Monday	bbls_ 1st 24 hvs	COAL WAS E	NCOUNTERED	AT 462 PE	ET 1
VELL ACIDIZED			FEE			ETINCHES
				rinc		
ELL FRACTURED	Dowell		F86	INC	neoFE	ETINCHES
Formation Color	Hard or					
]	Seft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
R NUETRON SAMPL	Sert	Тор	Bottom	Oil, Gas or Water	Depth	_
	B LOG	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
lue Monday Whi	B LOG	2088	Bottom	or Water		Remarks Perf. 2096-
lue Monday Whi	B LOG te Sand	,		Oil, Gas or Water	Depth 2088-210	Remarks Perf. 2096- 9 97
lue Monday Whi	B LOG	2088	2109	or Water		Remarks Perf. 2096-
ue Monday Whi g Lime Dark	B LOG te Sand	2088 2109	2109 2114	or Water		Remarks Perf. 2096- 9 97
lue Monday Whi C ig Lime Dark Bener Limy nter Bedded	E LOG te Sand & Light IS Sand	2088 2109 2114	2109 2114 2209	or Water		Remarks Perf. 2096- 9 97
lue Monday Whi C ig Lime Dark Bener Limy nter Bedded S & BI Sand-Whi	E LOG te Sand & Light IS Sand	2088 2109 2114	2109 2114 2209	or Water	2088-210	Perf. 2096- 9 97 4 bullets
lue Monday Whi C ig Lime Dark sener Limy ater Bedded S & BI Sand-Whi	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249	or Water	2088-210 2270-83	Perf. 2096- 9 97 4 bullets
lue Monday Whi C ig Lime Dark Sener Limy Ster Bedded S & BI Sand-Whi	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249	O & G	2088-210 2270-83	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets
lue Monday Whi C ig Lime Dark sener Limy nter Bedded 5 & BI Sand-Whi	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249	O & G	2088-210 2270-83 2290-230	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296-
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249	O & G	2088-210 2270-83	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296- 2297
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249	O & G	2088-210 2270-83 2290-230	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296-
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249 2305	O & G Gas O & G	2088-210 2270-83 2290-230	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296- 2297
lue Monday Whi Clig Lime Dark Bener Limy Sener Bedded Send BI Sand-Whi Limey Sand	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249 2305	O & G Gas O & G	2088-210 2270-83 2290-230 23456	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296- 2297
lue Monday Whi lig Lime Dark Bener Limy nter Bedded S & BI Sand-Whi Limey Sand CLLER'S LOG	E LOG te Sand & Light IS Sand	2088 2109 2114 2209	2109 2114 2209 2249 2305	O & G Gas O & G	2088-210 2270-83 2290-230 23456	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296- 2297
lue Monday Whi Clig Lime Dark Bener Limy Sener Bedded Se BI Sand-Whi Imey Sand CLLER'S LOG Ed Rock and	E LOG te Sand & Light IS Sand	2088 2109 2114 2209 2249	2109 2114 2209 2249 2305	O & G Gas O & G	2088-210 2270-83 2290-230 23456	Perf. 2096- 9 97 4 bullets Perf. 2270-7 5 4 bullets Perf. 2296- 2297
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand LLER'S LOG ed Rock and d Rock	E LOG te Sand & Light IS Sand	2088 2109 2114 2209 2249	2109 2114 2209 2249 2305 2350	O & G Gas O & G	2088-210 2270-83 2290-230 23456	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand LLLER'S LOG ed Rock and ed Rock	E LOG te Sand & Light IS Sand	2088 2109 2114 2209 2249	2109 2114 2209 2249 2305 2350	O & G Gas O & G	2088-210 2270-83 2290-230 23456	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand LLER'S LOG ed Rock and ed Rock late & Shells ind Cocking	E LOG te Sand & Light IS Sand	2088 2109 2114 2209 2249	2109 2114 2209 2249 2305 2350	O & G Gas O & G	2088-210 2270-83 2290-230 23456	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand ILLER'S LOG ed Rock and ed Rock late & Shells ind of Lime ed Lime	E LOG te Sand & Light LS Sand te LS	2088 2109 2114 2209 2249	2109 2114 2209 2249 2305 2350	O & G	2088-210 2270-83 2290-230 23456 JUN 1963 ECEIVED ST VIISINIA OF MINISTRACT AMINISTRACT AMI	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand CLLER'S LOG ad Rock and ad Rock ate & Shells and Chime ate & Lime Shel	E LOG te Sand & Light LS Sand te LS	2088 2109 2114 2209 2249 2249	2109 2114 2209 2249 2305 2350 30 50 125 170 235	O & G Gas O & G Reduced	2088-210 2270-83 2290-230 23456 3UN 1963 CE/VED 27 Mining 20018 8 492	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
Lue Monday Whi Ig Lime Dark Bener Limy Ster Bedded & BI Sand-Whi LIER'S LOG od Rock and d Rock ate & Shells ad Colime d Lime ate & Lime Shell and & Lime	E LOG te Sand & Light LS Sand te LS	2088 2109 2114 2209 2249 2249 1 30 50 125 275 435 445 492	2109 2114 2209 2249 2305 2350 30 50 125 170 235 435 445	Gas O & G Reduced Coal	2270-83 2290-230 23456 JUN 1963 CCEIVED CORNING	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
LUER'S LOG d Rock nd d Lime d Lime ate & Lime	E LOG te Sand & Light IS Sand te IS	2088 2109 2114 2209 2249 2249 1 30 50 125 275 435 445	2109 2114 2209 2249 2305 2350 30 50 125 170 235 445 445 492	Gas O & G Reduced Coal 4 Water	2270-83 2290-230 23456 JUN 1963 CCEIVED or Mines 2016 @ 492 22 (show) 462 1 bail	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets
lue Monday Whi C ig Lime Dark sener Limy nter Bedded S & BI Sand-Whi imey Sand LLER'S LOG ed Rock and ed Rock late & Shells ind Cocking	E LOG te Sand & Light IS Sand te IS	2088 2109 2114 2209 2249 2249 1 30 50 125 275 435 445 492	2109 2114 2209 2249 2305 2350 30 50 125 170 235 445 445 492 550	Gas O & G Reduced Coal 4 Water	2270-83 2290-230 23456 JUN 1963 CCEIVED or Mines 2016 @ 492 22 (show) 462 1 bail	Perf. 2096- 97 4 bullets Perf. 2270-7 4 bullets Perf. 2296- 2297 4 bullets

730

47-021-01515P

Color	Hard or Soft	Top 6	Bottem	Oil, Ges or Water	Depth Found	Reservo
Shale		750	775			
	8				•	·
Shale						
e11g						
			1	1		
ells		970	980			
•		980	1018	İ		
ells		1018	1030	1		
xe				}		
me					ŀ	
					1 ·	
;e			E .	Ì		
			1	İ	۶۰	• •
, 	}		l	l .		i
le	}			1	1	
		1755	1818	ì		
ells	. ,	1818	1835		,	
ne		1835	1945		1	
	i	1	1970			
ells	ļ	L	1			
3 3 3 3	L	1				·
rd speri	1 B					• .
				ghan a		1 2023 4 24
·		B .				
	İ	1				
e		2205				
le	Ì	2315				
			2345			
Į.	1		1	Hole re	duced @ 2	163 from 8° to
L			1	7"	in Big L	ilme
MelT8		1	2345	1		
		ļ	2246	1		
]			2340		1	
ł						
		Ì	ļ			
		1				
	}		1	}		
			1		İ	
					}	
Ī				1	1	
j	1					
					1	ì
		1				
						Dros
						RECEIVED
						Unice of Oil and
						Unice of Oil and
						RECEIVED Office of Oil and JUL 13 20
	Shale me Shell Shale ells ells ells e me e	Shale me Shells shale ells ells ells e me e le shale ells ells e me e	Shale me Shells Shale shale ells ells ells ells ells ells ells e	Shale me Shells Shale lells Shale lells Shale lells Shale lells Shale lells Shale lells Shale Sh	Shale	Shale me Shells shale me Shells Shale me Shells Shale ass





Company W. C. HURTT DRILLING CO.

Address 2810 Grant Bidg. Pittsburgh, Panna.

Farm Bud Moore

Tract Acres 131 Lease No.

Well (Farm) No. One Serial No.

Elevation (Spirit Level) 1112

Quadrangle Burnaville

County Gilmer District Glenville

Engineer District Glenville

Engineer's Registration No. 1227

File No. Drawing No.

Date Marsh 12,1963 Seele 1": 40p - 660"

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION CHARLESTON

WELL LOCATION MAP

- + Denotes location of well on United States Topographic Maps, scale 1 to 52,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

RECEIVED
Office of Oil and Gas

JUL 1 3 2021

WV Department of Ervironmental Protection

KOE 100 IMPERIAL

08/06/2021

WW-4A Revised 6-07

1) Date: June 1, 2021				
2) Operator's Well Number Bud Moore #1				
3) API Well No.: 47 -	021	- 0	1515	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

	NOTICE 01	FAPPLICATIO	IN TO PLUG AN	D ABANDON A WELL	
	vner(s) to be served:	5) ((a) Coal Operator		
(a) Name	Charles G. Johnson		Name	N/A	
Address	1993 Sand Fork Rd.		Address		
	Linn, WV 26384		200 N 2000 1 M 1000		
(b) Name				ner(s) with Declaration	
Address			Name	N/A	
			Address		
(c) Name			Name		
Address			Address		
6) Inspector	Derek Haught		(c) Coal Les	see with Declaration	
Address	P.O. Box 85		Name		
- 2002 000	Smithville, WV 26178		Address	4	
Telephone	1-304-206-7613 or 1-304	-477-4148			
Take notic accompany Protection, the Applic	you are not required to take a see that under Chapter 22-6 of ying documents for a permit , with respect to the well at the	ny action at all. the West Virginia Cod- to plug and abandon a v- he location described or n mailed by registered	e, the undersigned well of well with the Chief of the n the attached Application or certified mail or deli	operator proposes to file or has filed of Office of Oil and Gas, West Virginian and depicted on the attached Formivered by hand to the person(s) name	this Notice and Application are in Department of Environment of WW-6. Copies of this Notice
My Con	BRENDA K BUSH ary Public Official Seal tate of West Virginia nm. Expires Sep 27, 2025 at Buckhannon WV 2620:	Well Operator By: Its: Address	President 354 Morton Ave. Buckhannon, WV 262	efort	
	sworn before me thi	and	ay of June	aval	RECEIVED Office of Oil and Ga
My Commission	My	enda 11 Asi	2025	Notary Public	JUL 13 2021
oil and Gas Priva	acy Notice	,			WV Department or Environmental Protecti

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier wy.gov.

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to: 	A. Signature X
18	
Linn WV 26384	
	3. Service Type □ Adult Signature □ Adult Signature Restricted Delivery □ Certified Mail® □ Certified Mail Restricted Delivery □ Collect on Delivery □ Collect on Delivery

8457	U.S. Postal Service [™] CERTIFIED MAIL [®] RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com [®] .	
-0	OFFICIAL USE	
E02	Certified Mail Fee 9 3.55 6/22/21	
H 0000	SExtra Services & Fees (check box, add fee as appropriate) Postmark Return Receipt (latectronic) Postmark Here Postmark Adult Signature Resulted Delivery Postmark Adult Signature Restricted	
1,290	Postage \$ Tatal Postage and Fees	
7020	# ri_tt 1	
2	Street and Apt. No., or PO Box No. 1993 Sand Fork Road	
•	City, State, ZIP+4* Linn WV 26384	tions
	PS Form 3800, April 2015 PSN 1-550-02-000-9047 See Neverse for instruc-	

RECEIVED
Office of Oil and Gas

JUL 1 3 2021

WV Department of Environmental Protection

SURFACE OWNER WAIVER

Operator's Well Number

47-021-01515 Bud Moore #1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

<u>Time Limits and methods for filing comments</u>. The law requires these materials to be served on or before the date the operator files his Application. You have **FIVE** (5) **DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek received the violation...".

VOLUNTARY STATEMENT OF NO OBJECTION

WV Department of

I hereby state that I have read the instructions to surface owners and that I have received requirement and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on the FOR EXECUTION BY A NATURAL PEETC.	se materials.		k described in these materials, and I have no FOR EXECUTION BY A CORPORATION,
	Date	Name	
Signature		By	
		Its	Date

Signature

API No.	47-021-01515 ρ
Farm Name	
Well No.	Bud Moore #1

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operatorhas examined this proposed plugging wordone at this location, provided, the well Virginia Code and the governing regulation	k order. The undersigned has n operator has complied with al	
Date:	·····	
	Ву:	
	lts	RECEIVE0

VVV Department or Environmental Protection

JUL 13 2421

WW-9 (5/16)

API Number	47 -	021	_ 01515
Operator's We	II No)	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL &		
Operator Name_Ross & Wharton Gas Co. Inc.	OP Code 306580	
Watershed (HUC 10) Rock Riffle Run Qu		
Do you anticipate using more than 5,000 bbls of water to complete the		√
	JELL EFFLUENT MUST BE TANKS BEFORE DISPOSING OFF	CONTAINED
If so, please describe anticipated pit waste:	TANKS BEFORE DISHOSING OFF	gwm.
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide a comp		
Underground Injection (UIC Permit Number	er)
Reuse (at API Number Off Site Disposal (Supply form WW-9 for d	lisposal location)	
	•	
Will closed loop system be used? If so, describe:		
Drilling medium anticipated for this well (vertical and horizontal)? Air		
-If oil based, what type? Synthetic, petroleum, etc		
Additives to be used in drilling medium?		
Drill cuttings disposal method? Leave in pit, landfill, removed offsite.	etc	
-If left in pit and plan to solidify what medium will be used? (cement. lime, sawdust)	
-Landfill or offsite name/permit number?		
Permittee shall provide written notice to the Office of Oil and Cas of ar West Virginia solid waste facility. The notice shall be provided within a where it was properly disposed.	24 hours of rejection and the permittee shall	
I certify that I understand and agree to the terms and condition on April 1, 2016, by the Office of Oil and Gas of the West Virginia Doprovisions of the permit are enforceable by law. Violations of any term or regulation can lead to enforcement action. I certify under penalty of law that I have personally examin application form and all attachments thereto and that, based on my inquite information. I believe that the information is true, accurate, and consubmitting false information, including the possibility of fine on imprison Company Official Signature Company Official Title President President	epartment of Environmental Protection. I un or condition of the general permit and/or of ed and am familiar with the information iry of those individuals immediately respons- complete. I am aware that there are signifi-	nderstand that the ner applicable law submitted on this sible for o btaining
Company Official Title		WV Department of
		Environmental Protection
Subscribed and sworn before me this 30 day of June	, 20 at	
Drende 11 Bush	Notary Public	
My commission expires September 27, 2025	[VI MOSTLES CO.	BRENDA K BUSH ary Public Official Seal ate of West Virginia 18/06/2021 2025 t Buckhannon WV 26201

Form WW-9 Operator's Well No. 41-021-01515 Proposed Revegetation Treatment: Acres Disturbed 1 Prevegetation pi- 6.5 Tons/acre or to correct to pH 6.5 Fertilizer type 10-20-20 Fertilizer amount 500 Mulch Hay **Seed Mixtures** Temporary Permanent Seed Type lbs/acre Seed Type lbs/acre Fescue 30 Fescue 30 Contractor's Mix Contractor's Mix Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L. W), and area in acres, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Dersk M. Haught Office of Oil and Gas JUL 13 2021 Title: Oil & Gas Inspector Date: 6/21/21

Field Reviewed?

X Yes

WV Department of

Environmental Protection

WW-9- GPP Rev. 5/16


	Page	-	of	2
API Number 47	- 021	- (1515	
Operator's Well N	No.			

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

OFFICE OF OIL AN GROUNDWATER PROTEC	
Operator Name: Ross & Wharton Gas Co. Inc.	
Watershed (HUC 10): Rock Riffle Run	Quad: Gilmer
Farm Name:	
 List the procedures used for the treatment and discharge of fluids. In groundwater. 	nclude a list of all operations that could contaminate the
N/A	
2. Describe procedures and equipment used to protect groundwater qua	lity from the list of potential contaminant sources above.
N/A	
List the closest water body, distance to closest water body, and discharge area.	istance from closest Well Head Protection Area to the
Rock Riffle Run	
4. Summarize all activities at your facility that are already regulated for	groundwater protection.
N/A	RECEIVED Office of Oil and Gas
	JUL 1 3 2021
	WV Department of
	Environmental Protection

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

W W-9- GPP Rev. 5/16	Page	Page of API Number 47 - 021 01515		
Rev. 3/10	Operator's Well No			
N/A				
6. Provide a statement that no waste material	will be used for deicing or fill material on the property.			
No material will be used				
 Describe the groundwater protection instr provide direction on how to prevent groun 	ruction and training to be provided to the employees. Job produkter contamination.	edures shall		
N/A				
8. Provide provisions and frequency for inspe	ections of all GPP elements and equipment.			
N/A				
Signature: The for	4	RECEIVED Office of Oil and Gas		
Date: June 3, 2021		WV Department of Environmental Protection		



WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS	
API: 47-021-01515 WELL NO.: 1	_
FARM NAME: Bud Moore	
RESPONSIBLE PARTY NAME: Mike Ross COUNTY: Gilmer DISTRICT: Glenville	_
COUNTY: Gilmer DISTRICT: Glenville	_
QUADRANGLE: Gilmer BUNDSVILLE	_
SURFACE OWNER: Charles G. Johnson	
ROYALTY OWNER:	_
UTM GPS NORTHING: 430931.67 UTM GPS EASTING: 522991.1 GPS ELEVATION: 1112'	
UTM GPS EASTING: 522991.1 GPS ELEVATION: 1112'	
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential	
Real-Time Differential	
Mapping Grade GPS: Post Processed Differential Real-Time Differential	RECEIVED
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and	Office of Oil and Ga JUL 1 3 2021 WV Department of Environmental Protection
Signature President Title Date	