

west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, March 29, 2021 WELL WORK PLUGGING PERMIT Vertical Plugging

ROSS AND WHARTON GAS COMPANY, INC. RT. 5, BOX 29 BUCKHANNON, WV 262010000

Re: Permit approval for 6 47-021-01585-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: 6 Farm Name: WILCOX, ICY U.S. WELL NUMBER: 47-021-01585-00-00 Vertical Plugging Date Issued: 3/29/2021

Promoting a healthy environment.

### **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

		4702101585
WW-4 Rev.	B 2/01	1) Date February 25 , 20 21 2) Operator's Well No. lcy Wilcox #6 3) API Well No. 47-021 - D1585
	DEPARTMENT OF	OF WEST VIRGINIA ENVIRONMENTAL PROTECTION CE OF OIL AND GAS
	APPLICATION FOR	A PERMIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X/	Liquid injection/ Waste disposal/
	(If "Gas, Production	or Underground storage) Deep/ ShallowX
5)	Location: Elevation 869'	Watershed Fink Creek
	District Troy	County Gilmer Quadrangle Vadis
6)	Well Operator Ross & Wharton Gas Co	D. Inc. 7) Designated Agent Mike Ross
	Address 354 Morton Ave.	Address P.O. Box 219
	Buckhannon, WV 2620	Coalton, WV 26257
8)	Oil and Gas Inspector to be notifi	ed 9)Plugging Contractor
	Name Danny Mullins Darch Has	Name N/A
	Address 220 Jack Acres Rd. Po Box	85 Address
		Huille, UV JEINS

10) Work Order: The work order for the manner of plugging this well is as follows: Free point and recover casing's & tubular's 6% Gel between plug's Set cement plug 1700' to TD (1893') 100' above top perf Set 100' cement plug across casing cut Set 100' cement plug 1300' to 1400' oil & gas show Set 100' cement plug 850' to 950' (salt bearing strata)(elevation plug) Set cement plug 300' to 400' (10" casing plug, freshwater protection plug) Set surface plug 100' to 0', Tag plug's as necessary, Set monument with API number RECEIVED Gas

NHA'' Notification must be given to the district oil and gas inspector 200 Department of toon work can commence. Work order approved by inspector Date

Office of

AMAATATMA

.:

é



# 4702101585 P

STATE OF WEET VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION 5 Rotary Spudder Cable Tools

X

Storage 

Quadrangle GIL-1585

VADIS SW

Permit No. C

#### WELL RECORD

Oil or Gas Well\_ Oil (KIND)

INCHES

FEET.

Packers
······
Packer
Depth set
<u>x 3-1823</u>
-
<b>EKM 3-18</b>
6-1848
C1010
3/31/6404
lagel
INCH

WELL FRACTURED	Dowell $- \frac{4}{2}/64$	

RESULT AFTER TREATMENT	40	B.P.H.		
ROCK PRESSURE AFTER TREA	ATMENT	330#	- 24	hr

Fresh Water		Feet		Salt Water		Feet	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
LOG & SAM	LE TOPS				Slight sh	ow	Fair oil
Salt Sand			1353	-1400	oil & Gas		
Little Lin	-		1653	-1677			Cence
Blue Monda			1677	-1680		1677-168	
Pencil Cav	re		1680	1698			
Big Lime			1698	1798			
Big Injun	Sand		1798	1857	Oil	1810-185	6 Very <u>g</u> ood oil
TD				1893		fluo	rescence -
	~~~~~~~			1093			Pay Zone
							EVED Gas 1 5 2021
DRILLERS I Red Rock	<u>.06</u>						INED GAS
sand			0	4		REC	E. all
			4	30		office o	1. 2021
Sand & Sha Shale	те		30	40		0.	1.9 -
Sand			40	60		MA	R1'5 2021
Red Rock			60	95			Departal Prove
Slate			95	103		Ń	onment
Slate Shel	1.0	:	103	180		Env	N Department of commental Protection
Red Rock			180 287	287		-	
Lime			287	295			
Red Rock			316	316			
Slate Shel	ls		340	340 352			

\_ FEET\_\_

INCHES

(over)

. .

4702101585P


Formation	Color	Hard or Soft	Top 5	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			357	435			· · · · · · · · · · · · · · · · · · ·
Slate			435	447			
Red Rock			447	468			
Sand			468	520			
Slate		ł	520	560			
Red Rock			560				
Slate				580			
			580	719			
Gritty Li	me		719	810			
Sand			810	880			1
Lime			880	905			1
Slate She	lls		905	982	(Reduced	l hole 💩 9	53' 10" to 8
Sand			982	1031			
Slate			1031	1073			
Sanđ			1073				
				1105			1
Slate		1	1105	1120			1
Slate & S	nells	l	1120	1170			1
Sand			1170	1240			
Slate & S	hells		1240	1296			
Sand		1	1296	1320			1
Slate She	lls	1	1320	1335			1
Sand			1335	1405	Charles -	1	1252 1000
	7				anow or of	.т & Gab @	1353-1386'
Slate & S	nells		1405	1422			
Sand			1422	1478			
Slate			1478	1535			
X RED CIGORICX	DENDERIK	Sand	1535	1568			
Red Rock		e	1568	1646	1		
Slate			1646	1652			
Lime			1652	1652			I
1							1
Slate		ł	1687	1697			
Lime		ł	1697	1753			
Sandy Lim	9	ł	1753	1799	1		
Sand		l	1799	1857	Pay sand	t 1813'	1
Shale			1857	1894			1
Total Dep	£h		1	1894			
						Offic	ECEIVED of Julana Ges AR 15 2021 WV Department of WV Department of WV Department of
					Date Apri C. Hurtt	l 30 Drilling (	, 1964 Company Owner

: Ŷ

0

.

----



WW-4A Revised 6-07

### 4702101585

1) Date: February 25, 2021

2) Operator's Well Number

Icy Wilcox #6

3) API Well No.: 47 - 021 - 01585

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL</u>

4)	Surface Ow	ner(s) to be served:	5) (a) Coal Operator		
	(a) Name	Mike Ross Inc. & I.L. Morris	Name	N/A	
	Address	c/o Mike Ross Inc.& WACO Oil	Address		
		P.O. Box 219, Coalton, WV 26257			
	(b) Name		(b) Coal Owr	ner(s) with Declaration	
	Address		Name	N/A	
			Address		
	(c) Name		Name		
	Address		Address		
6) I	nspector	Darmy Mulline DLrch H	(c) Coal Less	eee with Declaration	
	Address	220 Jack Acres Rd. Po Box 8	S Name	N/A	
		Buckhannon, WV 26201 Smith	Weld Address		
1	Telephone	1-304-932-6844 304-206-76	513 26178		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas. West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

BRENDA K BUSH Notary Public Official Seal	Well Operator By: Its:	Rops & Wharton Gas Co. Inc.A Marker R.D.J. President	
State of West Virginia My Comm. Expires Sep 27, 2025 20 Gum Street Buckhannon WV 26201	Address	354 Morton Ave. Buckhannon, WV 26201	
Zo Gum Street Backhamon HY 200	Telephone		
Subscribed and sworn before me this My Commission Expires	3 <sup>th</sup> da ush an, 2025	av of March, 2021	MAR 1 5 2021

#### **Oil and Gas Privacy Notice**

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyoffier/@wv.gov</u>.

4702101585

#### **Operator's Well** Number

47-021-01585 Icv Wilcox #6

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

#### NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons. 1)
- The soil erosion and sediment control plan is not adequate or effective; 2)
- Damage would occur to publicly owned lands or resources; 3)
- The proposed well work fails to protect fresh water sources or supplies; 4)
- The applicant has committed a substantial violation of a previous permit or a substantial violation of one 5) or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation ... ".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief. RECEIVED

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice plication For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a surveyment b and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat 5

I further state that I have no objection to the planned work described in these materials and the planned work described in these materials are in to a permit being issued on those materials. XECUTION BY A NATURAL PERSON FOR EXECUTION BY A CORPORATION, objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON

ETC. Signature

Date March S. 2031 Name By

Its

Date

Signature

		47	0	2	1	0	1	5	8	5
API Number	47	021			01	585				

P

WW-9 (5/16)

Operator's Well No. Tey Wilcox #6

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Ross & Wharton Gas Co. Inc.	OP Code 306580	
Watershed (HUC 10) Fink Creek	Quadrangle Vadis	
	ANKS BEFOLE DISPOSING OFF-SITE. JAMM	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes		DAY
Land Application (if selected pro- Underground Injection (UIC Per Reuse (at API Number	ovide a completed form WW-9-GPP) 3 rmit Number	2-11-2 _) _)
Off Site Disposal (Supply form V Other (Explain	WW-9 for disposal location)	-
Will closed loop systembe used? If so, describe:		_
Drilling medium anticipated for this well (vertical and horizo	ontal)? Air, freshwater, oil based, etc.	
-If oil based, what type? Synthetic, petroleum, etc.		
Additives to be used in drilling medium?		_
Drill cuttings disposal method? Leave in pit, landfill, remov	/ed offsite, etc	_
-If left in pit and plan to solidify what medium will	be used? (cement, lime, sawdust)	_
-Landfill or offsite name/permit number?	A CARLES CARACTER AND A CARACTER ANTE ANTE ANTE ANTE ANTE ANTE ANTE ANTE	

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information. I believe that the information is true, accurate, and complete. I am aware that there are significantly responsible for o btaining submitting false information. including the possibility of the or imprisonment.

tille Varia	Omico = 2021
Company Official Signature / MAR ROAM	MARIO
Company Official (Typed Name) Mike Ross	Department of
Company Official Title President	Environmental Pro

Subscribed and swom before me this 8th day of March	. 20 21
Abrende Kbush	Notary Public BRENDA K BUSH
My commission expires Supt. 27, 2025	Notary Public Official Seal State of West Virginia My Comm. Expires Sep 27, 2025 20 Gum Street Buckhanper W 36305

## 4702101585

Form WW-9

#### Operator's Well No. Icy Wil cox #6 47-031-01585

Lime 2 Tons/acre or to correct Fertilizer type 10-20-20	ct to pH 6.5		
Fertilizer type 10-20-20			
Fertilizer amount 500	lbs/acre		
<sub>Mulch</sub> Hay	_Tons/acre		
	Seed Mixtures		
Temporary		manent	
Seed Type Ibs/acre	Seed Type	lbs/acre	
Fescue 30	Fescue	30	
Contractor's Mix	Contractor's Mix	Contractor's Mix	

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

nments:			
	 	 	RECEIVED Gas office of Cill and Gas MAR 15 2021 WV Department of WV Department of Environmental Protection
		 0	office of 5 2021
			MARIO
			Mr. O tour

### 04/02/2021

### 4702101585P

W W-9- GPP Rev. 5/16 Page \_\_\_\_\_\_ of \_\_\_\_\_ API Number 47 - 021 \_\_\_\_\_ 01585 Operator's Well No. \_\_\_\_\_\_ Wilcox #6

Quad: Vadis

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: Ross & Wharton Gas Co. Inc.

Watershed (HUC 10): Fink Creek

Farm Name:

1. List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

N/A

2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

N/A

3. List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

Fink Creek

4. Summarize all activities at your facility that are already regulated for groundwater protection.

N/A	RECEIVED Office of Oil and Gas
	MAR 1 artment of ion
	WV Department of WV Departmental Protection Environmental Protection

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

# 4702101585P

WW-9- GPP Rev. 5/16 Page 2 of 2 API Number 47 - 021 - 01585 Operator's Well No. Icy Wilcox #6

N/A

6. Provide a statement that no waste material will be used for deicing or fill material on the property.


No material will be used

7. Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.

N/A

8. Provide provisions and frequency for inspections of all GPP elements and equipment.

N/A	
	Office of Oil and Gas
Signature: The Rost	Office of Carl 5 2021 MAR 1.5 2021 W Department of Environmental Protection
Date: March 8, 2021	Environmenta



	ent of Environmental Protection of Oil and Gas
	ATION FORM: GPS
<sub>API:</sub> 47-021-01585	WELL NO.: 6
FARM NAME: ICY WILCOX	
RESPONSIBLE PARTY NAME: N	like Ross
	DISTRICT: Troy
QUADRANGLE: Vadis	
SURFACE OWNER: Mike Ros	s Inc. & I.L. Morris
ROYALTY OWNER:	
UTM GPS NORTHING: 432109	3.6
UTM GPS EASTING: 523504.9	

above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: 1. height above mean sea level (MSL) - meters.
- 2. Accuracy to Datum - 3.05 meters
- 3. Data Collection Method:

Survey grade GPS \_\_\_\_: Post Processed Differential

Real-Time Differential

Mapping Grade GPS : Post Processed Differential

	Real-Time Differential	Office 01 15 2021
4.	Letter size copy of the topography map showing the well lersigned, hereby certify this data is correct to the best of my kn d shows all the information required by law and the regulations	location. partment of
I the unc	ersigned, hereby certify this data is correct to the best of my kr	nowledgerandantal Fro
belief an	d shows all the information required by law and the regulations	s issued and
prescribe	ed by the Office of Oil and Gas.	

ke Kost President March 8, 2021 Title Date Signature

Oil and Gas

Office of