

LATITUDE 39° 00' 00"

00, 55, 08 LONGITUDE



1,840  
1,900

7.5 OGIS topo location

7.5' loc \_\_\_\_\_ 15' loc \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Tanner 7 1/2

County Gilmer

District Dekalb

WELL LOCATION MAP

File No. 021 - 30013





DeKalb District, Gilmer County, W. Va. 13-A  
 South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.  
 On 53 acres, surface and mineral rights owned by Francis Gainer,  
 R. F. D. No. 4, Clarksburg, W. Va., and Vincent Gainer,  
 Tunnelton, W. Va.

Elevation, 1008' L.  
 14' conductor; 10" casing, 229'; 8 1/2", 905'; 6-5/8", 1775'.  
 Packer, 2 x 6-5/8 x 16, set at 1762'.  
 Packer, 2 x 6-5/8 x 16, set at 1753'.  
 No coal was encountered.

Abandonment reported to Dept. of Mines Feb. 27, 1931.  
 Well was not shot.

	Top.	Bottom.
Conductor	0	14
Red rock	14	30
Sandy lime	30	130
Red rock	130	200
Blue lime (10" casing, 229')	200	250
Red rock	250	300
Slate	300	375
Red rock	375	450
Sand	450	515
Red lime	515	560
Blue lime	560	700
Slate	700	740
Sand	740	790
Lime	790	835
Black slate	835	845
Blue lime	845	880
Little Dunkard Sand (8 1/2" casing, 896')	880	928
White slate	928	940
Pink rock	940	950
White slate	950	1030
Big Dunkard Sand	1030	1120
Slate and shells	1120	1145
Sand	1145	1175
Black slate	1175	1185
1st Salt Sand	1185	1229
Slate and shells	1229	1260
2nd Salt Sand	1260	1295
Black slate	1295	1410
Sand	1410	1480
Slate and shells	1480	1607
Sand	1607	1628
Red slate	1628	1660
Sand	1660	1666
Black slate	1666	1675
Sand	1675	1684
Black slate	1684	1693
Sand	1693	1719
Blue slate	1719	1725
Red rock	1725	1757
Maxton Sand (gas, 1762-1782')	1757	1782
Total depth		1782
(DRILLED DEEPER)		
Maxton Sand (gas, 1762-1782'; gas, 1782-1794'; oil show, 1803-1807')		1757 - 1812
Slate		1812 - 1820

(OVER)







*W. B. A.*

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Conductor					14		14	
Red Rock				14	30		30	
Sandy Lime				30	130		130	
Red Rock				130	200		200	
Blue Lime				200	250		250	
10" Casing					229		229	
Red Rock				250	300		300	
Slate				300	375		375	
Red Rock				375	450		450	
Sand				450	515		515	
Red Lime				515	560		560	
Blue Lime				560	700		700	
Slate				700	740		740	
Sand				740	790		790	
Lime				790	835		835	
Black Slate				835	845		845	
Blue Lime				845	880		880	
Little Dunkard				880	928		928	
8 1/2" Casing					896		896	
White Slate				928	940		940	
Pink Rock				940	950		950	
White Slate				950	1030		1030	
Big Dunkard				1030	1120		1120	
Slate & Shells				1120	1145		1145	
Sand				1145	1175		1175	
Black Slate				1175	1185		1185	
1st. Salt Sand				1185	1229		1229	
Slate & Shells				1229	1260		1260	
2nd. Salt Sand				1260	1295		1295	
Black Slate				1295	1410		1410	
Sand				1410	1480		1480	
Slate & Shells				1480	1607		1607	
Sand				1607	1628		1628	
Red Slate				1628	1660		1660	
Sand				1660	1666		1666	
Black Slate				1666	1675		1675	
Sand				1675	1684		1684	
Black Slate				1684	1693		1693	
Sand				1693	1719		1719	
Blue Slate				1719	1725		1725	
Red Rock				1725	1757		1757	
Maxon Sand				1757	1782		1782	
			Gas	1762	1782			
TOTAL DEPTH							1782	

SEE NEXT PAGE FOR DRILLING DEEPER RECORD OF THIS WELL

Well was not shot at \_\_\_\_\_ feet; well was shot at \_\_\_\_\_ feet.

Fresh water at \_\_\_\_\_ feet; salt fresh water at \_\_\_\_\_ feet.

Well was \_\_\_\_\_ producing hole.  
dry

Date \_\_\_\_\_ Approved \_\_\_\_\_ Owner \_\_\_\_\_

Address

NO. 2

FORMATION RECORD

*Oil - B A*

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
<u>CONTINUED FROM PRECEDING PAGE</u>								
STARTED DRILLING DEEPER IN THE MAXON SAND AT				1782				
Maxon Sand				1757	1812			
			Gas	1762	1782			
			Gas	1782	1794			
			Oil show	1803	1807			
Slate				1812	1820			
Red Rock				1820	1825			
White Slate				1825	1840			
Little Lime				1840	1855			
Pencil Cave				1855	1860			
Big Lime				1860	1968			
Big Injun				1968	2002			
			Gas	1968	1975			
Black Slate				2002	2015			
TOTAL DEPTH							2015	

Well was not shot at \_\_\_\_\_ feet; well was shot at \_\_\_\_\_ feet.

Salt \_\_\_\_\_ salt \_\_\_\_\_ feet;  
Fresh water at \_\_\_\_\_ feet; fresh water at \_\_\_\_\_ feet.

Well was \_\_\_\_\_ producing hole.

SOUTH KERN OIL COMPANY

February 27, 1931 Approved By *Murphy* Superintendent



WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

File No.

South Penn Oil Co., of P. O. Box 10, Pittsburgh, Pa.

on E. 11, Section 1, Twp. 1, R. 1, S. 1

containing 53 acres. Location

Dekalb

District

Francis Vincent

The surface of the above tract is owned in fee by R. F. D. #4, Clarksburg, W. Va. of Tunnelton, W. Va.

Francis Gainer Vincent Gainer

address R. F. D. #4, Tunnelton, W. Va.

The oil and gas privileges are held under lease by the above named company under permit No. issued by the West Virginia Department of Mines and Geology

19

Elevation of surface at top of well, 1008

The number of feet of the different sized casings used in the well.

Length (feet)	Size (inches)	Material	Remarks
14			
229	10"	size, in.	steel pipe
905	8 1/2"	size, in.	steel pipe
1775	6 5/8"	size, in.	steel pipe
	packer of 2	6 5/8" x 1 1/2"	1750
	packer of 2	6 5/8" x 1 1/2"	1700
	in casing perforated at		
	in casing perforated at		

Coal was encountered at NONE feet, known

feet, thickness inches; and at feet, thickness inches

Liners were used as follows: (Give details)

February 27, 1931

Date

Approved SOUTH PENN OIL CO. T. H. Gainer

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, CHAPTER 22, ACTS 1920)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

TO THE DEPARTMENT OF MINES,  
Charleston, W. Va.

WELL RECORD FOR THIS WELL SHOWS  
NO COAL

COAL OPERATOR

ADDRESS

COAL OPERATOR

ADDRESS

COAL OPERATOR

ADDRESS

SOUTH PENN OIL COMPANY

NAME OF WELL OPERATOR

P. O. Drawer 1255, Pittsburgh, Pa.

COMPLETE ADDRESS

February 27, 1931

WELL TO BE ABANDONED

Dekalb District

Gilmer County

Well No. 1

I. M. Bentley Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 27th day of February, 1931, (which date shall be not less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

*2167  
2168*

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by law.

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

SOUTH PENN OIL COMPANY

By *Janner*, Superintendent  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.