

SOUTH PENN OIL COMPANY
PROPOSED ABANDONMENT

T. B. Webster well No. 1 - DeKalb District, Gilmer County, W. Va.



ENGINEER'S CERTIFICATE

I, the undersigned, hereby certify that this map is true and correct, and shows all the information to the best of my knowledge and belief, as required by law.

DeKalb District, Gilmer County, W. Va. 26-A
 South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.
 On 60 acres, surface owned by Cora Rollins, Tanner, W. Va., and
 mineral rights by Louisa Best, Akron, Ohio, Mary Tremble,
 Glenville, W. Va., and Cora Rollins and R. C. Webster,
 Tanner, W. Va.

Elevation, 740.75' L.

10" casing, 246'; 8 $\frac{1}{4}$ ", 697'; 6-5/8", 1511' 2".

No coal was encountered.

Abandonment reported to Dept. of Mines Aug. 3, 1931.

Well was shot in Maxton Sand.

	Top.	Bottom.
Quicksand	20 -	23
Slate	23 -	50
Sand (water)	50 -	80
Slate	80 -	200
Sand (water)	200 -	245
Slate	245 -	275
Red rock	275 -	350
Slate	350 -	365
Red rock	365 -	460
Slate and shells	460 -	615
Little Dunkard Sand	615 -	655
Slate	655 -	685
Big Dunkard Sand	685 -	740
Slate	740 -	775
Gas Sand	775 -	850
Slate and shells	850 -	920
First Salt Sand	920 -	1030
Black slate	1030 -	1180
Second Salt Sand	1180 -	1220
Slate and shells	1220 -	1470
Red rock	1470 -	1475
Black slate	1475 -	1490
Maxton Sand (oil, 1516-1521')	1490 -	1528?
Slate	1529?-	1570
Little Lime	1570 -	1590
Big Lime	1595 -	1673
Big Injun Sand	1673 -	1677
Lime and shells, to bottom	1677 -	1707

Oil 26-A

SOUTH PENN OIL COMPANY
P. O. Drawer 1255
Pittsburgh, Pa.

COMPLETION DATA SHEET
NO. 2
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Quick Sand				20	23			
Slate				23	50			
Sand			Water	50	80			
Slate				80	200			
Sand			Water	200	245			
Slate				245	275			
Red Rock				275	350			
Slate				350	365			
Red Rock				365	460			
Slate & Shells				460	615			
Little Dunkard				615	655			
Slate				655	685			
Big Dunkard				685	740			
Slate				740	775			
Gas Sand				775	850			
Slate & Shells				850	920			
First Salt				920	1030			
Black Slate				1030	1180			
Second Salt				1180	1220			
Slate & Shells				1220	1470			
Red Rock				1470	1475			
Black Slate				1475	1490			
Maxon				1490	1528			
			Oil	1516	1521			
Slate				1528	1570			
Little Lime				1570	1590			
Big Lime				1595	1673			
Big Injun				1673	1677			
Lime & Shells				1677	1707			
Total Depth							1707	

Well was shot at Maxon Sand feet well was shot at feet

Oil 26-1

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

Well No. 1

South Penn Oil Company, of P. O. Drawer 1255, Pittsburgh, Pa.

on the T.B. Webster Farm

60 acres. Location

DeKalb District, in Gilmer County, West Virginia.

surface of the above tract is owned in fee by Cora Rollins

Tanner, W. Va. address, and the mineral rights are owned by

Louisa Best Akron, Ohio.
Mary Tremble Glenville, W. Va.
Cora Rollins & R.C. Webster of Tanner, W. Va.

oil and gas privileges are held under lease by the above named company, and this well is drilled under

issued by the West Virginia Department of Mines, Oil and Gas Section.

19

740.75 Spirit Barometric.

feet of the different sized casings used in the well.

feet	size, casing	feet	size, Wood conductor
100	10"		size, casing
80	8 1/4"		size, casing
60	6 5/8"		size, casing

packer of size, set at

packer of size, set at

in casing perforated at feet to feet

in casing perforated at feet to feet

encountered at NONE feet; thickness inches, and at

inches; and at feet; thickness inches

used as follows: (Give details)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD OF THIS WELL
SHOWED NO COAL

File 26-A
SOUTH PENN OIL COMPANY

LEGAL OPERATOR OR OWNER

NAME OF WELL OPERATOR

I. O. Drawer 1255, Pittsburgh, Pa.

ADDRESS

COMPLETE ADDRESS

September 3, 19 31

LEGAL OPERATOR OR OWNER

WELL AND LOCATION

ADDRESS

Dekalb District

LEGAL OPERATOR OR OWNER

Gilmer County

ADDRESS

Well No. 1

T. B. Webster Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Roane

SS:

John Starkey

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by SOUTH PENN OIL COMPANY, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10th day of August, 19 31, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Total depth 1531'; filled with non-porous sediment to 1503'; then filled with iron to 1501'; then drove 6 5/8" x 3' wood plug at 1498'; reduced from 6 5/8" to 1" and no gas found; then pulled 1508' of 6 5/8" casing; drove 8 1/2" x 3' wood plug at 1025'; then put in 10 bags cement; then drove second 8 1/2" x 3' wood plug at 981'; then filled with non-porous sediment to 950'; pulled 589' 8" of 8 1/2" casing, leaving 107' 4" in the hole; drove 10" x 3' wood plug at 187'; then filled with non-porous sediment to 16'

Manner in which coal was plugged:

Description of monument: Placed 21' monument; filled monument to within 1' of top with rock; then filled to top with cement.

THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE.

*576
x 1113*