

LATITUDE 39° 00' 00"

0.03
1.13w

LONGITUDE 80° 52' 30"

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company _____

Farm _____

Quad Tanner 7 1/2

County Gilmer

District Detalb

WELL LOCATION MAP

File No. 021-30039

DeKalb District, Gilmer County, W. Va.
 Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va.
 On 192 acres, surface owned by Guy Ellison, R. 2, Coxs Mills, W. Va.
 Elevation, 999' L.
 10" casing, 65'; 5-3/16", 1750'; 2" tubing, 1805'.
 No coal was encountered.
 Abandonment reported to Dept. of Mines Nov. 7, 1932.
 Well was shot at 1838-1842'.
 Fresh water at 145-185'; salt water at 1585'.
 Gas well; now exhausted to the extent that it is not commercially
 productive.

	Top.	Bottom.
Quicksand 4	28	34
(Water, 145 - 185')		
Lime	325	364
Little Dunkard Sand	514	522
Big Dunkard Sand	635	657
Gas Sand (show gas, 715')	705	790
First Salt Sand	1017	1136
Second Salt Sand	1412	1500
Sand (water, 1585')	1525	1602
Maxton Sand	1650	1665
Little Lime	1695	1725
Pencil Cave	1725	1732
Big Lime	1732	1787
Big Injun Sand (gas, 1838')	1787	1873
Originally drilled to total depth of		2281
Originally filled and plugged to		1872
Present total depth		1872

Top: 31741 - 1930

Company

Circle 2072, or 193

Address

COMPLETION DATA SHEET

NO. 2

FORMATION RECORD

Well No. 6494

39

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
quick sand				20	34	8'		
Line		Water-	145 - 165	325	364	2 9'		
Little Dunkard Sand				514	522	8'		
Big Dunkard Sand				635	657	22'		
Gas Sand				705	790	85'		
First Salt Sand		Show gas	-- 715	1017	1136	119'		
Second Salt Sand				1412	1500	88'		
Sand				1525	1602	77'		
		Water--	1585					
Mason Sand				1650	1665	15'		
Little Line				1695	1725	30'		
Pencil Cave				1725	1732	7'		
Big Line				1732	1787	55'		
Big Injun Sand				1787	1873	86'		
		Gas--	1838					
		Originally drilled to					2281	
		Originally filled and plugged to					1872	
		Present to 1 depth					1872	

shot
Well was not shot at _____ feet; well was shot at 1838-1842 _____ feet.

-Salt-
Fresh water at 145-185 _____ salt
feet; fresh water at 1585 _____ feet.

producing

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

391

PRELIMINARY DATA SHEET NO. 1

File No.

Well No. 0494

Hope Natural Gas Company Company, of 445 West Main St.

Clarksburg, W. Va. on the I. H. Ellison Farm

containing 192 acres. Location

DanKalt District, in Gilmer County, West Virginia

The surface of the above tract is owned in fee by My Ellison

of Cox's Mills, W. Va. R #2 address, and the mineral rights are owned by

of

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. issued by the West Virginia Department of Mines, Oil and Gas Division

198

Elevation of surface at top of well, 999 Spirit Barometric

The number of feet of the different sized casings used in the well

feet size. Wood conductor

65 feet 10" size. csg. 1750 feet 5-3/16" sized csg.

1605 feet 8" size. csg. feet sized csg.

feet size. csg. feet sized csg.

packer of size, set at

packer of size, set at

in casing perforated at feet to feet

in casing perforated at feet to feet

Coal was encountered at No coal feet; thickness inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL

ENACTED BY SENATE & HOUSE OF DELEGATES, APRIL 1930

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

39A

Not in coal area.

Hope Natural Gas Company

COAL OPERATOR

NAME OF WELL OPERATOR

Clarksburg, W. Va.

COMPLETE ADDRESS

ADDRESS

COAL OPERATOR

WELL AND LOCATION

ADDRESS

DeKalb

District

COAL OPERATOR

Silver

County

ADDRESS

Well No. 684

L. L. Ellison

Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE: ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT; ONE COPY TO BE RETURNED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA.

COUNTY OF

Silver

ss:

John L. Amen

and *Adrian E. Quess*

being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by *Hope Natural Gas Co* well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

15th day of *November*, 19 *32*, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged: total Depth 1872 Ft. Filled with Clay to 1767
20 Ft. above the big Injun Sand, Drove Lead Plug (5-3/16") at 1767 Ft. also drove
a Lead Plug at 1760 Ft. completely shutting off gas, Installed permanent bridge in
hole at 1632, which is 30 Ft. below the Salt Sand, ~~Installed permanent bridge~~
plugged filled with clay to 1392 and set Cement Plug at 1392 Ft. Filled with clay to
997 Ft. which is 20 Ft. above lat. salt sand, and set cement plug at 997 Ft.
Installed permanent bridge at 810 Ft. 20 Ft. below gas sand, filled with clay to 685
20 Ft. above gas sand, Set Cement Plug at 685 Ft. Installed permanent bridge at 650
and set Cement Plug at 650 Ft. Filled with clay to 454 Ft. 20 Ft. above Little Pumphred
Sand and set Cement Plug at 454 Ft. Completely sealing hole, filled up with Mud & Clay
to surface of ground

Description of monument: Concrete monument erected, extending 2 1/2 ft below ground and
2 1/2 ft. above ground, showing name and number of the well abandoned.

THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, OIL AND GAS ACT OF 1930,
and that the work of plugging and filling said well was completed on the *20th* day of *January*

19 *33*

And further deponents saith not.

John L. Amen