

Well No. 4

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Gantz			Oil	2369	2408	29	2502	
S.S.								
Long Sand								
We have no more record of this well								

Well was not shot at _____ feet; well was shot at 2473 to 2497. feet.

Salt Fresh water at _____ salt feet; fresh water at _____ feet.

Well was producing hole. dry

A. F. Warkintosh.

FORM 2-2
**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
 PLUGGING AND FILLING WELL**
 (REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
 OIL AND GAS DIVISION**

None	A. F. Mackintosh
COAL OPERATOR OR OWNER	NAME OF WELL OPERATOR
_____	Reston, W. Va.
ADDRESS	COMPLETE ADDRESS
_____	JUNE 15, 19 35
COAL OPERATOR OR OWNER	WELL AND LOCATION
_____	Town District
ADDRESS	County
_____	W. O. No. 4
COAL OPERATOR OR OWNER	W. I. MAGGILL
_____	Form
ADDRESS	

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, THE COPY TO BE RETURNED TO THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE KEPT BY THE WELL OPERATOR.

AFFIDAVIT

STATE OF WEST VIRGINIA,
 COUNTY OF Galmer

being first duly sworn according to law depose and say that they are respectively to the work of plugging and filling oil and gas wells and were employed by A. F. Mackintosh and M. M. ... and participated in the work of plugging and filling the above well, that said work was commenced on the 18 day of May 1935 and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Filled well from 2200 to 2249 with red clay. drove wooden plug 2349 to 2249. Filled from 2249 to 2218 with red clay from 2200 to 2218 cement plug 2218 to 2202.

Filled with clay from 2200 to 2080. drove wood plug at 2075 to 2066. sealing the Big Injun Sand. Filled with clay from 2066 to 1838 stone from 1838 to 1890 clay from 1890 to 1615 cement from 1630 to 1615. sealing the Salt Sand, filled with clay

Manner in which coal was plugged:
 1615 to 1000. stone to 985 ft clay from 985 to 826. drove a plug from 830 to 826. filled with clay to top of surface.

Description of monument: 6 ft of 2 1/2 inch pipe 2 ft above ground

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)
 and that the work of plugging and filling said well was completed on the 19 day of June

1935

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 4

A. F. Mackintosh. Company, of Weston, W. Va.

on the F. I. Waggoner. Farm

containing 47 1/2 acres. Location Neuberne, W. Va.

Troy District, in Gilmer. County, West Virginia

The surface of the above tract is owned in fee by _____

of _____ address, and the mineral rights are owned by _____

of _____

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. _____ issued by the West Virginia Department of Mines, Oil and Gas Division

_____ 193_____

Elevation of surface at top of well, 1200 Spirit Barometric.

The number of feet of the different sized casings used in the well.

_____	_____	_____	_____	_____	_____	_____	_____
	<u>12</u>	feet		<u>16"</u>	size.	Wood conductor.	
<u>2210</u>	feet	<u>5-3/16</u>	size, cas.	_____	feet	_____	sized cas.
_____	feet	_____	size, cas.	_____	feet	_____	sized cas.
_____	feet	_____	size, cas.	_____	feet	_____	sized cas.
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

Coal was encountered at 1000 feet; thickness _____ inches, and at _____ feet; thickness _____ inches; and at _____ feet; thickness _____ inches.

Liners were used as follows: (Give details) _____

Date _____

Approved A. F. Mackintosh. Owner.