


Latitude 38° 50' 00"



1.362
1.63w

Longitude 80° 52' 30"

Topo Location

7.5' Loc. _____ 15' Loc. _____
_____ (calc.) _____

Company W.V. Production Co.

Farm William Bennett, et al #2

15' Quad _____
(sec.)

7.5' Quad Normantown

District Center

WELL LOCATION PLAT

County 021 Permit 30078

Center District, Gilmer County, W. Va. 78-A
 W. Va. Production Co., Charleston, W. Va. (Chas. F. Howard).
 On 45 acres; oil and gas owned by C. M. Cennett, Glenville, W. Va.,
 S. E. VanHorn, Orton, W. Va., W. F. Boggs, Glenville, W. Va.,
 and Carrie B. Wittkamp, Pemberton, Goochland County, Virginia.

Drilled in 1925.
 Elevation, 1287' B.
 8 1/4" casing, 1249'; 2" tubing, 1945'.
 No coal encountered. No liners used.
 Abandonment reported to Dept. of Mines July 15, 1935.
 Well was not shot.

	Top.	Bottom.
Little Dunkard Sand	630	- 670
Big Dunkard Sand	887	- 912
Salt Sand	1180	- 1590
Maxton Sand	1910	
Total depth		1945

WEST VIRGINIA PRODUCTION

Company

COMPLETION DATA SHEET

CHARLESTON W. VA.

Address

NO 2

Well No. WM. BENNETT NO. 2

FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Little Dunkard				630	670			
Big Dunkard				887	912			
Salt Sand				1180	1590			
Maxon				1910			1945	

Well was not shot at

feet, Well was shot at

feet

Salt
Fresh water at

feet, Salt
Fresh water at

feet

producing
Well was
day

WEST VIRGINIA PRODUCTION COMPANY

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

REQUIRED BY SECTION 8, ARTICLE 4, CHAPTER 22 OF THE CODE

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

COAL OPERATOR'S OWNER: West Virginia Production Co. NAME OF WELL OPERATOR: West Virginia Production Co.
 ADDRESS: 502 Kanawha Banking & Trust Bldg., Charleston, W. Va. COMPLETE ADDRESS: W. Va.
 DATE: Sept 15, 1935
 WELL AND LOCATION: Center District, Gilmer County, West Virginia Production Company
 LEASE OR PROPERTY OWNER: 502 Kanawha Banking & Trust Bldg., Charleston, W. Va. Well No. 2
 ADDRESS: William Bennett, et al Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES

AFFIDAVIT

STATE OF WEST VIRGINIA }
COUNTY OF _____ } ss:

J. P. Young and J. W. Young being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by W. Va. Production Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27 day of August, 1935 and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Tubing shot off at 1904'. Filled with clay at 1904' D' cement on plug. Bridged at 1620'. Filled with clay to 1265'. Set wooden plug at 1265'. 10' cement on plug. 8 1/4" casing shot off at 579'. Set wooden plug in top of casing. 10' cement on plug. Filled to surface with clay.
Manner in which coal was plugged:

Descriptions of monument: Piece of casing, 8 1/4", set in hole and filled top top with cement. Name and number of well on same.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)
and that the work of plugging and filling said well was completed on the 20 day of Sept 1935

And further deposes that not

611-78A

WEST VIRGINIA

45

CEST

C. M. Bennett-Glenville, W. Va.
S. E. VanHorn-Orton, W. Va.
W. P. Boags, -Glenville, W. Va.

11 1 1935
C. M. Bennett-Glenville, W. Va.
S. E. VanHorn-Orton, W. Va.
W. P. Boags, -Glenville, W. Va.

Drilled 1935

Elevation

The number of feet of

1945

8*

--tubing

1000

1949

2**

1000

1000

Coal was encountered at

1000

Test thickness

Test thickness

There were

1000

July 15, 1935