

Latitude

.07s
1.32w

Longitude

Topo Location

7.5' Loc. _____ **15' Loc.** _____

(calc.) _____

Company Panuco Oil

Farm Saddle Mahem W-1

15' Quad _____
(sec.)

7.5' Quad Waddsville

District Grant

WELL LOCATION PLAT


County 029 **Permit** 70

Ref. to U.S. Topo. map

Latitude 40 35

DEPARTMENT OF MINES
OIL AND GAS DIVISION

Handwritten notes: 75' loc, 73, 0.195, (1.234), 0.05, 7.5' loc, Han 72, 0.10 S, 1.12 W, 2.19, 1.12, 3.30 W



Longitude 80 37 30
80 35

- New Location..
- Drill Deeper.....
- Abandonment.....

(W - INPUT WELLS)

HAN-69	- 0-1	6-0	1
HAN-70	- W-1	8-0	1
HAN-71	- W-2	8-0	1
HAN-72	- W-3	8-0	1
HAN-73	- W-4	8-0	1

Company SPANOCO OIL LEASES, INC.
 Address P.O. Box 977--Parkersburg, W. Va.
 Farm Sadie Mahan
 Tract _____ Acres 218 Lease No. _____
 Well (Farm) No. _____ Serial No. _____
 Elevation (Spirit Level) _____
 Quadrangle WELLSVILLE (W. Va. - Ohio - Pa)
 County HANCOCK District GRANT
 Engineer George S. Bloomgren
 Engineer's Registration No. 2260
 File No. _____ Drawing No. _____
 Date June 10, 1954 Scale 1" = 400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP NO. 100
FILE NO. See Above 169
WATER FLOOD

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Above



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Wellsville, W.Va.-O.-Pa.

WELL RECORD

Oil or Gas Well water input
(KIND)

Permit No. HAN-70

Company Panuco Oil Leases, Inc.
Address P.O. Box 1849, Parkersburg, W.Va.
Farm Sadie Mahan Acres 217
Location (waters) Ohio River
Well No. W-1 Elev. 870.9'
District Grant County Hancock
The surface of tract is owned in fee by Sadie Mahan
Address New Cumberland
Mineral rights are owned by Sadie Mahan
Address As above
Drilling commenced July 28, 1954
Drilling completed Spt. 28, 1954
Date Shot From To
With
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/2			
6 3/4			Depth set
4 1/2 4 1/2		807.5	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 4 1/2 SIZE 807.5 No. Ft. Aug-1-54 Date
with 50 sacks
COAL WAS ENCOUNTERED AT 172 FEET INCHES
289 FEET INCHES 401 FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
DRILLER'S LOG							
Sand			0	420			
Sandy Shale			420	611			
Shale			611	826			
Sand			826	843 T.D.			

