

40°37'30"

Latitude

80°37'30"

Longitude

+-----+
 | 2.85s |
 | 1.18w |
 +-----+

Topo Location

7.5' Loc. _____ 15' Loc. _____
 _____ (calc.) _____

Company Panuco Oil
 Farm Sadio Maham W-2
 15' Quad _____
 (sec.)
 7.5' Quad Wadsworth
 District Grant


WELL LOCATION PLAT

County 029 Permit 71

Ref. to U.S. Topo. map

Latitude 40° 35'

Handwritten notes: 0.195 73 (1.234), 0.05, 7.5' loc, 1.33W, 7.5' loc, Mar 72, 0.10 S, 1.12W, 2.19, 1.12, 3.30W



Longitude 80° 37' 30" 80° 35'

New Location..
 Drill Deeper.....
 Abandonment.....

(W - INPUT WELLS)

HAN-69 - 0-1 6-0
 HAN-70 - W-1 8-0
 HAN-71 - W-2 8-0
 HAN-72 - W-3 8-0
 HAN-73 - W-4 8-0

Company PANOCO OIL LEASES, INC.
 Address P.O. Box 977--Parkersburg, W. Va.
 Farm Sadie Mahan
 Tract Acres 218 Lease No. _____
 Well (Farm) No. _____ Serial No. _____
 Elevation (Spirit Level) _____
 Quadrangle WELLSVILLE (W. Va.-Ohio-Pa)
 County HANCOCK District GRANT
 Engineer George S. Bloomgren
 Engineer's Registration No. 2260
 File No. _____ Drawing No. _____
 Date June 10, 1954 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP NO. 69
 FILE NO. See ABOVE
 WATER FLOOD

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Above



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Wellsville, W.Va.-O.-Pa.

WELL RECORD

Permit No. HAN-71

Oil or Gas Well Water input
(KIND)

Company Panuco Oil Leases, Inc.
Address P.O. Box 1849, Parkersburg, W.Va.
Farm Sadie Mahan Acres 217
Location (waters) Ohio River
Well No. W-2 Elev. 933.6'
District Grant County Hancock
The surface of tract is owned in fee by Sadie Mahan
Address New Cumberland, W.Va.
Mineral rights are owned by Sadie Mahan
Address New Cumberland, W.Va.
Drilling commenced July 7, 1954
Drilling completed Sept. 25, 1954
Date Shot From To
With
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
6%		878	Depth set
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 4 1/2 SIZE 878 No. Ft. July-13-54 Date
with 50 sacks
COAL WAS ENCOUNTERED AT 140 FEET INCHES
210 FEET INCHES 219 FEET INCHES
429 FEET INCHES 454 FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
DRILLER'S LOG							
Shale & Sand			0	627			
Big Injun			627	662			
Sandy Shale & Shale			662	885			
Sand			885	902 T.D.			

