

40°35'00"

Latitude

.075
1.11w

80°37'30"

Longitude

Topo Location

7.5' Loc. _____ 15' Loc. _____
_____ (calc.) _____

Company Panuco Oil

Farm Sadie Maham W-3

15' Quad _____
(sec.)

7.5' Quad Wellsboro

District Grant

WELL LOCATION PLAT


County 029 Permit 72

Ref. to U.S. Topo. map

Latitude 40° 35'

Longitude 80° 37' 30"

Handwritten notes: 0.195 (234), 7.5' loc, 1.33w, 0.195, 1.12w, 2.19, 1.12, 3.30w



New Location...
 Drill Deeper.....
 Abandonment.....

(W - INPUT WELLS)

HAN-69	-0-1	6-0	1
HAN-70	-W-1	8-0	1
HAN-71	-W-2	8-0	1
HAN-72	-W-3	8-0	1
HAN-73	-W-4	8-0	1

Company PANOCO OIL LEASES, INC.
 Address P.O. Box 977--Parkersburg, W. Va.
 Farm Sadie Mahan
 Tract Acres 218 Lease No. _____
 Well (Farm) No. _____ Serial No. _____
 Elevation (Spirit Level) _____
 Quadrangle WELLSVILLE (W. Va. - Ohio - Pa)
 County HANCOCK District GRANT
 Engineer George S. Bloomgren
 Engineer's Registration No. 2260
 File No. _____ Drawing No. _____
 Date June 10, 1954 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP NO. 69
 FILE NO. See Above
 WATER FLOOD

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Above

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Wellsville, W.Va.-O.-Pa.

WELL RECORD

Permit No. HAN-72

Oil or Gas Well Water input
(KIND)

Company Panuco Oil Leases, Inc.
Address P.O. Box 1849, Parkersburg, W.Va.
Farm Sadie Mahan Acres 217
Location (waters) Ohio River
Well No. W-3 Elev. 942.
District Grant County Hancock
The surface of tract is owned in fee by Sadie Mahan
Address New Cumberland, W.Va.
Mineral rights are owned by Sadie Mahan
Address As above
Drilling commenced July 14, 1954
Drilling completed Sept. 22, 1954
Date Shot From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/2			Depth set
6 5/8		875	
4 1/2			Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

1954
CASING CEMENTED 4 1/2 SIZE 875 No. Ft. July-18 Date
with 50 sacks

COAL WAS ENCOUNTERED AT 130 FEET INCHES
179 FEET INCHES 209 FEET INCHES
229 FEET INCHES 457 FEET INCHES
455

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
DRILLER'S LOG							
Sandy Shale	& Shale		0	395			
Sandy Shale	& Shale		375	711			
Sandy Shale			711	887			
Sand	<u>Beva</u>		887	904 T. D.			
							Fractured ✓

