

40°37'30"

**Latitude**

80°37'30"

**Longitude**

2.46s
.53w

**Topo Location**

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
 (calc.) \_\_\_\_\_

**Company** Bradford Supply Co

**Farm** JC Hamilton #8

**15' Quad** \_\_\_\_\_  
(sec.)

**7.5' Quad** Webbville

**District** Grant

**WELL LOCATION PLAT**

**County** 029 **Permit** 30111




Figure 1. - Ownership map of Breneman field, Hancock County, W. Va., showing location and status of wells on December 31, 1948.

J. C. HAMILTON ESTATE NO. 8 WELL.

Grant District, Hancock County, W. Va.  
By Bradford Supply Co., Bradford, Pa.  
Abandoned under permit Ham-.....-A?  
On 65 acres.

Hancock IIIA  
See plat 1A

Elevation, 1154' L.

Date of completion, etc., not given.

6 1/2" casing, Est., 670'.

Oil well. Record to Dept. of Mines stamped Nov. 13, 1951.

Record to RCT from Mrs. Griffith Feb. 29, 1952. Old File No. 92.

	Top.	Bottom.
Cow Run Sand	133 -	147
Hurry-up Sand	217 -	297
Salt Sand	530 -	570
Big Injun Sand	610 -	650
Stray sand	835 -	875
Berea Sand	916 -	937
Total depth, approximately		937

Record estimated from record of well No. 13.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

92

WELL RECORD

Permit No. HAN-111-A

Oil or Gas Well \_\_\_\_\_  
(KIND)


Company Bradford Supply Company  
 Address Bradford, Pa.  
 Farm J. C. Hamilton Est. Acres 65  
 Location (waters) \_\_\_\_\_  
 Well No. 8 Elev. 1154'  
 District Grant County Hancock  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10			Size of
8 1/4			
6 5/8 - 6 1/4" Est.		670'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Cow Run			133	147			
Hurry Up Sand			217	297			
Salt Sand			530	570			
Injun			610	650			
Stray Sand			835	875			
Berea			916	937			
Total Depth, approximately				937			
Record estimated from record of Well No. 13							



(Over)

FEB 20 1952