


40°37'30"

Latitude

80°37'30"

Longitude



Top Location

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
 \_\_\_\_\_ (calc.) \_\_\_\_\_

#100 OBH Co Rept

Company Broadford Supply Co

Farm JC Hamilton #10

15' Quad \_\_\_\_\_  
(sec.)

7.5' Quad Wellsville

District Grant

**WELL LOCATION PLAT**

County 029 Permit 3013




Figure 1. - Ownership map of Brennenman field, Hancock County, W. Va., showing location and status of wells on December 31, 1948.

J. C. HAMILTON ESTATE NO. 10 WELL.

#100 OBN Co <sup>Rept</sup>

Grant District, Hancock County, W. Va.

By Bradford Supply Co., Bradford, Pa.

Abandoned under permit Han-...~~21~~-A? 113A

On 65 acres.

Elevation, 1195' L.

Drilling completed fall of 1934.

Conductor, 20' 11"; 8 $\frac{1}{4}$ " casing, 381'; 6 $\frac{1}{4}$ ", 760'; all left in.

Oilwell. Record to Dept. of Mines stamped Nov. 13, 1951.

Record to RCT from Mrs. Griffith Feb. 29, 1952. Old File No. 94.

Shot gas, 4 $\frac{1}{2}$ ' to 8', 20 qts.; shot oil, 2 $\frac{1}{2}$ ' to 10', 10 qts.; shot oil, 3 to 10', with 20 qts.

2 bbls. oil.

See plot 1A

	Top.	Bottom.
Slate and clay	0	- 381
Cow Run Sand	387	- 430
Salt Sand	613	- 625
Big Injun Sand	712	- 745
Berea Sand (oil pay, 1027-1037')	1016	- 1042
Slate	1042	- 1044
Second Berea Sand (gas pay, 1047-1058')	1044	- 1067
Total depth		1103



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

94

WELL RECORD

Permit No. HAN-113-A

Oil or Gas Well \_\_\_\_\_  
(KIND)


Company Bradford Supply Company  
Address Bradford, Pa.  
Farm J. C. Hamilton Est. Acres 65  
Location (waters) \_\_\_\_\_  
Well No. 10 Elev. 1195'  
District Grant County Hancock  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed Fall - 1934  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<u>Conductor 20' 11"</u>	<u>20' 11"</u>	Size of
8 1/4	<u>381'</u>	<u>381'</u>	Depth set
6 5/8	<u>6-1/4" 760'</u>	<u>760'</u>	
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks	
Slate and Clay			0	381				
Cow Run			387	430				
Salt Sand			613	625				
Injun			712	745				
Berea			1016					
Pay (Oil)			1027	1037				
Bottom Sand				1042				
Slate			1042	1044				
Second Berea			1044					
Pay (Gas)			1047	1058				
Bottom Sand				1067				
Bottom Hole				1103				
Shot Gas 1 1/2 to 8' - 20 qts.								
Shot Oil 2 1/2 to 10' - 10 qts.								
Shot Oil 3 to 10' - 20 qts.								
2 bbls oil								



(Over)

FEB 29 1952