

40°37'30"

Latitude

80°37'30"

Longitude

2.545
.94w

Topo Location

7.5' Loc. _____ 15' Loc. _____
_____ (calc.) _____

Company Bradford Supply Co

Farm CE Bremnerman #41

15' Quad _____
(sec.)

7.5' Quad Wellsboro

District Grant

WELL LOCATION PLAT

County 029 Permit 30125




Figure 1. - Ownership map of Breneman field, Hancock County, W. Va., showing location and status of wells on December 31, 1948.

C. E. BRENNEMAN ESTATE NO. 41 WELL.

Grant District, Hancock County, W. Va.
By Bradford Supply Co., Bradford, Pa.
Abandoned under permit Han-.....-A?
On 318 acres, on Dry Run.
Elevation, 939' L.

125A
see plat 42A

Date of completion, etc., not given. Shot with 60 qts.
10" conductor, 12'; 6 1/4" casing, 760'; all left in.
Oil well. Record to Dept. of Mines stamped Nov. 13, 1951.
Record to RCT from Mrs. Griffith May 21, 1952. O.F.No.119.

| | Top. | Bottom. |
|---|----------|---------|
| Coal | 300 | - ... |
| Slate, shale and sand to Big Injun | | |
| Sand | 730 | - 760 |
| Berea Grit (white sand, 1014-1018'; flaky blue sand, 1018-1027') | 1006 1/2 | - |
| Total depth | | 1045 |
| 18' pocket was drilled cleaning out, making total depth | | 1045 |



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

119

WELL RECORD

Permit No. HAN-125-A

Oil or Gas Well _____
(KIND)

Company Bradford Supply Company
Address Bradford, Pa.
Farm C. F. Bronneman Est. Acres 118
Location (waters) Jay Run
Well No. 41 Elev. 939'
District Grant County Hancock
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced _____
Drilling completed _____
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | Kind of Packer |
| 16 | | | |
| 18 | | | |
| 10 Cond | 12' | 12' | Size of |
| 8 1/4 | | | |
| 6 1/4 | 760 | 760' | Depth set |
| 5 3/16 | | | |
| 3 | | | Perf. top |
| 2 | | | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|---|-------|--------------|----------|--------|-------------------|-------------|---------|
| Coal | | | 300 | | | | |
| Slate, shale & sand to Injun Sand | | | 730 | 760 | | | |
| Berea Grit | | | 1006 1/2 | | (Circled) | | |
| White Sand | | | 1011 | 1018 | | | |
| Flaky Blue Sand | | | 1018 | 1027 | | | |
| Total Depth | | | | 1045 | | | |
| Shot 60 qts. | | | | | | | |
| 18' pocket was drilled cleaning out, making total depth 1045' | | | | | | | |



(Over)

MAY 21 1952