

Latitude

40°37'30"

Longitude

80°37'30"

+  
 |  
 2.41s  
 |  
 .67w

Topo Location

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
 \_\_\_\_\_ (calc.) \_\_\_\_\_

Company Bradford Supply Co

Farm CE Bremmerram #55

15' Quad \_\_\_\_\_  
(sec.)


7.5' Quad Wellsville

District Grant

WELL LOCATION PLAT

County 029 Permit 30134

Figure 1. - Ownership map of Brenneman field, Hancock County, W. Va., showing location and status of wells on December 31, 1948.



C. E. BRENNEMAN ESTATE NO. 55 WELL.

Grant District, Hancock County, W. Va.

By Bradford Supply Co., Bradford, Pa.

Abandoned under permit Han-.....-A?

On 318 acres, on Dry Run.

Elevation, 1001' L.

Date of completion, etc., not given.

6 $\frac{1}{2}$ " casing, 760' (approx.)

Oil well. Record to Dept. of Mines stamped Nov. 19, 1951.

Record to RCT from Mrs. Griffith May 21, 1952. O.F.No.124.

	Top.	Bottom.
Mud, sand, slate, and red rock	0	170
Sand	190	200
Slate	200	220
Sand	220	240
Slate	240	310
Sand	310	400
Big Injun Sand	650	740
Slate and shells	750	985
Berea Sand	1007	1024
Total depth		unknown

The above record estimated from record of well No. 61.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

124

WELL RECORD

Permit No. HAN-134-A


Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Bradford Supply Company  
Address Bradford, Pa.  
Farm C. E. Bronneman Est. Acres 318  
Location (waters) Dry Run  
Well No. 55 Elev. 1001'  
District Grant County Hancock  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8	Approx. 760'	760'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mud, sand, slate and Red Rock			0	170			
Sand			190	200			
Slate			200	220			
Sand			220	240			
Slate			240	310			
Sand			310	400			
Injun Sand			650	740			
Slate & shells			750	985			
Berea			1007	1024			
Total Depth - unknown							
The above record estimated from record of Well No. 61							



(Over)  
MAY 21 1952