

State of West Virginia Division of Environmental Protection Section of Oil and Gas

Parmitting

Well Operator's Report of Well Work

Office of Oil & Gas

WEBB, FARA M. Farm name:

Operator Well No.: HAWKER #1400

LOCATION:

Elevation: **1,016.00**

Quadrangle: SHINNSTON

District: **EAGLE**

County: HARRISON

Latitude: 7900 Feet South of 39 Longitude: 10700 Feet West of 80

39 Deg. 27 Min. 30 Sec. Deg. 20 Min. 0 Sec.

Company:

TRIO PETROLEUM CORP.

P. O. BOX 880

GLENVILLE, WV 26351-0880

Agent: STEPHEN E. HOLLOWAY

INSPECTOR: TIM BENNETT

Permit Issued: 12/23/97 Well work commenced: 01/14/98 Well Work completed: 01/19/98

Verbal Plugging

Permission granted on:

Rotary X

Total Depth (feet) 4,656' Fresh water depths (ft) 40' Salt water depths (ft) NONE

Is coal being mined in area (Y/N)? Y

Coal Depths (ft): 100-108

Casing & Tubing Size	Used in Drilling	Left in Well	Cement Fill Up Cu. Ft.
11-3/4"	126′	126′	C.T.S.
8-5/8"	1,328′	1,328′	C.T.S.
4-1/2"		4,596′	325 Sks.

OPEN FLOW DATA

Producing formation Benson, Riley, Balltown Pay zone depth (ft) See Treat. Gas: Initial open flow N/A MCF/d Oil: Initial open flow N/A Bbl/d Final open flow 819 MCF/d Final open flow N/A Bbl/d Final open flow N/A Bbl/d Time of open flow between initial and final tests 4 Hours Static Rock pressure 1225 psig (surface pressure) after 48 Hours

Second producing formation ___ pay zone depth (ft) Gas: Initial open flow MCF/d Oil: Initial open flow Bb1/d Final open flow MCF/d Final open flow Bb Final open flow _____Bbl/d Time of open flow between initial and final tests Static rock pressure psig (surface pressure) after Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATION, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

By: Daniel R. Chapman, Geologist 0 6 1998

Date: January 29, 1998

Benson (4534-4530) 1000 gal 15% HCL, 5000# 80/100, 1st Stage:

 $35,000 \# 20/40, 400 \mod N_2, 235 \text{ bbl } H_2O$

Balltown (3887-3804) 750 gal 15% HCL, 5000# 80/100, 35,000# 20/40, 392 mcf $\rm N_2$, 239 bbl $\rm H_2O$ 2nd Stage:

3rd Stage: Balltown (3374-3358) 750 gal 15% HCL, 5000# 80/100,

 $45,000 \#20/40, 404 \text{ mcf N}_2, 240 \text{ bbl H}_2O$

Sand, Shale	0	420	1/2" stream @ 40'
Sand, Shale, Red Rock	420	502	
Sand, Shale	502	1352	Coal @ 100' - 108'
Little Lime	1352	1366	
Blue Monday	1366	1400	
Big Lime	1400	1480	
Big Injun	1480	1544	
Sand, Shale	1544	2845	
Speechly Section	2845	3066	,
Shale	3066	3090	
Balltown Section	3090	4028	
Riley Section	4028	4462	
Shale	4462	4528	
Benson	4528	4532	
Shale	4532	4656	T. D.

033 - 4188

STATE OF WEST VIRGINIA	Pageof
OF ENERGY, DIVISION OF OIL	AND GAS
LL WORK PERMIT APPLICATION Petroleum Corp. 5 (2050)	1) 606

				APPLICATION	L AND GAS	
Well Ope	rator:	Trio Petro	oleum Corp.	50050	\mathcal{G}	
Operator	's Well 1	Number:	Hawker 1400		3) Ele	vation: 1,016
Well typ			or Gas		Issued Expres	12/23/97
	(b)	If Gas:	Production Deep	X/ Undergr	ound Storage Shallow	X/
) Proposed	Target :	Formation	n(s):Be	enson 435	· · · · · · · · · · · · · · · · · · ·	
) Proposed	Total D	epth:	5,100'	feet	State Design	on of D
) Approxim	ate fres	h water s	trata dept	hs: 75'		· . /)
3) Approxim	ate salt	water de	epths:	N/A	C.ilog of	1997 Oli & Gas
)) Approxim	ate coal	seam dep	oths:85	51		CII & Gas
1) Proposed	Well Wo	rk: Drill	and stimulat	te new well.		·
L2)		CASIN	NG AND TUBI	NG PROGRAM		
TYPE	S	PECIFICAT	rions	FOOTAGE IN	ITERVALS	CEMENT
	Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)
Conductor						
Fresh Water	8-5/8"	API	20#	1,000'	1,000'	C. T. S.
Coal						
[ntermediate		•				
roduction	4-1/2"	API	10.5#		5,100'	325 Sks.
<u> </u>						
Liners						
PACKERS : Kin	d					
	es_					

For Divison of Oil and Gas Use Only

_ | Fee(s) paid: | _ | Well Work Permit | _ | Reclamation Fund | _ | WPCP

|_| Plat |_| WW-9 |_| WW-2B |_| Bond | Agent (Type)

Page	1 of
	WW2-A
(6/94)	
File C	р

1)	Date: November 21, 1997		
1) 2)	Operator's well number		
	Hawker 1400		
3)	API Well No: 47 - 033 - 4188		
•	Otata County Borni		

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	NOTICE AND APPLICATI	ON FOR A WELL WORK PERMIT
4)	Surface Owner(s) to be served: 5) (a)	Coal Operator:
	Address RR 2. Box 307	NameN/A Address
	! 0/500	
	(b) Name	(b) Coal Owner(s) with Declaration Name Consolidation Coal Co.
	Àddress	Name <u>Consolidation Coal Co.</u>
		Address Consol Plaza
	(c) Name	1800 Washington Road Name Pittsburgh, PA 15241
	Address	Address Attn: Engineering Dept.
6)	Inspector Tim Bennett	(c) Coal Lessee with Declaration NameN/A _Address
U)	Address 737 Karl St.	Name N/A
	Weston, WV 26452	Address
	Telephone (304)543-1284	
	TO THE PERSON(S) NAM	MED ABOVE TAKE NOTICE THAT:
right x	to extract oil and das OR	er continuing contract or contracts by which I hold the Chapter 22, Article 6, Section 8(d) of the Code of West
Virgi	nia (see nage 2)	
_	Loodify that as required under Chante	r 22 of the West Virginia Code I have served copies of
this	notice and application, a location plat, a	and accompanying documents pages 1 through 7 on
the a	above named parties, by:	ماد ما
	Personal Service (Affidavit attac	xied) ol rosoint attached)
	Certified Mail (Postmarked post Publication (Notice of Publication	ai receipt attached)
con	ditions of any normit issued under this an	22-6 and 38 CSR 11-18, and I agree to the terms and plication.
	i	have personally examined and am tamilial with the
info		m and all attachments, and that based on thy linguity of
thos	e individuals immediately responsible to	obtaining the information, I believe that the information
is tr		
	I am aware that there are significant	penalties for submitting false information, including the
pos	sibility of fine and imprisonment.	the min has Come
		Trio Retroleum Corp. Stephen E. Holloway
	By: Its:	Agent
	Address	P. O. Box 880
		Glenville, WV 26351-0880
	Telephone	
Süt	oscribed and sworn before me this 21st o	
<u></u>	,	Sandra ann Pette Notary Public
My	commission expires 8-24-21	07
,	•	