

#### west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, September 2, 2025 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 33-71246

47-033-06042-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number:

Farm Name: UNITED CENTRAL INDUST

U.S. WELL NUMBER: 47-033-06042-00-00

Not Available Plugging Date Issued: 9/2/2025

### PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date August 14,	20 25
2)Operator's	
Well No. Harrison - 06042	
3) API Well No. 47-033	- 06042

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

OFFICE OF C	OIL AND GAS
APPLICATION FOR A PERM	IT TO PLUG AND ABANDON
Well Type: Oil	injection / Waste disposal // erground storage // Deep // Shallow
<b>(32</b>	
Location: Elevation 907.56	Watershed_West Fork River
District Clay	County Harrison Quadrangle Shinnston 7.5
Harten and Diff. Dold Discourse Contract	The transfer transfer to the second transfer transfer to the second transfer tr
	Address 601 57th St., SE
	Charleston, WV 25304
Chareston, VVV 20304	Charleson, 444 2003
Oil and Gas Inspector to be notified	9)Plugging Contractor
Name Jeff Propst	Name Next LVL Energy (Diversified Owned)
Address 4936 Little Sand Run Road	Address 104 Helliport Loop Rd
Buckhannon, WV 26201	Bridgeport, WV 25330
See Attached Work Procedures  Jeff A Proper 8-14-2	Office of Oil and Gas  AUG 20 2023  WV Department of Environmental Protection
fication must be given to the district of can commence.	1 and gas inspector 24 hours before permitted  Proport  Date 8-14-2025
	Well Type: Oil / Gas / Liquid (If "Gas, Production or Und Location: Elevation 907.56"

#### **Plugging Prognosis**

API #: 4703306050

West Virginia, Harrison Co.

Lat./Long: 39.397442, -80.261386

Nearest ER: United Hospital Center, 327 Medical Park Dr, Bridgeport, WV 26330

#### Casing Schedule:

Casing visible at surface appears to be rods inside 2-3/8" tbg

Closest Offset well 4703302357 Casing Schedule

11-3/4" Conductor @ 20' (Offset)

8-5/8" Surface Casing @ 1256' (Offset)

4-1/2" Production Casing @ 2621' (Offset)

2" tbg @ None visible in photo of 4703306042 well

Rods @ None but visible in photo of 4703306042 well

Offset well TD original TD is listed as 4713 but report says they got permission to plug back to 2621'

Completion: Offset - 2547'-2557'

Fresh Water: Unknown. Offset - 1200' hole damp

Salt Water: Unknown. Offset – Not listed Gas Shows: Unknown. Offset – Not Listed Oil Shows: Unknown. Offset – Not Listed

Coal: Unknown. Offset - 150'-155'; 215'-218'; 747'-750'

Elevation: 942'

\*\* Make attempts to remove all free casing. Cement across all casing shoes and casing cuts.

- 1. Notify Inspector Jeff Propst @ (681) 990-2569, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. Check TD w/ wireline and confirm shoe depth of casing and top of cement in inner most casing string with CBL.
- 4. Run into attainable bottom. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 200' Class A/L cement plug. (Bottom hole plug) Tag TOC. Top off as needed.
- 5. If the production casing is not run to TD, TOOH w/ tbg to above cement plug. Pump 6% bentonite gel from top of plug to 50' below casing shoe.
- 6. If the casing is not run to TD, TOOH w/ tbg to 50' below casing shoe. Pump 100' Class A/L cement plug 50' in/out of csg shoe (csg shoe plug).

- 7. Pump 6% bentonite gel from top of shoe plug to bottom of surface casing.
- 8. TOOH w/ tbg to 50' below intermediate casing shoe. Pump 100' Class A/L cement plug from 50' below shoe to 50' above shoe (shoe plug)
- 9. TOOH w/ tbg to 50' above shoe. Pump 6% bentonite gel from 50' above shoe to 992'.
- 10. TOOH w/ tbg to 992'. Pump 292' Class A/L cement plug from 992' to 700 (elevation and coal plug).
- 11. Free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out of cut. Offset well surface casing is cemented to surface Do not omit any plugs listed below. Perforate as needed.
- 12. If there is another casing string in the well, free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 13. TOOH w/ tbg to 300'. Pump 300' Class A/L cement plug from 300' to surface (surface and coal plug).
- 14. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

Jeff A Propet 8-14-2025

Office of Oil and Gas

AUG 20 2025

Environmental Protection



#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES

# JUL 27 1981

# Oil and Gas Division

### OIL & GAS DIVISION DEPT. of MINES

Quadrangle Shinnston 7.5 Permit No. Harr- 2553		AUG 2  Environmental	4.2025	Rotary_X_Cable	Gas X Comb. Storage (Kind)
Company Berry Snergy Const. 6 Mgrs Address P.O. Box 5, Clarksburg, W.	va. 26301	Environmental party  Casing and  Tubing	rot <b>Osto</b> jin Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
FarmPaul Richards Acr Location (waters) Shinns Run	et 15.00			1	•
Well No. B-419 Ele	. 10551	Size	-		
District Clay County Har	rison	20-16 Cond.		·	
		XXXXX 11-3/4	20-80	1	
The surface of tract is owned in fee by Paul Richards		9 5/8	20=00	1	To surface
Address P.O. Box 35, Shinnston, W.	Va.	8 5/8	1150	1100	To Surface
		7	1130	1130-	10 Surface
· Mineral rights are owned by Same		5 1/2		<del>                                     </del>	·
AddressSame	•	4 1/2	2422	·"·	é3 Ska
Drilling Commenced 3/1/81		3	2663		resaka   :
Drilling Completed 4/9/81	Library				•
Initial open flow 70.69 cu. ft.	0015.	Liners Used		<del>                                     </del>	
Final productioncu, ft. per day Well open4hrs. before test	ODIS				
Well-treatment details:		Attach copy_of			
Fraced Fifth Sand with 10,000 -	80/100; 70,	<u>000, - 20/40</u>	using 732	2 Bbl wate:	r
	<u>-</u>				
	Fee	Salt V		10	_ Feet
Coppuls Sacountered & 1747-750  Fresh water 1200' Hole damp Feducing Sand Fifth Sands	Fee		WaterNor	10	Feet
Fresh water 1200' Hole damp Fee	Fee	Salt V	WaterNor h2547=2!	10	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil	Top Feet	Salt 1 Depti  Bottom Feet	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale	Top Feet	Salt V Depti  Bottom Feet 5 25	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand	Top Feet	Salt 1 Depti	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand Sand & Shale	Top Feet  0 5 25 85	Salt 1 Depti	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand Sand & Shale Coal	Top Feet	Salt 1 Depti	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal	Top Feet  0 5 25 85 150 155 215	Salt 1 Depti  Bottom Feet  5 25 85 150 155 215 218	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand Sand & Shale Coal Sand & Shale	Top Feet  0 5 25 85 150 155 215 218	Salt V Depti  Bottom Feet  5 25 85 150 155 215	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale	Top Feet  0 5 25 85 150 155 215 218 310	Salt 1 Depti  Bottom Feet  5 25 85 150 155 215 218 310 375	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Coal Sand & Shale Red Rock	Top Feet  0 5 25 85 150 155 215 218 310 375	Salt V Depti  Bottom Feet  5 25 85 150 155 215 218 310 375 390	WaterNor h2547=2!	557	
Fresh water. 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand & Shale	Top Feet  O 5 25 85 150 155 215 218 310 375 390	Salt V Depti  Bottom Feet  5 25 85 150 155 215 218 310 375 390 499	WaterNor h2547=2!	557	
Fresh water1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand Sand & Shale Coal Sand & Shale Coal Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand Red Rock Sand & Shale Brown Sand	Top Feet  O 5 25 85 150 155 215 218 310 375 390 499	Salt V Depti	WaterNor h2547=2!	557	
Fresh water. 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand & Shale	Top Feet  O 5 25 85 150 155 215 218 310 375 390	Salt V Depti  Bottom Feet  5 25 85 150 155 215 218 310 375 390 499	WaterNor h2547=2!	557	
Fresh water. 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand & Shale Brown Sand White Sand Shale Coal	Top Feet  0 5 25 85 150 155 215 218 310 375 375 390 499 530	Salt V Depti	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand Red Rock Sand & Shale Brown Sand White Sand Shale Coal Sand & Shale Sand Sand Sand Sand Sand Sand Sand Sand	Top Feet  O 5 25 85 150 155 218 310 375 390 499 530 625 747 750	Salt V Depti  Bottom Feet  5 25 85 150 155 215 218 310 375 390 499 530 625 747 750 900	WaterNor h2547=2!	557	
Fresh water1200' Hole damp Feet Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand & Shale Brown Sand White Sand Shale Coal Sand & Shale Brown Sand Shale Coal Sand Shale Brown Sand	Top Feet  O 5 25 85 150 155 218 310 375 390 499 530 625 747 750 900	Salt v Depti  Bottom Feet  5 25 85 150 155 218 310 375 390 499 530 625 747 750 900 1050	WaterNor h2547=2!	557	
Fresh water 1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand & Shale Brown Sand White Sand Shale Coal Sand & Shale Brown Sand Shale Brown Sand Shale Brown Sand Shale Brown Sand	Top Feet  O 5 25 85 150 155 218 310 375 390 499 530 625 747 750 900 1050	Salt v Depti  Bottom Feet  5 25 85 150 155 218 310 375 390 499 530 625 747 750 900 1050 1140	Water North 2547-2! Oil, Gas	or Water	
Fresh water1200' Hole damp Fee Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand Sand & Shale Coal Sand & Shale Coal Sand & Shale Coal Sand & Shale Brown Sand White Sand Shale Coal Sand & Shale Brown Sand Shale Sand & Shale Brown Sand Shale Sand & Shale Sand & Shale Brown Sand Shale Sand & Shale Brown Sand Shale Sand & Shale Brown Sand	Top Feet  O 5 25 85 150 155 218 310 375 390 499 530 625 747 750 900 1050 1140	Salt V Depti	Water North 2547-2! Oil, Gas	557	
Fresh water. 1200' Hole damp Feet Producing Sand Fifth Sands  Formation Color Hard or Soft  Top Soil Sand & Shale Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand Red Rock Sand & Shale Brown Sand White Sand Shale Coal Sand & Shale Brown Sand Shale Sand & Shale Brown Sand Shale Sand & Shale Sand Shale Sand Shale Sand Shale Sand Shale	Top Feet  O 5 25 85 150 155 218 310 375 390 499 530 625 747 750 900 1050	Salt v Depti  Bottom Feet  5 25 85 150 155 218 310 375 390 499 530 625 747 750 900 1050 1140	Water North 2547-2! Oil, Gas	or Water	

(over)

1605

1750 ..

1840

1750

1840

1990

Big Lim Shall S an ack

Dark State Sand / State


<sup>\*</sup> Indicates Electric Log tops in the remarks section.

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water Remarks
Shale Sand & Shale Sand & Shale Sand & Shale Sand & Shale Shale Sand & Shale Shale Dark Shale Sand & Shale Sand & Shale Sand & Shale	1990 2270 2400 2470 2575 2765 2900 3100 3300 3600 3810 3940 4125 4350	2270 2400 2470 2575 2765 2900 3100 3300 3600 3810 3940 4125 4350 4420	Gas ck @ 2919 - 45/10 - 1" w/wate Gas ck @ 3512 - 60/10 - 1" w/water Gas ck @ 4388 - 10/10 - 2' w/water
Sand Benson	4420 4515	4515 4615	
Shale	4615	4713 TD	Gas ck @ 4699 - No trace
T			·설 설
		,	J & J Enterprise %
			Berry Energy Consultants & Mgrs. P.O. Box 5, Clarksburg, W. Va. 263
			r.o. box 5, clarksburg, w. va. 265
	1.		BY: 1 Bours
			198
RECEIVED			
Office of Oil and Gas			
AUG 20 2025			
WV Department of			
Environmental Protection			
			<i>c</i>
. '			A Company of the Comp
			in the second
	1		

			· · · · · · · · · · · · · · · · · · ·
	Date_		, 19
APPROV	/ED	· - ·	, Owner
	Ву_	(Title)	
			09
•			1 集 1 10%

#### THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO XXXX DRILL DEEPEN FRACTURE STINUING CONTRACTOR: (If Known)  NAME S. W. Jack Drilling Company  ADDRESS Buckhannon, WV  ADDRESS Clarksburg, W. Va.  TELEPHONE TELEPHONE 622-3450  ESTIMATED DEPTH OF COMPLETED WELL: 4500' ROTARY XXXXX CABLE TOOLS.  PROPOSED GEOLOGICAL FORMATION: Benson  TYPE OF WELL: OIL GAS XXX COMB. STORAGE DISPONENCE OF WATER FLOOD OT	tionnoniel pro
NAME S. W. Jack Drilling Company NAME W. B. F or W ADDRESS Buckhannon, WV ADDRESS Clarksburg, W. Va. TELEPHONE TELEPHONE 622-3450 ESTIMATED DEPTH OF COMPLETED WELL: 4500' ROTARY XXXXX CABLE TOOLS. PROPOSED GEOLOGICAL FORMATION: Benson TYPE OF WELL: OIL GAS XXX COMB. STORAGE DISPO	(S) AC
ADDRESS Buckhannon, WV ADDRESS Clarksburg, W. Va.  TELEPHONE TELEPHONE 622-3450  STIMATED DEPTH OF COMPLETED WELL: 4500; ROTARY XXXX CABLE TOOLS.  PROPOSED GEOLOGICAL FORMATION: Benson  TYPE OF WELL: OIL GAS XXX COMB. STORAGE DISPO	
TELEPHONE 622-3450  STIMATED DEPTH OF COMPLETED WELL: 45001 ROTARY XXXXX CABLE TOOLS.  ROPOSED GEOLOGICAL FORMATION: Benson  YPE OF WELL: OIL GAS XXX COMB. STORAGE DISPO	
TIMATED DEPTH OF COMPLETED WELL: 4500° ROTARY XXXX CABLE TOOLS.  ROPOSED GEOLOGICAL FORMATION: Benson  YPE OF WELL: OIL GAS XXX COMB. STORAGE DISPO	
ROPOSED GEOLOGICAL FORMATION: Benson	
YPE OF WELL: OIL GAS XXX COMB. STORAGE DISPO	SAL
	J
	IER
NTATIVE CASING PROGRAM:	
CASING AND TUBING USED FOR LITT IN CHMENT F	
T SIZE DRILLING WILL OR SACKS -	CBIC 1-T.
- 16 - 30' To surfac	
xxx 11-3/4" 30" To surfac	
5/K 1100' 1100! To surfac	
	it is to to the first
44,001 44,001 300 sks	
Perf. flatton	
ers Perf Top	
Perf. Hottoin	
COAL BEING MINED IN THE AREA? YesBY WHOM? Bethlehem Pairm	
	ont_Coal_Co
DRILL: SUBMIT FIVE (5) COPIES OF OG - 1. \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMI	
ORILL: SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.	
DORILL: SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DORILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS.	NENT COPY
DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, \$100,00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANC WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WINGST ALSO BE SUBMITTED.	NENT COPY
DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, \$100,00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WOMENT ALSO BE SUBMITTED.  FRACTURE - STIMULATE:	E BOND. ON
DRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS ALSO BE SUBMITTED.  FRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES OV: -1, FEE BOND, PERMANENT PLAT AND ORIGINAL WELL RECORD.	E BOND. ON ELL RECORE
DRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, \$100,00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DOBLL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WOMENT ALSO BE SUBMITTED.  DEFRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES O': -1, FE	E BOND. ON ELL RECORE
DORILL:  SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DORILL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS DRILLED BESUBMITTED.  DOFT FRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES O' 1, PER BOND, PERMANENT PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES O'.	E BOND. ON ELL RECORL RECORDANGE RECORDANGE RECORDANGE
DRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WELLS ALSO BE SUBMITTED.  FRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES O'1-1, FEE BOND, PERMANENT PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES O'1-1, FEE ING ORIGINAL PERMIT NUMBER, AND PERFORMANCE BOND.  Reculed forms must be filed within ninety (90) days of completion for bond release. Inspector to be not	E BOND. ON ELL RECORL RECORDANGE RECORDANGE RECORDANGE
DRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, \$100,00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PEHMANENT COPY OF THE PLAT AND THE ORIGINAL WE MUST ALSO BE SUBMITTED.  FRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES O'1-1, FEE BOND, PERMANENT PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES O'1-1, FEE ORIGINAL PERMIT NUMBER, AND PERFORMANCE BOND.  Remarked forms must be filed within ninety (90) days of cumpletion for bond release. Inspector to be not release.	E BOND. ON ELL RECORL RECORDANGE RECORDANGE RECORDANGE
DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WIND MUST ALSO BE SUBMITTED.  FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES OF -1, PERFORMANCE OF THE PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES OF THE PLAT AND PERFORMANCE BOND.  Regulated forms must be filed within ninety (90) days of completion for bond release. Inspector to be not four (24) hours in advance.	E BOND. ON ELL RECORD
DRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, \$100,00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DOUBLE DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WE MUST ALSO BE SUBMITTED.  DEFRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES O'1-1, PERFORMANCE PERMANENT PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES O'1-1, PERMIT ORIGINAL PERMIT NUMBER, AND PERFORMANCE BOND.  Regulated forms must be filed within ninety (90) days of completion for bond release. Inspector to be not contained.	E BOND. ON ELL RECORD
DRILL:  SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WILL MUST ALSO BE SUBMITTED.  DEFRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES O': 1, PERMOND, PERMANENT PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES O': 100 ORIGINAL PERMIT NUMBER, AND PERFORMANCE BOND.  Reculated forms must be filed within ninety (90) days of completion for bond release. Inspector to be not four 1,24) hours in advance.  The following waiver must be completed by the coal operator if the permit is to be issued within ten error.  ALVER: I the undersigned, Agent for	BOND. ON ELL RECORI
DRILL:  SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFORMANCE BOND AND PERMIT OF PLAT.  DRILL DEEPER OR REDRILL:  SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NUMBER AND PERFORMANCE WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLAT AND THE ORIGINAL WILL MUST ALSO BE SUBMITTED.  FRACTURE - STIMULATE:  OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929, FIVE (5) COPIES OF 1, PERMANENT PLAT AND ORIGINAL WELL RECORD.  OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUNE 5, 1929, FIVE COPIES OF 100 ORIGINAL PERMIT NUMBER, AND PERFORMANCE BOND.  Reculted forms must be filed within ninety (90) days of completion for bond release. Inspector to be not four 1,24) hours in advance.	E BOND. ON ELL RECORI



1)	Date:	8/14/2025	
2)	Operator	r's Well Number Harrison - 06042	

033

06042

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

(a) Name Address	3520 Piedmont Rd NE Ste 410	Address		
Huuress	Atlanta, GA 30305	11441000		
(b) Name	Alianta, OA 30303	(b) Coal Ow	ner(s) with Declarati	on
Address		Name	United Central Industrial Supply	Company, LLC c/o Marvin F. Poer & Company
		Address	3520 Piedmont Rd NE Ste	e 410
			Atlanta, GA 30305	
(c) Name		Name		RECEIVED
Address		Address		Office of Oil and Gas
				AUG 20 2025
3) Inspector	Jeff Propst	(c) Coal Less	see with Declaration	2020
Address	4936 Little Sand Run Road	Name	None Reported	WV Department of
	Buckhannon, WV 26201	Address		Environmental Protection
Telephone	681-990-2569			

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Unknown - WVDEP Paid Plugging Contract Well Operator By: Jason Harmon WV Office of Oil and Gas Deputy Chief OFFICIAL SEA NOTARY PUBLIAddres 601 57th St. SE STATE OF WEST VIRGINIA Charleston, WV 25304 RENAE DAWN WHITLOCK 601 57th Street, SE, Charlesto Telephone 304-926-0452 My Commission Expires April 06, 202 Subscribed and sw orn before me this My Commission Expires

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

easypost

US POSTAGE PAID IMI

2025-08-14

25301 C4000004 0901000010746



Office of Oil and Gas

AUG 20 2025

Environmental Protection

API Number	47 - 033	_ 06042
Operator's W	DAY SHOW SHOW IN	n - 06042

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - WVDEP Paid Plugging Contract	OP Code
Watershed (HUC 10) West Fork River Quadran	gle Shinnston 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed	
Will a pit be used? Yes □ No ✓	
If so, please describe anticipated pit waste: Production fluid and cer	ment returns.
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed f  * Underground Injection (UIC Permit Number #25  Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal Other (Explain	Illocation)  RECEIVED Office of Oil and Gas
	AUG 20 202
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshv	water, oil based, etc. N/A Environmental Protection
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. $\underline{N/A}$	A
-If left in pit and plan to solidify what medium will be used? (cement	, lime, sawdust)N/A
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Gas of any load West Virginia solid waste facility. The notice shall be provided within 24 hour where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or conforcement action.  I certify under penalty of law that I have personally examined and application form and all attachments thereto and that, based on my inquiry of the information, I believe that the information is true, accurate, and complet submitting false information, including the possibility of fine or imprisonment.  Company Official Signature  Company Official (Typed Name) Jason Harmon	ent of Environmental Protection. I understand that the dition of the general permit and/or other applicable law d am familiar with the information submitted on this hose individuals immediately responsible for obtaining
Company Official Title Deputy Chief	601 57th Street, SE, Charleston, WV 25304 My Commission Expires April 06, 2027
2004 0 / 2000 CONT	······································
Subscribed and sworn before me this 20th day of Chargest	, 20 2 S Notary Public

Operator's Well No.	Harrison - 06042
---------------------	------------------

roposed Revegetation Trea	tment: Acres Disturbed +/- 1 ac.	Preveg etation pH	·
Lime3	Tons/acre or to correct to pH _	6.5	
Fertilizer type 10	-20-20 or Equivalent		
Fertilizer amount		acre	
	Tons/a	cre	
<del></del>			
	Seed	Mixtures	
Т	emporar y	Pern	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Nsike	5	Alside Clover	5
Annual Rye	15		
ttach: laps(s) of road, location, povided). If water from th	oit and proposed area for land applica e pit will be land applied, provide wa f the land application area. olved 7.5' topographic sheet.	tion (unless engineered plans inc ter volume, include dimensions (	luding this info have been L, W, D) of the pit, and d
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or the coopied section of investments.	oit and proposed area for land applica e pit will be land applied, provide wa f the land application area. olved 7.5' topographic sheet.	ter volume, include dimensions (	RECEIVED
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or the coopied section of investments.	oit and proposed area for land applica e pit will be land applied, provide wa f the land application area. olved 7.5' topographic sheet.	ter volume, include dimensions (	L, W, D) of the pit, and d
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or the coopied section of investments.	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED
Attach: Maps(s) of road, location, provided). If water from the complete water from the complete section of investment of the complete section of the	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Office of Oil and Gas  AUG 20 2875
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or thotocopied section of involved by:	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Offlice of Oil and Gas AUG 20 2825
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or Photocopied section of involved by:	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Office of Oil and Gas  AUG 20 2875
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or Photocopied section of involved by:	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Office of Oil and Gas  AUG 20 2875
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or Photocopied section of involved by:	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Office of Oil and Gas  AUG 20 2875
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or Photocopied section of involved by:	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Office of Oil and Gas  AUG 20 2875
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or Photocopied section of involved by:	pit and proposed area for land applicate pit will be land applied, provide was fithe land application area.  Dived 7.5' topographic sheet.  8-14-20	ter volume, include dimensions (	RECEIVED Office of Oil and Gas  AUG 20 2875



Date: 8/14/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4703306042 Well Name Harrison - 06042

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey **Permitting Supervisor** 304-590-7707

> RECEIVED Office of Oil and Gas

AUG 20 2025

WV Department of Environmental Protection



#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

#### BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM	)	
LEGISLATIVE RULE 35CSR4	)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE	)	
35CSR8 SECTION 20.1,	)	m. RECEUM
RELATING TO THE CEMENTING	)	Office of Oil and Gas
OF OIL AND GAS WELLS	)	AUG <b>20</b> 2025
		WV Department of Environmental Protection
		Tidellor

#### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

#### FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a
  variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in
  place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of
public comments on the variance consideration. During the 20-day public comment
period, no comments were received.

#### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

#### ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

Office of Oil and Gas


AUG 20 2025


WV Department of Environmental Protection

IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA


James Martin, Chief Office of Oil and Gas











#### SURFACE OWNER WAIVER

Operator's Well Number

Н	arris	on -	060	42

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

1) The proposed well work will constitute a hazard to the safety of persons.

RECEIVED
Office of Oil and Gas

2) The soil erosion and sediment control plan is not adequate or effective;

3) Damage would occur to publicly owned lands or resources;

AUG 20 2023

4) The proposed well work fails to protect fresh water sources or supplies;

5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I has objection to a permit being issued FOR EXECUTION BY A NATULETC.	d on those materials.	e planned wo		aterials, and I have no BY A CORPORATION,
	Date	Name		
Signature		By		•
		Its		Date
			Signature	Date

09/05/2025

API No.	4703306042	
Farm Name	Shinnston Farm	_
Well No.	Harrison - 06042	

#### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operator has examined this proposed plugging wordone at this location, provided, the well Virginia Code and the governing regulation	k order. The undersigned has operator has complied with	
Date:		
	By:	
	Its	
		RECEIVED Office of Oil and Gas
		AUG 20 2025
		WV Department of Environmental Protection

11/10/2016

#### PLUGGING PERMIT CHECKLIST 4703306042

RECEIVED Office of Oil and Gas

AUG 20 2025

on

Plugging Permit	, , ,
	WV Department of Environmental Protection
WW-4B	
WW-4B signed by inspector	
WW-4A	
SURFACE OWNER WAIVER OF PROOF THAT APPLICATION WAS SENT BY REG	SISTERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT AP	PLICATION WAS SENT
BY REGISTERED OR CERTIFIED MAIL	
WW-9 PAGE 1 (NOTARIZED)	
WW-9 PAGE 2 with attached drawing of road, location, pit and proposed ar	ea for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
MUST HAVE VALID BOND IN OPERATOR'S NAME	
CHECK FOR \$100 IF PIT IS USED	



RECEIVED
Office of Oil and Gas

AUG 20 2025

WV Department of Environmental Protection

Jason Harmon – Deputy Director WV Department of Environmental Protection Office of Oil and Gas 601 57<sup>th</sup> Street, SE Charleston, WV 26304-2345

Mr. Harmon,

Please find enclosed a permit application to plug and abandon the orphan well listed below.

API #:4703306042 Tax District: Clay Harrison County, WV

This well is part of the state orphan multi-well plugging contract for Harrison County, WV. Next Level Energy will be the plugging contractor operating under the Harrison County Contract. The oil and gas inspector has reviewed and signed off on the permit application for the work to be carried out. Additionally, a copy of the application has been mailed to the surface owner(s) of record, with the associated mail receipt(s) enclosed.

If you have any questions or require further information regarding the work or the permitting process, please do not hesitate to contact the Diversified Energy Permitting Department

We are here to assist and provide any clarification you may need.

Sincerely,

Nick Bumgardner - Permitting Supervisor

Diversified Energy Company

304-545-4848

nbumgardner@dgoc.com



#### Kennedy, James P < james.p.kennedy@wv.gov>

### plugging permits issued 4703306042 06114

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Tue, Sep 2, 2025 at 1:51 PM

To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Jeff A Propst <jeff.a.propst@wv.gov>, dpalmer@harrisoncountywv.com, Henry J Harmon <henry.j.harmon@wv.gov>

To whom it may concern, plugging permits have been issued for 4703306042 06114.

### James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57<sup>th</sup> Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

#### james.p.kennedy@wv.gov

#### 2 attachments



4703306042.pdf 2997K



4703306114.pdf