

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, August 6, 2025 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 71296 47-033-06057-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450

James A. Martin

Chief

Operator's Well Number:

Farm Name: CALOCCIA, WILLIAM ROM

U.S. WELL NUMBER: 47-033-06057-00-00

Not Available Plugging Date Issued: 8/6/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date July 1,	20 25
2)Operator's	
Well No. Harrison - 06057	
3) API Well No. 47-033	- 06057
-	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	IT TO PLUG AND ABANDON
4)		injection / Waste disposal / / erground storage / Deep / Shallow /
5)	Location: Elevation 1519.78'	Watershed Coon's Run
	District Clay	County Harrison Quadrangle Shinnston 7.5
6)	Well Operator Unknown - WVDEP Paid Plugging Contract	7) Designated Agent Jason Harmon
	Address 601 57th St., SE	Address 601 57th St., SE
	Charleston, WV 26304	Charleston, WV 25304
8)	Oil and Gas Inspector to be notified Name Jeff Propst	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
	Address 4936 Little Sand Run Road	Address 104 Helliport Loop Rd
	Buckhannon, WV 26201	Bridgeport, WV 25330
	See Attached Work Procedures	
	Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection	

Plugging Prognosis

API#: 4703306057

West Virginia, Harrison Co.

Lat./Long: 39.399093, -80.254363

Nearest ER: United Hospital Center, 327 Medical Park Dr, Bridgeport, WV 26330

Casing Schedule:

Casing visible at surface appears to be rods inside 2-3/8" tbg inside of possibly 7" casing or larger with no other string visible in pictures supplied by WVDEP.

Closest Offset well 4703300409 Casing Schedule

16" Conductor @ None Listed (Offset)

10" Surface Casing @ 250' (Offset)

7" Intermediate Casing @ 1660' (Offset)

2" tbg @ Unknown but visible in photo of 4703306057 well

Rods @ Unknown but visible in photo of 4703306057 well

Offset well TD is listed as 2287' with the interval 2335' to 2287' filled with Red Clay and Stone listed on the well record.

Completion: Offset Not Fractured – gas and oil shows listed below

Fresh Water: Unknown. Offset – Not listed Salt Water: Unknown. Offset – 1150' Gas Shows: Unknown. Offset – 1138' Oil Shows: Unknown. Offset – 2215', 2242'

Coal: Unknown. Offset - 250'-258'

Elevation: 1265'

- ** Make attempts to remove all free casing. Cement across all casing shoes and casing cuts.
 - 1. Notify Inspector Jeff Propst @ (681) 990-2569, 48 hrs prior to commencing operations.
 - 2. Check and record pressures on csg/tbg.
 - 3. Pull and lay down rods and 2" tbg string.
 - 4. Check TD w/ wireline and confirm shoe depth of casing and top of cement in inner most casing string with CBL.
 - 5. Run into attainable bottom. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 200' Class A/L cement plug. (**Producing zone plug**) Tag TOC. Top off as needed.




- If the casing is not run to TD, TOOH w/ tbg to above cement plug. Pump 6% bentonite gel from top of plug to 50' below casing shoe.
- If the casing is not run to TD, TOOH w/ tbg to 50' below casing shoe. Pump 100' Class A/L
 cement plug 50' in/out of csg shoe (csg shoe plug).
- 8. Pump 6% bentonite gel from top of shoe plug to bottom of cut plug.
- Free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out
 of cut. Do not omit any plugs listed below. Perforate as needed.
- 10. Pump 6% bentonite gel from top of cut plug to 1559'.
- 11. TOOH w/ tbg to 1559'. Pump 459' Class A/L cement plug from 1559' to 1100' (elevation and potential salt water and potential hydrocarbon plug).
- 12. TOOH w/ tbg to 1100'. Pump 6% bentonite gel from 1100' to 310'.
- 13. If there is another casing string in the well, free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below.
 Perforate as needed.
- 14. TOOH w/ tbg to 100'. Pump 310' Class A/L cement plug from **310' to surface (surface and potential coal plug).**
- 15. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

Jeff A Propert 7-2-2025

Office Of Oil and Gas

JUL 08 2025

WV Department of Environmental Protection







STATE OF WEST VIRGINIA DEPARTMENT OF MINES ON 7

L
X.

			•									-			•
	•		-					OI	L	AND	G/	۱5	DIV	IS.	I
Qu	drangle	_	CLARKSBURG	 		٠.	-					•			•

tolary		ш	
pudder		ĸ	
Cable Tools			
dorado.	•	П	•

WELL RECORD HAR-409-RED. Permit No. Off or Gas Well (XIND) TRIAD OIL COMPANY Casing and Tubing Used in Drilling Left in Well P. O. Box 1588, Parkersburg, West Va. Geo. W. Swiger Drain to Coons Run Size Location (waters) Well No. 4-Redrill Elev_1280_26 Kind of Packer Clay Harrison Stael Shoe District_ Allen Miller 250.0d 250.00 The surface of tract is owned in fee by 1660,00 1660.00 Mary B. Deveny. Deveny Bidg. Mineral rights are owned by-Depth set Address Drilling commenced Perf. top. Drilling completed July 15. 1966 Perf. bottom Date Shot Perf. top. With. Perf. botton Open Flow /10ths Water in /10ths Merc. in Volume. Rock Pressure **ENCOUNTERED AT** OiL INCHES INCHES WELL ACIDIZED FEET INCHES WELL FRACTURED Was Not Fractured TEG RESULT TER TREATMENT. ROCK PRESSURE AFTER TREATMENT

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	- Remarks
late			0				
ine			66	66			
late & Lime			111	111		1.	
gh. Coal				250	\		
gn. Coal late & Shale			250	258	\ \ \	and the second	
and, White			258	458			
		3	458	478			
late, Dark		• •	478	568			
late, White			568	610			
late, Dark			610	660			
ime, Dark			660	710			
late, Black			710	775			
unkard			775	795			
late			795	825			
ts Sand			825	880			
late, White			880	910			
st Salt Sand			910	945		0.00	
late, Black			945	975			
d Salt Sand			975	1125			
ite, Dark			1125	1133	i		
rd Salt Sand			1133	. 1185	Gas	1138*	
late, Dark	1 1	5 1 1 3	1185	1224	UMB.	1130,	
ind, White			1224	1284	Water		
ale			1284		water .	1150'	5 Bbls.
d Rock				1305	1 7	. : : <u></u>	
ime, Red			1305	1445	* ***	156782	1. 1146 (1.11)
LME, REG	' ';		1445	1515	/	3" 1	2
ed Rock			1515	1602			/ \
ittle Lime			1602	1617	<i> </i> 8	OCT 1166	\square
encil Cave			1617	1625	1829303),	OCT 1566 RECEIVED	l ≍l
g Lime			1625	1696	S	Most It.	P
g Injun			1696	1800	(2)	West Virginia	≩

Formation	Color	Hard or Soft	Top 7	Bottom	Oil, Gas or Water	Depth Found	Remarks
Shale Squaw Sand Slate Lime Shells Fifty-Foot Shale Sand			1800 1828 1842 1890 2184 2270	1828 1842 1890 2184 2270 2312	011 011	2215 2242	Show
Sand	, i.		2312	2335	- •		
Filled with I		d Stone Fron	2335 to 228	} ′•	15	.2774 .	
Total Depth				2287			
							·
			٠.				
					ļ		÷
			,				Ÿ
	l						
] .	. •		217	[45	
		•					
		<u>.</u> '					
		:		• •			
							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		ļ					
			•				
			-				
				e			
10 Aug 1							
]	,				
•		}					
						1.2	
							- A S
•	•			. 1			
		and		,			
*				•			
				1			
	1 July 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1.4				
			.:.:			:	
		** *					
•							
	lu i de						
		}				-	1
		l :.	1			1 .	

. 1

Date	October 6	. 19 66
APPROVED Tried O	11 Company	Owne
By 1.67	Gent	K.
A. C. H11		Engineer

08/08/2025

W.O. 20 72 abandonment DELPHIA COMPANY 106-PHILA Go & Swiger Farm Legs 28-1969 · Record of Well No. 2014 Located-Land Lownship, . Harris County, . JV.Va Division District // Ring broket by Second Begin Varnhart S.a.K "Oct 28 1909 " Sec 2 1909 Cost of Rig, 8 17.92.61 Cost of drilling. \$ 270.40 Tolul, \$ 5300.92 Feet. Size of hole Depth of Well . Producing notrul 890 Read 10/22/11 40.12 Roca 8-29.12 Me she est le uning Recedal 22.12 · REMARKS 3/11/10 Que 2419.4 Complete mar + 1915. Jus willweek 2534 of 2" hel 218' of 3" taling 1-54.643 Hoore wall fo 5. R.P. 890" 45 h. - 76 0 336 men of 4/4 Come 3500 24a 2352 of & Och in his to to Bin lund M. O. 9 61 regues 11- V3 · Y8 to Colean Civi <u>033-409</u>

08/08/2025

Piptsburge& West Virgunia GAS	COMPANY	
of Chapter 62D West Virginia, relating to closing wells on aband	loning or ceasing operations,	Pro-

Part 2 of Section 3572 of vides as follows:

vides as follows:

"It shall be the duty of the owner of any well drilled for any of the purposes mentioned in the first section of this Act, before abandoning or ceasing to operate the same and before drawing the casing therefrom, to fill up the well with sand or rock sediment, to a depth of at least fifty feet to the top of the oil or gas bearing sand or rock, and drive a round, seasoned wooden plug, at least toreo feet in length, equal in diameter to the diameter of the well below the casing, to a point at least five feet below the both on of the casing, and immediately after drawing the casing, except in regions where the well caves after the withdrawal of the casing, shall drive a round, seasoned wooden plug at a point just below where the lower end of the casing rested; which plug shall be at least three feet in length, tapering in form, and of the same diameter of the distance of eighteen inches from the smaller end, as the diameter of the hole below the point at which it is to be driven. After the plug in the property driven, there shall be filled in on top of the same, sand or rock sediment to a depth of at least fifty feet

eighteen inches fr	om the smaller end, as t	lan digemananan ay tira basia in	ma kuni or tock sulime:	sume diameter at the distance of t is to be driven. After the plug nt to a depth of at least fifty feet		
, i.e follo	wing is a true and corre		nner in which the follo	wing well was plugged:		
Clcy	T	listrict	Herrison .	Co.; W. Va.		
Date Abandoned	12-28-28	Nork Dong ACIA. A	YE. CAS. Do Date Co	ompleted 2712729		
Diffe 11Datique		CASING REC		•		
SIZE	PUT IN WELL	PULLED OUT	LEPT IN WELL	nemarks		
1012	2502		250	Through Coal		
. 83.II	8903	890°				
6 5/ 8"		16607		•		
5 3/16"		16803	680	Cut Off		
	2557.	27002	218	Partoa		
<u> </u>	718	WELL PLUCGED AS		••		
	0000			7 77.		
Total Depth of I	iole 2828			f Anchor17ft.		
	F_WOOdPlugs at	2418		2411 feet		
5 3/16"	Lead Plugs at	2411	feet Filled to	259Q:feet		
Bridgo	d Plugs at	1680		1672fect		
6 5/8"K & F	Wood Plugs at	<u> 1680</u>		1672feet		
, 6 5/8"	Loed Plugs at	16:/2	feet Filled to	1648 icct		
Bridge	Ž Plugs at	962	feet Filled to	936		
8½" 14 P Wo		936	feet Filled to	910 feet		
Six feet or pipe in control inspected by	od Coment in t enter: Harry Scott	Representin	th Mon Loot of Sonsolide	Z. 2. Porlorated		
Remarks		? pp poop p & & & & & & & & & & & & & & &		.,		
This report to be signed by at least three men employed in the plugging of well, and to be signed and exact of to by the Foreman in charge. Approved: Signed Mallian August Three Mallian Control of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of well, and to be signed and exact of the plugging of the pluggin						
	Division	s anderiure uneur	N-hWor	duan		
State of West	VIRGINIA;	SS.	(1) (1) d	10.415)		
COUNTY OF	Harrison			Foremen		
	. <u> </u>		olic in and for said Cou , who being duly swo	nty and State, personally came orn according to law, did depose		
and say that the	facts as set forth in the	e foregoing statement w	re true.			
the26	101 (* 15-61)	lasters, ilotary sublice	5 //	Poreman		
		amission explica	ILL ma	mas to		
My Commis	sion Expires	1erch-22,.15%		LAY PUBLIC.		

1)	Date:	7/1/2025
2)	Operator's	Well Number Harrison - 06057

033

06057

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

4)	Surface Owne (a) Name	er(s) to be served: William R. Caloccia	5) (a) Coal Operator Name	Not Currently Operated
	Address	55 Francis Mine Tower Rd.	Address	
		Fairmont, WV 26554		
	(b) Name		(b) Coal Owr	ner(s) with Declaration
	Address		Name	See Attached
		~	Address	
	(c) Name		Name	
	Address		Address	
6)]	Inspector	Jeff Propst	(c) Coal Less	ee with Declaration
	Address	4936 Little Sand Run Road	Name	None Reported
		Buckhannon, WV 26201	Address	
	Telephone	681-990-2569		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Office Of Oil and Gas	Well Operator	Unknown - WVDEP Raid	Plugging Contract
Office Of OII all	By:	Jason Harmon	7/ /
office of 011 0 8 2025	Its:	WV Office of Oil and Sas	Deputy Chief
1/11 00	Address	601 57th St. SE	
Department Protection		Charleston, WV 25304	-
WV Department of Environmental Protection	Telephone	304-926-0452	OFFICIAL SEAL
Subscribed and sworn before me	e this 14th da	y of July 2020	STATE OF WEST VINGINA SAMPLY SAMPAGE WV DANAMINE OF ENTITUDE PROJECTION, Office Officers Gas 601 SPh Street St. Chamadan, WV 25304 My Commission Example Padragy 15, 2028 Notary Public
My Commission Expires	7-15-78		totaly I ubile

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Coal Owners 47-033-06057

Hillview Resources, LLC 36 Jubilee Ln.

Fairmont, WV 26544

Jackson L. Anderson Trust

c/o Lea E. Anderson

829 White Oak Cr. Pittsburgh, PA 15228

Charlotte Moran 3462 Pine Needle Dr.

Show Low, AZ 85901

Ralph N. Anderson 220 Foley Dr.

Parkersburg, WV 26104

Patricia Jordan 638 Yarborough Way

The Villages, FL 32163

Office Of Oil and Gas

JUL 08 2025

WV Department of Environmental Protection

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

WILLIAM R CALOCCIA 55 FRANCIS MINE RD **FAIRMONT WV 26554-5356**



25301 C4000004 Retail 4.0 OZFLAT US POSTAGE AND FEES PAID 0901000010748

2ND. FLOOR CHARLESTON WV 25301

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET

PARKERSBURG WV 26104-2633 2220 FOLEY DR RALPH N ANDERSON



25301 C4000004 Retail 4.0 OZFLAT 2025-07-01 US POSTAGE AND FEES PAID easypost 0901000010746

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

PITTSBURGH PA 15228-1711 829 WHITE OAK CIR C/O LEA E ANDERSON JACKSON LANDERSON TRUST



C4000004 25301 4.0 OZFLAT Retall 2025-07-01 US POSTAGE AND FEES PAID ⊌easypost 0901000010748

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

HILLVIEW RESOURCES LLC

FAIRMONT WV 26554-5331

36 JUBILEE LN

RECEIVED GAS Office Of Oil and GAS JUL 08 2025 WY Department of Emironmental Protection

Retail 25301 4.0 OZFLAT C4000004 2025-07-01 US POSTAGE AND FEES PAID **⊚**easypost 0901000010748

USPS CERTIFIED MAIL

Permitting Department 414 SUMMERS STREET **CHARLESTON WV 25301** 2ND. FLOOR

Diversified Gas & Oil Corporation

638 YARBOROUGH WAY PATRICIA JORDAN THE VILLAGES FL 32163-2527

RECEIVED Gas Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection



USPS CERTIFIED MAIL™

08/08/2025

Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301 Diversified Gas & Oil Corporation

CHARLOTTE MORAN
3462 PINE NEEDLE DR

SHOW LOW AZ 85901-7606

9407 1362 0855 1280 1731 16 USPS CERTIFIED MAIL TH

> 2025-07-01 25301 4.0 OZFLAT C4000004 US POSTAGE AND FEES PAID easyposi e 0901000010746

RECEIVED Office Of Oil and Gas .⊞L 08 2025 WV Department of Environmental Protection

API Number	47 -	033	_	06057	
Operator's W)57	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - WVDEP Paid Plugging Contract OP Code
Watershed (HUC 10) Coon's Run Quadrangle Shinnston 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No
If so, please describe anticipated pit waste: Production fluid and cement returns.
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) * Underground Injection (UIC Permit Number #25-744
Reuse (at API Number JUL 0 8 2025
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain
Other (Explain Of Environmental Protection
Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
MOTARY PUBLIC THE CHARGINIA
Company Official Signature www.decimental.com.com
Company Official (Typed Name) Jason Harmon Company Official Title Deputy Chief
Company Official Title Separa Cities
Subscribed and swom before me this 14th day of July , 20 25 Notary Public
My commission expires

Operator's Well No. Harrison - 06057	
--------------------------------------	--

Proposed Revegetation Trea	atment: Acres Disturbed +/- 1 ac.	Preveg etation pH	
Lime 3	Tons/acre or to correct to pH _	6.5	
Fertilizer type 10)-20-20 or Equivalent		
Fertilizer amount	TBD lbs/a	acre	
Mulch2	Tons/ac	cre	
	Seed	Mixtures.	
1	Temporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alside Clover	5
Annual Rye	15		
ttach: laps(s) of road, location, provided). If water from the condition, which water from the conditions are so that was a condition are so that was a conditions are so that was a condition are so	pit and proposed area for land applicate pit will be land applied, provide wat of the land application area.	ion (unless engineered plans incluer volume, include dimensions (L,	ding this info have be W, D) of the pit, and
ttach: laps(s) of road, location, provided). If water from the condition, which water from the condition of investigation of	e pit will be land applied, provide wat f the land application area. blyed 7.5' topographic sheet.	ion (unless engineered plans incluer volume, include dimensions (L,	ding this info have be W, D) of the pit, and
Attach: Maps(s) of road, location, provided). If water from the land area in acres, or whotocopied section of investigation and approved by:	e pit will be land applied, provide wat fthe land application area.	er volume, include dimensions (L,	ding this info have be W, D) of the pit, and
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or thotocopied section of involunt and Approved by: Comments:	e pit will be land applied, provide wat fithe land application area. olved 7.5' topographic sheet. Jeff A Propet	7-2-2025	W, D) of the pit, and
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or thotocopied section of involunt and Approved by: Comments:	e pit will be land applied, provide wat fithe land application area. olved 7.5' topographic sheet. Jeff A Propet	er volume, include dimensions (L,	W, D) of the pit, and
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or hotocopied section of involvant Approved by: Comments:	e pit will be land applied, provide wat fithe land application area. Olived 7.5' topographic sheet. Olived A Propat	7-2-2025	W, D) of the pit, and B nd Gas
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or chotocopied section of investigation and approved by: Comments: RECENTER Office Of One	e pit will be land applied, provide wat fithe land application area. Olved 7.5' topographic sheet. Olved A Propert Ond Case 7025	7-2-2025 TECEIVE Office Of Oil a	W, D) of the pit, and D nd Gas 2025
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or hotocopied section of involvant Approved by: Comments:	e pit will be land applied, provide wat fithe land application area. Olved 7.5' topographic sheet. Olved A Propert Ond Case 7025	7-2-2025 PRECEIVE Office Of Oil a WV Departme	W, D) of the pit, and B nd Gas 2025
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, or chotocopied section of investigation and approved by: Comments: RECENTER Office Of One	e pit will be land applied, provide wat fithe land application area. Olved 7.5' topographic sheet. Olved A Propert Ond Case 7025	7-2-2025 PRECEIVE Office Of Oil a WV Departme	W, D) of the pit, and Gas



7/1/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4703306057 Well Name Harrison - 06057

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey Permitting Supervisor 304-590-7707

Office Of Oil and Gas

JUL 0 8 2025

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WW 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE)		
35CSR8 SECTION 20.1,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

Office Of Oil and G89

JUL 08 2025

WW Department of Emiliary Protection

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.


Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA


James Martin, Chief Office of Oil and Gas














SURFACE OWNER WAIVER

Operator's Well Number

_	larrison	٠ ـ ١	กลเ	157
	amou	-	vv	ノンド

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I has objection to a permit being issue FOR EXECUTION BY A NATULETC.	d on those materials.			e materials, and I have no
	Date	Name		
Signature		By		
Office of	EIVED Gas	Its		Date
Office Of	0 8 2025		Signature	Date 08/08/2025

WV Department of ronmental Protection 08/08/2025

API No.	4703306057
Farm Name	Caloccia William Romeo
Well No.	Harrison - 06057

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging v	/ owner / lessee / of the coal under this well location or complete with all applicable requirements of the Westons.
Date:	
	By:
	Its

Office Of Oil and Gas

JUL 0 8 2025

WV Department of Environmental Protection

PLUGGING PERMIT CHECKLIST 4703306057

Pluggir	ng Permit
П	WW-4B
\Box	WW-4B signed by inspector
\Box	WW-4A
\Box	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT
	BY REGISTERED OR CERTIFIED MAIL
\Box	WW-9 PAGE 1 (NOTARIZED)
$\bar{\Box}$	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	RECENT MYLAR PLAT OR WW-7
	WELL RECORDS/COMPLETION REPORT
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED





Jason Harmon – Deputy Director WV Department of Environmental Protection Office of Oil and Gas 601 57th Street, SE Charleston, WV 26304-2345

Mr. Harmon,

Please find enclosed a permit application to plug and abandon the orphan well listed below.

API #:4703306057 Tax District: Clay Harrison County, WV

This well is part of the state orphan multi-well plugging contract for Harrison County, WV. Next Level Energy will be the plugging contractor operating under the Harrison County Contract. The oil and gas inspector has reviewed and signed off on the permit application for the work to be carried out. Additionally, a copy of the application has been mailed to the surface owner(s) of record, with the associated mail receipt(s) enclosed.

If you have any questions or require further information regarding the work or the permitting process, please do not hesitate to contact the Diversified Energy Permitting Department

We are here to assist and provide any clarification you may need.

Sincerely,

Nick Bumgardner - Permitting Supervisor

Diversified Energy Company

304-545-4848

nbumgardner@dgoc.com

RECEIVED
Office Of Oil and Gas

JUL 08 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4703306054 06055 06056 06057

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Aug 6, 2025 at 10:07 AM

To: Henry J Harmon henry.j.harmon@wv.gov, Nicholas Bumgardner henry.j.harmon@wv.gov, Apalmer@harrisoncountywv.com

To whom it may concern, plugging permits issued for 4703306054 06055 06056 06057.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





2895K

4703306055.pdf 2902K