

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, August 6, 2025 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 71505 47-033-06077-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: PAUSHEL JOHN T & MARY L

U.S. WELL NUMBER: 47-033-06077-00-00

Not Available Plugging Date Issued: 8/6/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4	В
Rev.	2/01

1) Date July 2	20 25
2)Operator's	
Well No. Harrison - 06077	
3) API Well No. 47-033	- 06077

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4)	Well Type: Oil/ Gas/ Liquid	injection / Waste disposal //
-,		erground storage) Deep/ Shallow 🗸
	71	Watershed Coon's Rum Branch of Laurel Run
5)	Location: Elevation 1099.99'	County Harrison Quadrangle Fairmont West 7.5'
	District Clay	councy named
6)	Well Operator Unknown - WVDEP Paid Plugging Contract	7) Designated Agent Jason Harmon
•,	Address 601 57th St., SE	Address 601 57th St., SE
	Charleston, WV 26304	Charleston, WV 25304
8)	Oil and Gas Inspector to be notified	9)Plugging Contractor
0)	Name Jeff Propst	Name Next LVL Energy (Diversified Owned)
	Address 4936 Little Sand Run Road	Address 104 Helliport Loop Rd
	Buckhannon, WV 26201	Bridgeport, WV 25330
10)	Work Order: The work order for the mann	er of plugging this well is as follows:
10)		er of plugging this well is as follows:

Plugging Prognosis

API #: 4703306068

West Virginia, Harrison Co.

Lat./Long: 39.401255, -80.247444

Nearest ER: United Hospital Center, 327 Medical Park Dr, Bridgeport, WV 26330

Casing Schedule:

Casing visible at surface appears is just unknown size open top casing Closest Offset well 4703303181 Casing Schedule 8-5/8" Casing @ 1183' CTS (Offset) 4-1/2" csg @ 3318' cmt w/ 295 sks (Offset)

Offset well TD is listed as 3318'

Completion: Offset Not Fractured – 2516'-2546'; 3004'-3220'

Fresh Water: Unknown. Offset – 49'; 345' Salt Water: Unknown. Offset – Not listed Gas Shows: Unknown. Offset – Not listed Oil Shows: Unknown. Offset – Not listed Coal: Unknown. Offset – 100'-104'

Elevation: 1079'

- ** Make attempts to remove all free casing. Cement across all casing shoes and casing cuts.
 - 1. Notify Inspector Jeff Propst @ (681) 990-2569, 48 hrs prior to commencing operations.
 - 2. Check and record pressures on csg/tbg.
 - 3. Check TD w/ wireline and confirm shoe depth of casing and top of cement in inner most casing string with CBL.
 - 4. Run into attainable bottom. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump Class A/L cement plug from TD up to 2,400' to cover all possible hydrocarbon zones. (Bottom hole and hydrocarbon bearing zones plug) Tag TOC. Top off as needed.
 - Free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out
 of cut. Do not omit any plugs listed below. Perforate as needed.
 - 6. If the next size casing shoe depth can be determined, TOOH w/ tbg to 50' below casing shoe. Pump 100' Class A/L cement plug 50' in/out of csg shoe (csg shoe plug).
 - 7. Pump 6% bentonite gel from top of shoe plug to 1200'.





- 8. TOOH w/ tbg to 1200'. Pump 300' Class A/L cement plug from 1200' to 900' (elevation and potential casing shoe plug).
- 9. Pump 6% bentonite gel from top of previous plug to below the next plug.
- 10. TOOH w/ tbg to 400'. Pump 400' Class A/L cement plug from 400' to surface (surface, fresh water and coal plug).
- 11. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

Jeff A Proport

RECEIVED Office of Oil and Gas

JUL 0 7 2025





ng villa i Millighaniya	gage grown in the	nanna sta	u e	_r ,
PORM IV-2/B)	Mea	SENT OF	3(2)	
(Obverse) 7-83	KIE TO	RIA)		
	MAR	223985	שי	



a san tan tan ta	MAR	223	00E.	ע				State	County	Permit
			723							
	OII.		* · · · · · · · · · · · · · · · · · · ·	NED/	RTME	STATE OF WEST V	IRGINIA W AND GAS DIVISI			
	EFT.	GA5-DI\	/ISION		PPI ICA		L-WORK-PERMIT			
i di salah		OF N	NINE	S		4.7	the state of	LANGUE !	4. 1965年15日	
4) WELL TO	PESVA LO	<u>ary rie</u>		<u> </u>	ڄنێ	10: 13 (IF ANY)	AND CONDIT	ÓIFICATIONS	PER TO M	
		["Gas",		n /	XX *	Underground i کت	torage	Deep	_∕ ≯ Shallow	<u> زر XX</u>
S LOCATIO		vation: trict:	A1 : /		- /	<u>. 1</u> 91./		un etalle eta eret.		o + 7.51
יה שפון הי	DU DEPATOR	Chest	orfie	d En	<u> </u>	County:	TAY DESIGNATED	Quadrangle:	<u>rdinikoni. ∙we</u> av. N∷ Picke	St /.D?
Addre	32	0 Prof	essio	nal B	uildi	na 7550	Address	320 Profes		
		arksbu						Clarksburg		
B) OIL & O	AS INSPEC	TOR TO	BE NOTI	FIED	(a).		9) DRILLING CO	NTRACTOR:	<u> </u>	
7.7-3	<u>Stephen</u>			222	<u> </u>		Name	Jakis, Gastas seriak Madamanan		7 - 1 - 13 15
Addre		ute #2 ne_Lew		<u>252-</u> 2637			Address	Unknown		4
	• • —	19						20 4 5 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5		• 6 . • . • . • . • . • . • . • . • . • .
io) PROPOS	ED WELL 1	work:	Drill	YX.	_/ Drii	deeper	/ Redrill	/ Stimulate	/<	
						n/ Perform	ite new formation_			
II) GEOLOG	ICAL TAR	CETFOR				echley	er narrige een en geg	Carl Page And		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	ated depth o				3350	feet		ra ringa	4 12 14	
	oximate trat			731.	917	feet; salt		feet.	-T- Ban-	
	oximate coal			<u>31,5</u>	62. E	94 ls cor	il being mined in the	area? Yes	(1/2) No	<u>X</u>
is) CASING	AND TUBI	NG PRO	GRAM,				建筑线线			
CASING OR TUBING TYPE		e SPEC	TREATION			POOTAGE I	VIERVALS	CEMENT PILLOP	Name of the last	
	• Size •	Grada	per fly	New	Umd	For delling	Laft to well	(Cable feet)	A CONTRACTOR	<u> </u>
Conductor	11.3/4	H-40	42	•	Χ	, 16 :	16 6			
Fresh wyger		•					6.96 6.86 6	AND A COURT		
Cost Intermediate	8.5/8	J-55	23	Y	•	000-410	960 760	Cidalitata	Sim.	0 1 15
Production	4.1/2	J-55	10.5	. X			3300		Depths at A	
Tubing		-			• •	SE USE ONLY	1480-446-07.04		6.1	(<u> </u>
Lleas		1 . J .		·.		O 14 (0) (3)	100 0 AC 0 B SE 0 AC 0 A	2个特别的"数量"。	Perforations:	
		بالمرابع والمرابع	zni em	بمإلت	viic b	ם מרכוונדטוורים מ	בויים לה ישונה	t brosse by at fe	Top man 1:	Bottom , in T
							State State Street	anger by growing	अस्ति। अस्	
	1.45		*	بنا		a meningan selection	SHALL STEVET		1 4 mm 4 4 m	
			100	a	4. 5				A Part of the Part	ECEIVED
 	2 3			*****	 	OFFICE USE C	NIV: Statemen	errapo proceso es Bulgaresto políticos		e Oli allo Gar
3.	 	riei es			b 5,	DRILLING PE		The Market Court	- 1111	0.7
		47-03:	222301			文文列中点中国		\$ Indead	- stiffted	1007 7025
Permit number :		47-03.	13tor		<u> </u>			Salatan da	ch 26. Wy De	19 85
This permit cov	ering the we	il operato	r and wel	l locatic	n show	below is evidence o	f permission eraste	to drill in accordan	and the second	Mail Protection
luirements subj	ect to the co	indilibris c	contained	tereio a	nd on th	e reverse hereof. No	ilfication must be of	ven to the District (A)	l and Car Inchesio	e (Defecto
No. 8) Prior to 1 listrict oil and s	lhe construc (as inspector	tion of ro. : 24 hours	ads, locati before ac	ons acc	l pils for mitted 1	any permitted work. vork has commenced	in addition, the we	Operator or his con	Citob spall dolify	the proper,
				•			· "我们,我们还是一个人的。"	Market Control		
everse hereof.							wer prem, subject to	any modifications a	Paladinaus abec	RELEGIZI
Permit expires	Marc	h 26,	1987			unless well	work is commenced	prior to that date and	prosecuted with du	ie diligence.
1	<u> </u>	Υ	· · · · · · · · · · · · · · · · · · ·	· :: : :				化氯化镍化合金 医皮肤性坏疽	K PECTIONS	
Bond:	Agent	· AP	lati	Casin	s :	Fee				
1361	54	M_{i}	L-K	1.1	4	1882	1	Zi []	[][]:021	:5A
		4	4		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		JUL/5	Jenh	bork	18.5
· · · ·		V	إ			1.00	Admir	distrator, Office of O	il and Gas	<u>:4H</u>
VOTE: Keeg o	ne copy of	this permi	t posted s	t the dr	illing lo	ation.	O Mill Office			
	<u> </u>	• • •				2000年1月1日 1月1日	March 1970 Villa	162 6 A. R. H.		: File ;

and provide their particles in	Parish and Constitution of the Constitution of
IV-35 (Rev 8-81)	Date August 26, 1985 Operator's
State of Mest	Hirginia Well No. Wilson #1 Well-
DECELVE 0410 Bepartment of	Mines 2406 Farm
Mil mak Mag	Bivision API No. 47 - 033 - 3181
AUG 2 / Son · San Avns	Silvery and a mice miles in the second and a second
P. DIVISION OF OIL & GAS"	S REPORT 100 040
DEPARTMENT OF ENERGY DRILLING, FRACTURING AND/OR STIMU	EATING, OR PHYSICAL CHANGE 1854;
WEIL TYPE: Oil / Gas.XX/ Liquid Injection	/ Waste Disposal /
(If "Gas," Production xx / Undergrou	nd Storage / Deep / Shallow //
IOCATION: Elevation: 1059,32' Watershed	Coons Run
d big 1to District: Clay County Harr	17
771	Maria de la companya del companya de la companya de la companya del companya de la companya de l
<u> </u>	Cement
ADDRESS 320 Professional Bldg., Clarksburg, WV	Casing Used in Left fill up
DESIGNATED AGENT Samuel J. Cann ADDRESS 320 Professional Bldg., Clarksburg, WV	Tubing Drilling in Well Cu. ft.
	Size 20-16
SURFACE OWNER Charles P. Wilson	Cond.
ADDRESS Rt. #1, Box 339-B, Fairmont, WV 26554 MINERAL RIGHTS OWNER Charles P. Wilson	.13×1617
ADDRESS Rt. #1, Box 339-B, Fairmont, WV 26554	9 5/8
OEL AND GAS INSPECTOR FOR THIS WORK Stephen	8 5/8 1183' 1183' to surface
Rt. #2, Box 232-0 Casey ADDRESS Jane Lew, WV 26378	7.
PERMIT ISSUED March 26, 1985	5 1/2
DRILLING COMMENCED August 11, 1985	4 1/2 3318 3318 295 sks
DRILLING COMPLETED August 15, 1985	3
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2
CONTINUOUS PROGRESSION FROM DRILLING OR	Idners
REMORKING. VERBAL PERMISSION OBTAINED	used
	\mathbf{I}
GEOLOGICAL TARGET FORMATION Speechley & 5th S	
Depth of completed well 3365 feet F	
Water strata depth: Fresh 49',345'feet;	
Coal seam depths: 100'-107	prescoal being mined in the area? No
OPEN FLOW DATA	
Producing formation Speechley & 5th Sand	
Gas: Initial open flow show Mcf/d	
Final open flow 218 Mcf/d	Final open flow Bbl/d Office of Other
Time of open flow between initia	Lai and final tests . hours
Static rock pressure 300 psig(surface	measurement) after 72 hours shut in 3000072020
(If applicable due to multiple completion-	Pay zone depth faet Environmental Protest
Second producing formation	Pay zone depth fact Environmental Protection Oil: Initial open flow Bbl/d
	
Final open flow Mcf/d	Oil: Final open flowBbl/d

Time of open flow between initial and final tests & hours

Statio rock pressure is psig(surface measurement) after hours shut in (Continue on reverse s 08/08/2025

walled gelies An Privacing fromption speciality & bth Au inche thirthe (Attach separate sheets as necessary) 215 X 2/4 1X Final open flon will important Learn Chesterfield Energy Corporation round il unite lang the war Well Operator

RECEIVED Office of Oil and Gas

JUL 0 7 2025

pay come dipple Date: init/d 011; Institut creat close

WV Department of Environmental Protection

Note: Regulation 2:02 (i) provides as follows: " wold wold as "The term; log! or well log! shall mean a systematic detailed geological record of all formations, including that, snountered in the drilling of a well."

will provide the bride

47-033-06077 Coal Owners

Consolidation Coal Company 1000 Horizon Vue Dr.

Canonsburg, PA 15317

Bell Shareholders, LLC 2862 War Hill Park Rd.

Dawsonville, GA 30534

Hillview Resources, LLC 36 Jubilee Ln.

Fairmont, WV 26554

Office of Oil and Gas

JUL 0 7 2025

WV Department of Environmental Protection

1)	Date:	7/2/2025	
2)	Operator's	Well Number Harrison - 06077	

3) API Well No.: 47 -

033 - 06077

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	rner(s) to be served:	5) (a) Coal Operator	
(a) Name	John T. & Mary Lynn Paush		d
Address	77 Bolton Ln.	Address	
Tidaress	Fairmont, WV 26554		
(b) Name	Talliona VVV 20004	(b) Coal Owner(s) with Declaration	
Address	N	Nome .	
riduress		Address	
	3 	Titation	
(c) Name		Name	
Address	2 	Address	
Tidaroso	(
C) I		(c) Coal Lessee with Declaration	
6) Inspector	Jeff Propst		
Address	4936 Little Sand Run Road		
/D 1 1	Buckhannon, WV 26201	Address	
Telephone	681-990-2569		
Take notic accompany Protection, the Applic	you are not required to take any action at all. e that under Chapter 22-6 of the West Virgin ying documents for a permit to plug and aban , with respect to the well at the location descr	ave rights regarding the application which are summarized in the state Code, the undersigned well operator proposes to file or has filed don a well with the Chief of the Office of Oil and Gas, West Virgin ribed on the attached Application and depicted on the attached Forn istered or certified mail or delivered by hand to the person(s) nar r delivery to the Chief.	this Notice and Application and tia Department of Environmental in WW-6. Copies of this Notice,
	Well Oper	rator Unknown - WVDEP Raid Plugging Contrac	+
	- ammuna	Jason Harmon Jason Harmon	
WIST	NOTARY PUBLIC I Tes:	WV Office of Oil and Gas Deputy Chief	moc
	STATE OF WEST VIRGINIA	601 57th St. SE	
	Street SE Charleston, WV 25304	Charleston, WV 25304	
	My Commission Expires April 06, 2027 Telephone	A THE PROPERTY OF THE PROPERTY	
amm	Telephone	004 020 0402	-
Subscribed and	sworn before me this	day of august 2025	RECEIVED Office of Oil and Gas
Van S	White !	Notary Public	JUL 0 7 2025
My Commission	Expires Con	1021	
Oil and Gas Priva	acy Notice		WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

JOHN T & MARY L PAUSHEL 77 BOLTON LN 41116-111811-4-14811-6-1-148114-1-1181114-1-118111

FAIRMONT WV 26554-1291

> Retail C4000004 25301 4.0 OZFLAT US POSTAGE AND FEES PAID 0901000010771

RECEIVED Office of Oil and Gas JUL 0 7 2025 WV Department of Environmental Protection

HILLVIEW RESOURCES LLC 36 JUBILEE LN

FAIRMONT WV 26554-5331

USPS CERTIFIED MAIL***

C4000004 Retail 25301 4.0 OZFLAT US POSTAGE AND FEES PAID 0901000010753

RECEIVED
Office of Oil and Gas

JUL 0 7 2025

WV Department of Environmental Protection

BELL SHAREHOLDERS LLC 2862 WAR HILL PARK RD

DAWSONVILLE GA 30534-7454

> 25301 4.0 OZFLAT C4000004 2025-07-02 US POSTAGE AND FEES PAID 0901000010771

RECEIVED
Office of Oil and Gas

JUL 0 7 2025

WV Department of Environmental Protection

CONSOLIDATION COAL COMPANY 1000 HORIZON VUE DR **CANONSBURG PA 15317-6523** ╢╬╬┸╌┩╢╢╌╬╢╢╌╬╏┸╬╬╬╬╬

9407 1362 0855 1280 2039 29 USPS CERTIFIED MAIL TM

> C4000004 Retail 4.0 OZFLAT 2025-07-02 US POSTAGE AND FEES PAID 0901000010771

RECEIVED
Office of Oil and Gas JUL 0 7 2025

WV Department of Environmental Protection

API Number	47 -	033	-	06077	
Operator's W				77	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - WVDEP Paid Plugging Contract OP Code
Watershed (HUC 10) Coon's Run Branch of Laurel Run Quadrangle Fairmont West 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No ✓
If so, please describe anticipated pit waste: Production fluid and cement returns.
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number #25-744) Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Office of Oil and Gas
Company Official Title Deputy Chief Deputy Chief 10 Gas
Subscribed and sworn before me this day of cugaret , 20 35 WW Department of Environmental Protection
Not provide Official SEAL
My commission expires Notary Public State of West Viriginia Renae Dawn WhitLock Solo 57th Street, SE, Charleston, WY 25304 My Commission By 0.8/2025

	Tons/acre or to correc	Preveg etation plact to pH 6.5	
Fertilizer type 10-2			
Fertilizer type Fertilizer amount		- lbs/acre	
			
Mulch2		Tons/acre	
		Seed Mixtures	
Te	mporary	Peri	manent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Nsike	5	Alside Clover	5
Annual Rye	15		
aps(s) of road, location, pirovided). If water from the , W), and area in acres, of	pit will be land applied, p the land application area.		cluding this info have been (L, W, D) of the pit, and dim
Maps(s) of road, location, pir rovided). If water from the L, W), and area in acres, of thotocopied section of invol	pit will be land applied, p the land application area. wed 7.5' topographic shee	rovide water volume, include dimensions	cluding this info have been (L, W, D) of the pit, and dim
aps(s) of road, location, pir ovided). If water from the , W), and area in acres, of notocopied section of invol	pit will be land applied, p the land application area. wed 7.5' topographic shee	rovide water volume, include dimensions of	cluding this info have been (L, W, D) of the pit, and dim
(aps(s) of road, location, pirovided). If water from the water from the water from the control and area in acres, of motocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of	cluding this info have been (L, W, D) of the pit, and dim
aps(s) of road, location, pinovided). If water from the water from the water from the water from the cotocopied section of involved an Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	cluding this info have been (L, W, D) of the pit, and dim
aps(s) of road, location, pirovided). If water from the , W), and area in acres, of notocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	cluding this info have been (L, W, D) of the pit, and dim
(aps(s) of road, location, pirovided). If water from the , W), and area in acres, of motocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	cluding this info have been (L, W, D) of the pit, and dim
Maps(s) of road, location, pirrovided). If water from the L., W), and area in acres, of thotocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	cluding this info have been (L, W, D) of the pit, and dim
Maps(s) of road, location, pirrovided). If water from the L, W), and area in acres, of thotocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	cluding this info have been (L, W, D) of the pit, and dim
Attach: Maps(s) of road, location, pirovided). If water from the L, W), and area in acres, of thotocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	cluding this info have been (L, W, D) of the pit, and dim
Iaps(s) of road, location, pirovided). If water from the , W), and area in acres, of hotocopied section of involvan Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	rovide water volume, include dimensions of the control of the cont	(L, W, D) of the pit, and dim
Maps(s) of road, location, pirrovided). If water from the L, W), and area in acres, of thotocopied section of involvant Approved by:	pit will be land applied, p the land application area. ved 7.5' topographic shee	7-2-2025	cluding this info have been (L, W, D) of the pit, and dim



7/2/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4703306077 Well Name Harrison - 06077

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey Permitting Supervisor 304-590-7707

RECEIVED
Office of Oil and Gas

JUL 0 7 2025



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE)		
35CSR8 SECTION 20.1,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- 2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in 10 7 2025 place of API Class A cement, relating to the plugging of horizontal wells.

RECEIVED Office of Oil and Gas

WV Department of Environmental Protection

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.


IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA


James Martin, Chief Office of Oil and Gas


> RECEIVED Office of Oil and Gas


JUL 0 7 2025











SURFACE OWNER WAIVER

Operator's Well Number

				_	_	_		
11	:	sor		$\boldsymbol{\smallfrown}$	_	n	~	7
н	агп	Sar	1 – 1	l ?	n	u		,

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I hav	e read the instruction	ns to surface owner	rs and that I have received copies of a Notice
and Application For A Permit To	Plug And Abandon o	on Forms WW-4A a	and WW-4B, and a survey plat.
			Office
I further state that I ha	ve no objection to t	he planned work o	RECEIVED Office of Oil and Gascribed in these materials, and I have no one Gas
objection to a permit being issued	l on those materials.		JUI 07 2000
FOR EXECUTION BY A NATU	RAL PERSON		FOR EXECUTION BY A CORPORATION, 2025
ETC.			W Denartman
			WV Department of Environmental Protection
	Date	Name	
Signature			

Its

Signature

Date

Date

API No.	4703306077		
Farm Name	Joshua Robinson Farm		
Well No.	Harrison - 06077		

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging work order	wner/ lessee/ of the coal under this well location. The undersigned has no objection to the work proposed to be or has complied with all applicable requirements of the West
Date:	
	Ву:
	Its

RECEIVED
Office of Oil and Gas

JUL 0 7 2025



Jason Harmon – Deputy Director WV Department of Environmental Protection Office of Oil and Gas 601 57th Street, SE Charleston, WV 26304-2345

Mr. Harmon,

Please find enclosed a permit application to plug and abandon the orphan well listed below.

API #:4703306077 Tax District: Clay Harrison County, WV

This well is part of the state orphan multi-well plugging contract for Harrison County, WV. Next Level Energy will be the plugging contractor operating under the Harrison County Contract. The oil and gas inspector has reviewed and signed off on the permit application for the work to be carried out. Additionally, a copy of the application has been mailed to the surface owner(s) of record, with the associated mail receipt(s) enclosed.

If you have any questions or require further information regarding the work or the permitting process, please do not hesitate to contact the Diversified Energy Permitting Department

We are here to assist and provide any clarification you may need.

Sincerely,

Nick Bumgardner - Permitting Supervisor

Diversified Energy Company

304-545-4848

nbumgardner@dgoc.com

RECEIVED
Office of Oil and Gas

JUL 0 7 2025

PLUGGING PERMIT CHECKLIST 4703306077

Plugg	ing Permit
	_ WW-4B _ WW-4B signed by inspector _ WW-4A
	SURFACE OWNER WAIVER OF PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT _BY REGISTERED OR CERTIFIED MAIL _WW-9 PAGE 1 (NOTARIZED)
	_ WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application _ WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	_ RECENT MYLAR PLAT OR WW-7 _ WELL RECORDS/COMPLETION REPORT
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED

Office of Oil and Gas

JUL 0 7 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4703306077 06078 06079 06090

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Aug 6, 2025 at 10:46 AM

To: Henry J Harmon henry.j.harmon@wv.gov, Jeff A Propst <jeff.a.propst@wv.gov, Nicholas Bumgardner henry.j.harmon@wv.gov, Deff A Propst <jeff.a.propst@wv.gov, Okrazey @dgoc.com

To whom it may concern plugging permits have been issued for 4703306077 06078 06079 06090.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





4703306077.pdf 3227K

4703306079.pdf 3079K